

RainPoint WiFi 4-zone irrigation controller



Model: HTV405FRF

Manufacturer: RAINPOINT

EAN: 5907085528519

Product Code: 1038663

R2,450

RainPoint WiFi 4-zone irrigation controller

Meet the RainPoint Wi-Fi- four-zone irrigation controller - a reliable solution for your garden. With a stable connection and intelligent zone management, you will take care of every corner of your greenery, and the solid, dustproof design and reinforced components guarantee durability for years. You can choose from three watering modes and five watering frequencies, and with weather-based scenarios, you can automatically adjust your plan to the current weather conditions. The Rain Delay function will protect your plants from overflowing, and SMS (Short Message Service) or email notifications will make sure you always know when the charge is low. Invest in precision, water savings and convenience - choose RainPoint!

Smart zone management

This four-zone controller is the ideal solution for large gardens and sprawling green spaces. Equipped with powerful antennas, it provides a stable connection even over a large area, and the advanced

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

zoning system allows you to control four watering areas independently. You can choose from three modes (normal - continuous water flow, pause - watering with pauses, cycle and soak - short watering cycles with longer absorption phase) and five watering frequency options (daily, on odd days, on even days, every certain number of days or custom calendar).

Robust, durable design

The unit has been strengthened in key components: a precision mesh filter protects against debris, a 360° heavy-duty brass inlet prevents damage during connection, and a drag-resistant (494 N test) and dustproof IP65 body guarantees reliability in all weather conditions.

Weather scenarios

Automate your controller's operation with intelligent rules based on weather conditions. You can set the selected zone to go into "cycle and soak" mode when the temperature exceeds 27 °C, to trigger a 10-minute watering at sunrise, or delay the watering schedule if the humidity exceeds 50%. It's comprehensive care for your plants in a simple and convenient way.

Manual and delayed watering

With the RainPort controller, you have full control over watering. Start any zone manually when your plants need immediate watering. And in case of rain - the "Rain Delay" function allows you to pause watering for 24, 48 or 72 hours to avoid overwatering.

Notifications and safety

The controller monitors the level of charge and will instantly send an SMS or email alert if necessary, so you'll never be surprised by a shutdown. With RainPoint, every garden will get a smart, economical and reliable irrigation system tailored to your individual needs.

Included

- irrigation controller
- nut

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- bracket
- thin washer
- mounting bracket
- small screw
- thick washer
- large screw
- medium screw
- sealing tape
- spare rubber gasket
- instruction manual

Manufacturer RainPoint

Model HTV405FRF

Water pressure 0.5 bar to 8 bar

Water flow rate 5-35 L/Min

Operating temperature 3°C-50°C

Power supply 4 AA batteries (not included)

Waterproof IP65

Water inlet NH (USA) for 3/4" threads, BSP (EU) for 3/4" or 1" threads

Water outlet For standard 3/4" garden hose

Dedicated application RainPoint Home

Gross weight: 1120, Net weight: 941, Box length: 21,50, Box width: 12,00, Box height: 18,50,

Information about data generation: <https://dataact.innpro.pl/rainpoint/5907085528519>, GPSR Link:

https://psr-assets.innpro.pl/outdoor/sg_outdoor_irrigation_systems.pdf

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950