



**Axagon PWC-
QC5 mobile
device charger
Mobile phone,
Smartphone,
Tablet,
Universal Black
Cigar lighter
Fast charging
Auto**

Model: PWC-QC5

Manufacturer: AXAGON

EAN: 8595247904034

Product Code: 1056673

R2,107

Universal AXAGON PWC-QC5 car USB charger to quickly charge up to two mobile devices at a time.

With a total power of 31.5W, the charger recharges mobile phones and tablets at the same speed as the mains USB power adapter.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Two independent USB outputs Quick Charge 3.0 and SMART 5V/2.6A allow fast charging of most mobile devices.

It is compatible with Apple iPhone, iPad, Samsung, Huawei, Honor, HTC, Xiaomi, LG, Motorola and other fast charging standards.

The Quick Charge 3.0 technology allows up to 4 times faster charging of supported devices than a conventional USB charger.

The AIC function recognizes the connected device and automatically selects the optimal charging speed, while the CV/CC function ensures steady course of charging.

The advanced protection system at the charging adapter output protects the device being charged from damage.

The car charger indicates the correct input power with a blue LED built inside, its light does not dazzle and does not distract you while driving.

The body of the power adapter has a pleasant shape and size, so it can be easily removed from the car cigarette lighter socket.

Input:

- input voltage DC 12V - 24V (WIV function), supports both passenger cars and trucks
- standard CL input - car cigarette lighter socket

Outputs:

- two independent outputs
- 1x QC USB type A port: Quick Charge 3.0 - 3.6-6.5V/3A, 6.5-9V/2.1A, 9-12V/1.6A
- 1x USB type A port SMART: smart charging- 5V/2.4A and standard charging 5V
- support for simultaneous charging from both outputs
- total maximum power 31.5W (QC port 19.5W + SMART port 12W)
- total maximum current 5.4A (QC port 3A + SMART port 2.4A)

Supported charging technologies:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- QC USB port: Quick charging QC2.0, QC3.0, AFC, FCP, PE+, SMART
- SMART USB port: Standard 5V and SMART 5V/2.4A

The charger charges devices with the following technologies:

- Standard charging of all devices that support 5 V and Apple iPhone 5, 6, SE, 7 charging.
- SMART 5V/2.4A charging, Qualcomm Quick Charge 1.0, USB Battery Charging 1.2 and quick charging of Apple iPhone 8, X, XR, XS, XS Max and iPads.
- QC - quick charging of devices that support Qualcomm Quick Charge 2.0 and Quick Charge 3.0.
- AFC - quick charging of devices that support Samsung Adaptive Fast Charging.
- FCP - quick charging of devices that support Huawei Fast Charge Protocol.
- PE+ - quick charging of devices that support MediaTek Pump Express+ and Pump Express+ 2.0.

The charger supports WIV, AIC, and CV/CC functions:

- Wide Input Voltage - function of a wide range of input voltage; it protects the adapter against undervoltage and overvoltage at the input and allow automatic detection of 12V or 24V on-board.
- Automatic Intelligent Communication - function of automatic recognition of the connected device to select optimal charging parameters.
- Constant Output Voltage / Constant Output Current - the constant voltage and constant current hold function prevents the output power fluctuations; this function ensures steady course of charging.

Complex output protection: OCP, OVP, OTP, OSP:

- Over Current Protection - protection of output against current overload.
- Over Voltage Protection - protection against overvoltage at the output.
- Over Temperature Protection - protection against overheating of the adapter.
- Output Short Circuit protection - short circuit protection at the output.

Other features:

- Decently shining through blue LED indicates the input voltage connection,
- Dimensions: depth 59 mm, average 28 mm,
- Weight: 23 g,
- Material: non-flammable plastic.

Package contains:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- dual car charger,
- multilingual manual ENG/CZ/DE/ESP/FR/HU/IT/PL/RO/RU/SK/BG,
- packed in a cardboard box with a visibly presented product.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950