



Samsung CY-IGAOF SXEN Black 4K Ultra HD 3840 x 2160 pixels

Model: SBB-SNOWJMU/EN

Manufacturer: SAMSUNG

EAN: 8806090044939

Product Code: 1062715

R47,821

LED S-Box

LED Signage Box (S-Box) condenses the delivery of content to a single, centralised device. The S-Box transmits UHD content across multiple LED displays without requiring external boxes or splitters, helping businesses enjoy a faster and more cost-efficient operations.

LED HDR technology

The S-Box leverages LED HDR technology, an advanced picture refinement technology, which produces clearly refined visuals.

Dynamic Peaking

Enhance content to optimum peak brightness levels with improved contrast

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Inverse Tone Mapping

Optimise gradation and brightness for users not to feel discomfort in relation to their eyes, maintaining peak brightness level

Colour Mapping

Ensure an accurate colour expression through compatibility with various colour gamut settings

HDR 10+ support

The S-Box supports HDR 10+ which dynamically tweaks displays' brightness performance and optimises image quality scene-by-scene to match the content.

Eco-Image Enhancer

The S-Box enhances the detail of images by increasing contrast ratio even in low-light images. In this way, the S-Box realises better picture quality with a lower amount of power, easing the burden of LED Signage users.

Multi-link HDR

Supporting content up to 8K with HDR quality and flexibility for any screen, Samsung SMART LED Signage with Multi-link HDR technology delivers a more immersive display in higher resolution than ever before.

Any content into HDR

Turn any content into HDR level quality without needing any special meta-data

Flexible configuration

Can be applied to various layouts and screen sizes up to four times 4K resolution

Image enhancement

Provide HDR quality up to 8K resolution through multiple S-boxes

Auto brightness

The S-Box automatically adjusts brightness levels by detecting the quantity of external light via dimming sensor. This in turn enables LED signage to display content with optimal brightness, while reducing display operating expenses and power consumption.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Live mode

The S-Box provides a Live mode option and it is suitable where livestream events are required, such as indoor sports. When in Live mode, the S-Box enables the LED displays to deliver content in real time, minimising a signal delay.

MagicINFO solution

Compatibility with the MagicINFO solution enables the S-Box users to create, schedule and deploy content across an entire display network. Users likewise can monitor and adjust display settings and troubleshoot potential performance issues from any locations via remote access.