

xTool SafetyPro AP2 Max smoke canister



Model: P0101000132

Manufacturer: XTOOL

EAN: 6928819533189

Product Code: 1081221

R101,459

xTool SafetyPro™ AP2 Max Smoke Absorber

The xTool SafetyPro™ AP2 Max is an industrial smoke absorber designed for users of professional laser engravers and cutters. The device ensures maximum air purity by eliminating smoke, odors and toxic substances right at the source. With a huge capacity of 700 m³/h and an advanced seven-layer filtration system, the product creates a safe and comfortable working environment even when used for long hours.

Seven layers of complete protection

The SafetyPro™ AP2 Max uses a seven-layer filtration system that removes both large particles and microscopic fines and harmful gases from the air. The SuperCyclone filter captures 99% of particles over 5 µm in diameter and protects subsequent layers from clogging. Pre-filter and medium efficiency filters eliminate dust, fibers and up to 95% of PM2.5 fine dust, while two carbon layers - activated carbon and ultra-dense carbon mesh - neutralize volatile organic compounds and 99.99%

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

of odors. A formaldehyde filter breaks down toxic HCHO into water and carbon dioxide, reducing its concentration. The final barrier is the HEPA filter, which traps 99.97% of particles, allergens and viruses as small as 0.3 micrometers.

SuperCyclone - longer filter life, lower costs

The innovative SuperCyclone system makes the entire filtration process more efficient and cost-effective. It is reusable and its design prevents clogging of successive layers. This extends the life of the pre-filter by up to ten times, which means less frequent replacement, less material consumption and lower operating costs.

Quiet, efficient operation and precise control

The 900-watt motor generates a stable airflow with a noise level of only about 65 dB, which helps maintain acoustic comfort in the workshop or workshop. In addition, the airflow regulation from 1 to 100% allows you to perfectly adjust the operation of the device to the current conditions and the type of material being processed.

Manufacturer	xTool
Name	SafetyPro™ AP2 Max
Model	P0101000132
Airflow capacity	700 m³/h
Filtration system	7-layer
Number of cyclones	72
Airflow adjustment range	1-100% (precise control)
Noise level	65 dB
Power	Up to 900 W
Dimensions	662 x 452 x 845 mm
Compatibility	xTool P3, MetalFab and all other xTool laser engravers

<https://psr->

[assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf](https://psr-assets.innpro.pl/creative_technologies/sg_creative_technologies_laser_engravers_and_cutters.pdf),

Gross weight: 88500, Net weight: 78500, Box length: 103,50, Box width: 79,00, Box height: 70,00

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950