




InLine 76619G interface cards/adapters Internal M.2, SATA

Model: 76619G

Manufacturer: INLINE

EAN: 4043718348299

Product Code: 1081897

R2,939

Flexible storage expansion via PCIe x16 slot:Adds up to five SATA ports via M.2 Key B adapter cards – ideal for compact storage solutions.

High compatibility with M.2 SATA SSDs:Supports M.2 B-key and B+M-key SSDs in 2230, 2242, 2260, and 2280 form factors.

Modern SATA functionality:Support for AHCI, NCQ, port multiplier (Command/FIS), staggered boot, and power-saving modes.

Reliable data transfer:Up to 6 Gb/s per port according to SATA Revision 3.2 – ideal for performance-critical applications.

Includes accessories for immediate use:Supplied with five M.2-to-SATA adapters, heat sinks, cables, and low-profile metal plate – for versatile installation scenarios.

The InLine PCIe interface card with JMB585 controller is the ideal solution for expanding your system

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

with up to five additional SATA ports. The card uses a PCIe x16 interface, with two PCIe lanes available according to standard 3.1a for maximum bandwidth. The included adapter cards allow M.2 SATA SSDs with Key B or B+M to be securely and efficiently integrated into existing storage systems. All common form factors such as 2230, 2242, 2260, and 2280 are supported – perfect for compact and powerful storage solutions. Each of the five interfaces delivers up to 6 Gb/s according to SATA 3.2. In addition, important functions such as AHCI, Native Command Queue (NCQ), port multiplication, and power-saving modes (slumber/partial) are supported.

The card is ideal for servers, workstations, or powerful desktop systems that require additional storage space or special RAID setups. Thanks to staggered boot-up and supported command structure, the system remains stable even with multiple drives. Installation is simple: just plug in the PCIe card and connect the adapters to M.2 SSDs. The scope of delivery includes all necessary cables, heat sinks, a low-profile bracket, and a screwdriver – for immediate and flexible use.

PCIe standard: PCIe v3.1a, up to 2 PCIe lanes usable

Interface: PCIe x16 lane

SATA standard: SATA 6 Gb/s, SATA Revision 3.2

Connections: 5x M.2 Key B ports (via expansion cards)

Compatible SSD types: M.2 B-Key and B+M-Key (2230 / 2242 / 2260 / 2280)

Transfer rate: up to 6 Gb/s per port

Chipset: JMB585

Port multiplication: Supported (command and FIS-based)

AHCI mode: Supported (standard protocol for SATA SSDs/HDDs)

Native Command Queue (NCQ): Supported

SATA power-saving features: Supported (partial / slumber)

Staggered boot: Supported

Operating temperature: 0 °C to 55 °C

Storage temperature: -40 °C to 70 °C

Maximum humidity: 90%, non-condensing

Supported operating systems: Windows 7 / 8 / 8.1 / 10 / 11, Linux

Scope of delivery:

1x InLine PCIe x16 interface card, 5x M.2 Key B SATA

1x low-profile slot bracket

5x M.2 Key B to SATA expansion card

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

5x SATA cables

5x heat sinks

5x screws

1x screwdriver

1x user manual in German/English

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950