

InLine 76662D interface cards/adapter Internal Molex 4-pin, USB 3.2 Gen 1 (3.1 Gen 1)

Model: 76662D

Manufacturer: INLINE

EAN: 4043718341443

Product Code: 1081917

R1,280

Expands your PC with four additional USB 3.2 Gen.1 ports– three external and one internal USB-A port

Supports USB Super-Speed (up to 5 Gb/s)for fast data transfers

Backward compatible with older USB standards (USB 2.0, USB 1.1)

Molex compatible 4-pin connectorfor additional power supply for high power requirements

Plug & Play – No external drivers required

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

This InLine® PCI Express card enables the simple expansion of a PC by **three external and one internal USB 3.2 Gen.1 port**. Thanks to the VIA VL805 host controller, the card offers **USB super speed with up to 5 Gb/s**and is **completely backwards compatible**with older USB standards.
For the **stable operation of external devices with higher power consumption**, the card has a **Molex-compatible 4-pin power connector**, which ensures an additional power supply if required.
The card supports **Plug & Play and Hot Plug**and is ready for immediate use.
The **compact design**and the supplied **low-profile slot bracket**enable installation in both standard PCs and compact cases.

Technical data:

Bus type & PCIe: PCIe v2.0

Chipset: VIA VL805 (USB)

Ports – interfaces:

3 x external USB 3.2 Gen.1 A sockets

1 x internal USB 3.2 Gen.1 A port

1 x Molex compatible 4-pin power connector

Data rates:

Super-Speed: up to 5 Gb/s

High speed: 480 Mb/s

Full speed: 12 Mb/s

Low speed: 1.5 Mb/s

Dimensions: 80 mm x 60 mm (PCIe board)

Operating conditions:

Operating temperature: -40 °C to +85 °C

Functions:

Supports legacy USB functions

Plug & play and hot plug compatible

No external drivers required

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

System requirements:Hardware:

PC with one free PCIe slot (x1, x4, x8 or x16)

Motherboard with support for PCI Express Base Specification 1.0 or higher

If required: a free Molex compatible 4-pin connector

Operating system support:

Windows: 11, 10, 8.1, 8, 7, Vista, XP

Linux: from kernel 2.6.31

Scope of delivery:

1 x InLine® PCI Express card, 3x+1x USB 3.2 Gen.1

1 x low-profile slot bracket

1 x CD with driver

1 x instruction manual (German/English)

Operating temperature: 0° C – 55° C

Storage temperature: -40° C – 70° C

Humidity: 10% - 90% non-condensing

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950