

iSteady MT3 Gimbal



Model: iSMT3

Manufacturer: HOHEM

EAN: 6971071554867

Product Code: 1085794

R6,706

Hohem iSteady MT3 - a lightweight gimbal with AI tracking for everyday filming

The Hohem iSteady MT3 is a compact gimbal that combines image stabilization with AI features, making it easier to film on the go and work solo. Its lighter design and broad compatibility make it ideal for vlogs, travel videos, and social media content. It's the perfect solution for those who want to record smoothly without complicated setup.

Stabilization and Mobility - Convenient Recording on the Go

The lightweight design (approx. 765 g) makes the gimbal comfortable to use even for extended periods. At the same time, stabilization ensures smooth footage while walking or changing the frame. This makes recordings look more natural and eliminates the need for additional stabilization editing.

AI Tracking - automatic subject tracking

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The built-in AI camera tracks the subject within the frame. The gimbal automatically keeps the person centered in the shot, making it easier to record without an operator. In practice, this means fewer edits and greater freedom when recording vlogs or live content.

Versatility

The iSteady MT3 supports various types of devices—from mirrorless cameras and action cameras to smartphones (with an adapter). This allows a single piece of equipment to be used in different scenarios without the need to purchase additional stabilizers.

Quick portrait/landscape mode switching

The quick-switch system allows you to easily change the recording orientation. This is particularly useful when creating content for TikTok, Instagram, or YouTube Shorts, where the vertical format is standard.

Long battery life

The battery provides up to 17 hours of runtime, which is enough for a full day of recording. This means you don't have to worry about frequent recharging during trips or longer sessions.

Included

- Hohem iSteady MT3 gimbal
- Arca quick release plate
- Phone mount
- Action camera adapter
- Tripod
- Mounting screws ×2
- USB-A to USB-C cable
- USB-C control cable
- Sony Multi cable
- Allen wrench
- Documentation

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Manufacturer	Hohem
Model	iSteady MT3
Type	3-axis gimbal
Maximum load capacity	1.4 kg
Stabilization	iSteady (3-axis system)
Built-in AI camera	Yes
AI features	People tracking, automatic subject framing
AI recognition range:	0.5 – 3.5 m
AI tracking range	0.5 – 5 m
Display	0.4" OLED
Compatibility	mirrorless cameras, compact cameras, smartphones, action cameras
Battery capacity	2600 mAh
Operating time	up to 17 hours
Weight	765 g
Dimensions - unfolded	317 × 149 × 149 mm
Dimensions - folded	278 × 190 × 68 mm

Operating time (min): 1020, Set: No, Viewing Angle (°): 360, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_gimbals_and_stabilisers.pdf, Gross weight: 1570, Net weight: 765, Box length: 30,00, Box width: 21,50, Box height: 9,50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950