

Lamp LED Neewer TL120C RGB



Model: B0CW1T9FPS

Manufacturer: NEEWER

EAN: 6976831838287

Product Code: 1089707

R5,046

Neewer TL120C RGB LED lamp

The Neewer TL120C LED lamp offers RGBWW light mixing technology and can be extended up to 127 cm in length. With a power output of 42 W and a maximum illumination of 2,000 lux at 0.5 m (5600K), the device provides soft and balanced light dispersion, while offering a wide range of color temperature (from 2,500 to 10,000 K), high color rendering index (CRI 97+ / TLCI 98+) and coverage of 90% of the color space of Rec. 2020.

Independently controllable pixels

The Neewer TL120C lamp features 32-bit pixels that can be independently controlled to adjust the brightness, color temperature and lighting effects of each segment. The 7 pixel effects allow precise representation of different scenarios, while 18 scene effects add realism and dynamics.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Advanced dimming options

The TL120C offers advanced PWM dimming types, including exponential, logarithmic, S-type, and linear, for smooth and precise brightness adjustment. The HSI mode offers access to 36,000 colors, and the RGBCW mode allows adjustment of the color ratio from 0 to 255.

Multiple control options

The device can be operated with buttons or wirelessly via the 2.4G system and the NEEWER app. With Infinity Network Meshing technology, hundreds of other lights can be controlled simultaneously, or multiple TL120C lights can be programmed for dynamic effects.

Performance and refined design

Enjoy a long lamp runtime. The TL120C is equipped with a 6,000 mAh battery that provides up to 120 minutes of continuous operation at 100% brightness. The lamp is also distinguished by its slim and elegant shape - its diameter is 4.5 cm and its weight does not exceed 3.23 kg, so it blends harmoniously with the background.

Cooperation with other Neewer devices

The TL120C allows integration with other Neewer lighting devices, such as TL60, BH30S, CB300, CB300B, CB200, CB200B, FS150, FS150B and FS230, to create even more advanced lighting effects. It is ideal for commercials, film production or music videos. The lamp will also work well for vlogging or live streaming.

Mobility and ease of mounting

Thanks to its compact design and variety of mounting options, including a 1/4" thread on the bottom, the TL120C can be easily mounted on a variety of tripods or with the supplied clamps and steel wires.

Included:

- LED lamp x1

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Power adapter x1
- Power cable x1
- Steel wire x2
- Mounting clamp x2
- DMX cable RJ45 x1
- Storage bag x1
- User manual x1

Manufacturer	Neewer
Model	TL120C
Color range	0-360°
Saturation	0-100
Scenario effects mode	18 types
Brightness	0%-100% (1% increase)
Pixel effects mode	7 kinds
RGBCW mode	0-255
GM red and green compensation value. -50~+50	
CCT color temperature mode	Yes
Color light mode HS	Tak
XY coordinate value range	0.0001-0.8000
Dimming curve model	linear / S-type / logarithmic / exponential
Paper color adjustment	40 types
Built-in battery	14.4V/6000mAh/86.4Wh
Operating time	120 minutes (100% brightness)
Charging time	120 minutes
DC input	DC 20V/5A
Compatibility	iOS/Android phones
Maximum power	42 W

Maximum illumination

2000 lux at 0.5 m (5600K)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Color temperature range	2500 to 10000K
Color mode	Cool / Warm / RGB
CRI/TLCI	97+/98+
Number of special effects	25
2.4G wireless control	Tak
Wireless control via app	Tak
Operating temperature	From -10°C-40°C
Mounting points	1/4" thread
Main material	Plastic
Dimensions	4.5 x 127 cm
Weight	3.23 kg

Gross weight: 3930, Net weight: 3900, Box length: 111,50, Box width: 17,00, Box height: 11,00,
Adjustable intensity: Yes, With tripod: No, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf,
Information about data generation: <https://dataact.innpro.pl/neewer/6976831838287>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950