

Flytec V803-Pro 5200mAh bait boat



Model: V803-Pro 5200mah

Manufacturer: FLYTEC

EAN: 5905156102149

Product Code: 1101455

R9,279

Flytec V803-Pro 5200 mAh bait boat

The Flytec V803-Pro is an advanced bait boat that combines precise control, GPS navigation, and a built-in sonar for locating fish. It offers stable control range up to 500 meters, automatic course correction, cruise control, and cruising between saved points. Four independent bait chambers allow for accurate baiting, and a dual power system ensures long and safe operation. The boat is equipped with intelligent return functions, a Beidou positioning system, real-time distance measurement, and powerful motors with two speed modes. The whole thing is complemented by rig feeding functions, extensive night lighting, and a clear color screen, ensuring full control over fishing in all conditions.

Precise navigation and full motion control

The V803-Pro model allows for smooth control in all directions—forward, backward, and turning left and right—making it easy to adapt to different water conditions. The built-in high-precision gyroscope automatically corrects course deviations, stabilizing the movement path and ensuring

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

reliable guidance even in windy or wavy conditions.

Automatic cruise and independent bait chambers

The cruise control function allows you to maintain a constant course and speed without constant operator intervention, saving time and energy. In addition, the boat can automatically move between saved anchor points, enabling a programmed cruise between selected baiting locations and significantly increasing fishing efficiency. The boat is equipped with four separately controlled feeders, allowing for precise and selective bait dispensing. This solution allows you to bait different locations simultaneously or use different types of bait depending on your fishing strategy.

Stable signal and long range

A dual signal-boosting antenna ensures stable communication and high resistance to interference. This keeps remote control reliable even at a maximum distance of 500 meters, both for the boat and the sonar system. The integrated Beidou positioning system is responsible for intelligent calibration and extremely accurate positioning. You can save up to four fishing spots and as many as 200 anchor points, allowing you to quickly return to proven fishing spots.

Safe use

The dual power cable design allows two batteries to be used simultaneously, ensuring uninterrupted power and extended usage time. What's more, the boat automatically returns to its starting point (with a single button press, when the battery is low, when the signal is lost, and when the maximum distance is exceeded). High-brightness lights on the bow facilitate night navigation, while rear signal lights clearly indicate the direction of turn. There are two lighting modes (continuous and flashing) to adjust visibility to current environmental conditions.

Real-time distance measurement

The boat continuously transmits information about the distance traveled, so it can also be used as a tool for measuring distance on the water and accurately planning fishing spots. The dual motor system allows you to choose between fast and slow sailing modes. Large propellers with a tangle-resistant design ensure high performance, stability, and smooth movement.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Full underwater view

The integrated sonar offers a detection range of up to 500 meters, a scanning depth of up to 100 meters, and a detection angle of 90°. The device detects fish, water temperature, and bottom contours, providing key information for making the right fishing decisions. The hook hook and line release function allows you to accurately place your rig in the desired location, which significantly increases fishing efficiency and control over bait presentation.

Always clear screen

The high-readability color display, combined with backlit remote control buttons, ensures convenient operation even after dark, giving you full control over all boat functions in all conditions.

Included in the set

- boat with bait
- boat battery
- 2 antennas
- boat remote control
- USB charging cable
- Type C remote control charging cable
- remote control lanyard
- echo sounder remote control
- echo sounder remote control charging cable
- echo sounder remote control charging plug
- echo sounder remote control lanyard
- sonar cover
- 5 V 1 A car charger for echo sounder remote control
- spare propeller screws x2
- boat user manual
- echo sounder user manual

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Boat specifications

Manufacturer	Flytec
Model	V803 PRO
Color	carbon fiber
Material	ABS plastic and electronic components
Control range	500 m
Speed	250 m/min
Motor	dual 390 motor
Controller battery	3.7 V 2000 mAh
Boat battery	7.4 V 5200 mAh
Charging time	6 hours
Control time	2 hours
Load capacity	3000 g
GPS points	4 fishing grounds / 200 fishing points
Dimensions (L x W x H)	55 x 26.8 x 20 cm
Weight	2733 g

Echo sounder specifications

Display size	2.8 inches
Measuring depth	0.7-100 m
Transducer frequency	125 kHz/200 kHz
Transducer range	90 degrees/45 degrees
Wireless range	500 m
Power supply	3.7 V lithium battery
Operating time	10 hours

Operating temperature range -10°C □ 50°C

Gross weight: 3850, Net weight: 2733, Box length: 58,00, Box width: 33,00, Box height: 26,00, GPSR

Link: https://psr-assets.innpro.pl/fishing/sg_fishing_bait_boats.pdf

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950