

Lamp Neewer SL90 Pro LED RGB 12W 2500- 10000K



Model: B0B128YLWX

Manufacturer: NEEWER

EAN: 6976831830014

Product Code: 1101523

R1,958

Neewer SL90 Pro LED RGB 12W 2500-10000K Light Panel

The Neewer SL90 Pro is an innovative LED panel equipped with 150 LEDs. It offers a maximum brightness of up to 1700 lux and allows you to adjust the intensity, color temperature, and color of the light. It also stands out for its high color rendering index, CRI and TLCI (97+), which ensures accurate color reproduction. You also have at your disposal 18 different lighting modes and the ability to sync the device with music.

Advanced Light Adjustment and Lighting Modes

The SL90 Pro model offers advanced capabilities for adjusting brightness, color temperature, and light color. This allows you to customize it to your expectations! You also have 18 different lighting modes to choose from, such as Lightning, Paparazzi, Candle Flame, or Fireworks. With these, you can

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

easily create an unforgettable atmosphere for any occasion! You can also synchronize the lighting with music—a perfect solution for parties.

Long Operating Time and Quick Charging

The built-in 4300mAh battery provides up to 3.5 hours of continuous operation for the panel. Don't worry about the device disobeying you too quickly! The SL90 Pro model also supports fast PD (Power Delivery) charging with a 9V 2A input, allowing you to charge it in just about 2.8 hours. Forget about long waits!

App Control and Modern Solutions

The SL90 Pro panel is compatible with the Neewer app, which allows you to remotely control all light functions with your smartphone. With it, you can set up to 8 light groups and connect up to 255 panels, enabling synchronization of settings throughout the system. Additionally, the function of saving two predefined groups of settings and adding them to favorites greatly facilitates light management. Moreover, OTA (Over-The-Air) technology enables easy and quick software updates, providing access to the latest features and improvements.

Durable Construction and Mounting Flexibility

The solid aluminum alloy housing ensures durability and stability for the SL90 Pro model. The device comes with an adjustable bracket that allows for 360° rotation and 90° tilt, providing great flexibility in directing the light. The hassle-free panel mounting is made possible with a cold shoe mount.

Multiple Applications

With so many options, the Neewer light panel will excel in various applications. You can successfully use it for recording videos, conducting photo sessions, or live streaming. The SL90 Pro model will also be perfect for parties—the available modes and the ability to sync light with music will help you create an unforgettable atmosphere.

Included in the Set

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Light panel
- Cold shoe mount adapter
- USB-C cable
- Storage case
- User manual

Manufacturer	Neewer
Model	SL90 Pro
Material	Aluminum alloy
Number of LED diodes	150 (40 warm white, 40 cold white, 70 RGB)
Battery capacity	4300 mAh
Operating modes (scenes)	18
Power	12 W
Input	USB 5 V 2 A, 9 V 2 A
Max. brightness	1700 lux (at 0.5 m)
Color temperature	2500-10000K
CRI	97+
Brightness adjustment range	0-100%
Hue angle	0-360°
Saturation range	0-100%
Channel range	0-9

Gross weight: 520, With tripod: No, Adjustable intensity: Yes, Net weight: 310, Box length: 17,50, Box width: 11,00, Box height: 5,00, GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, Information about data generation: <https://dataact.innpro.pl/neewer/6976831830014>