

Cudy
Indoor/Outdoor
4G Cat 6 AC1200
Wi-Fi Router,
LT700 Outdoor
1.0 wireless
router Gigabit
Ethernet Dual-
band (2.4 GHz 5
GHz) White



Model: LT700 Outdoor_EU

Manufacturer: CUDY

EAN: 6971690793142

Product Code: 1247656

R3,343

Package weight: 869 g | Mounting kit: Yes | Weight: 466.5 g | Operating temperature (T-T): -20 - 60 °C | Ethernet LAN (RJ-45) ports: 1 | Security algorithms: WPA2 | Security algorithms: WPA3 | Storage relative humidity (H-H): 5 - 90% | Power source type: PoE | Security algorithms: WPA | Operating relative humidity (H-H): 0 - 100% | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Mobile network generation: 4G | Port forwarding: Yes | Port triggering: Yes | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 11 Enterprise | Flash memory: 16 MB | USB port: No | 3G standards: WCDMA | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Cables included: LAN (RJ-45) | Detachable antenna(s): Yes | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 98SE | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Product type: Desktop/pole router | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Wall mountable: Yes | 2G standards: Edge | SIM card slot: Yes | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Ethernet LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Package width: 324 mm | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | International Protection (IP) code: IP65 | Number of

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

products included: 1 pc(s) | 4G standard: LTE-TDD & LTE-FDD | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Supported network protocols: IPv4 / IPv6 | DHCP server: Yes | Output voltage: 48 V | 2G standards: GSM | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 2000 | Height: 240 mm | DMZ support: Yes | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Ethernet WAN: Yes | Storage temperature (T-T): -40 - 70 °C | Universal Plug and Play (UPnP): Yes | Quick installation guide: Yes | Package depth: 107 mm | WLAN data transfer rate (max): 867 Mbit/s | Short Message Service (SMS): Yes | SIM card type: NanoSIM | Dual SIM support: No | Antenna connector type: SMA | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | WAN connection type: RJ-45 | Cabling technology: 10/100/1000Base-T(X) | Mac operating systems supported: Yes | DSL WAN: No | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 4 (802.11n) | WLAN data transfer rate (second band): 867 Mbit/s | Wi-Fi standards: 802.11b | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: 802.11a | Antenna gain level (max): 5 dBi | Linux operating systems supported: Yes | Ethernet LAN: Yes | Antennas quantity: 4 | Depth: 53.7 mm | Wi-Fi Multimedia (WMM)/(WME): Yes | Width: 100 mm | Package height: 86 mm | WLAN data transfer rate (first band): 300 Mbit/s | Internal memory: 128 MB | Antenna design: Internal & external | MU-MIMO technology: Yes | Warnings: Do not expose the device to water or moisture. | Warnings: Do not expose the device to extreme temperatures. | Warnings: Do not dismantle the unit yourself, there is a risk of electric shock. | Compliance certificates: CE | Compliance certificates: Federal Communications Commission (FCC) | PoE injector included: Yes | AC input frequency: 50/60 Hz | Networking standards: IEEE 802.3at | Ethernet LAN data rates: 100 | LED indicators: System, WLAN | DHCP client: Yes | Wake-on-LAN ready: Yes | AC input voltage: 100 - 240 V | Ethernet LAN data rates: 10 | Ethernet LAN data rates: 1000 Mbit/s | MIMO: Yes | Product colour: White | Reset button: Yes | Networking standards: IEEE 802.3af

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950