

HP Smart Tank 725 All-in-One Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi



Model: 28B51A

Manufacturer: HEWLETT-PACKARD

EAN: 195908302254

Product Code: 1249457

R4,850

Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN 55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Recommended system requirements: Windows 10, 7: 32-bit or 64-bit, 2 GB available hard disk space, Internet connection, Internet Explorer. | Bundled software: HP Printer Software, available online | Carbon emissions, logistics (kg of CO2e): 5 | Total carbon footprint (kg of CO2e): 20 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Carbon emissions, manufacturing (kg of CO2e): 91 | HP GTIN (EAN/UPC) with options: (ABB) 198828835260

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

(ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | Carbon emissions, end-of-life (kg of CO2e): 16 | Compliance certificates: CEECP | Wi-Fi: Yes | Duplex functions: Print | Recommended operating temperature range (T-T): 15 - 30 °C | Recommended duty cycle: 400 - 800 pages per month | Depth: 364 mm | Image formats supported: PNG | Ethernet LAN: No | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Package width: 484 mm | Scan drivers: TWAIN | Windows operating systems supported: Windows 11 | Package depth: 239 mm | Windows operating systems supported: Windows 7 | Height: 198.6 mm | Maximum ISO A-series paper size: A4 | Package weight: 9.2 kg | Greyscale levels: 256 | Time to first page (colour, normal): 16 s | Duplex copying: Yes | Maximum copy resolution: 600 x 600 DPI | USB 2.0 ports quantity: 2 | Input colour depth: 24 bit | Print speed (ISO/IEC 24734) colour: 9 ppm | Storage temperature (T-T): -40 - 60 °C | Internal memory: 128 MB | Time to first page (black, normal): 14 s | Windows operating systems supported: Windows 10 | Cables included: AC | Paper tray media types: Plain paper | Sustainability compliance: Yes | Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP Planet Partners | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Wi-Fi standards: 802.11a | Weight: 6.38 kg | Maximum number of copies: 99 copies | Maximum internal memory: 128 MB | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Lightweight paper | Custom media width: 88.9 - 215.9 mm | Number of users: 3 user(s) | Paper tray media types: Photo paper | Wi-Fi standards: Wi-Fi 4 (802.11n) | Paper tray media types: Recycled paper | ISO A-series sizes (A0...A9): A5 | Printing: Colour printing | Print speed (colour, normal quality, A4/US Letter): 9 ppm | Document formats supported: PDF | Wi-Fi standards: 802.11g | Other operating systems supported: ChromeOS | Mobile printing technologies: Mopria Print Service | Mac operating systems supported: MacOS | PictBridge: No | HP segment: Home | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Print resolution colour: 4800 x 1200 DPI | Print technology: Thermal inkjet | Number of print cartridges: 4 | ISO C-series sizes (C0...C9): C5 | Copier resize: 25 - 400% | Mac operating systems supported: Mac OS X 14.0 Sonoma | Mobile printing technologies: Apple AirPrint | Power consumption (sleep): 2 W | Maximum output capacity: 30 sheets | Custom media length: 127 - 355.6 mm | Mac operating systems supported: Mac OS X 12.0 Monterey | JIS B-series sizes (B0...B9): B5 | ISO C-series sizes (C0...C9): C6 | ID-card copy function: Yes | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | USB port: Yes | Copying: Colour copying | Mac operating systems supported: Mac OS X 10.14 Mojave | Typical electricity consumption (TEC) number: 0.30 kWh/Week | Duplex printing mode: Auto |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Warranty card: Yes | Display: LCD | Print speed (ISO/IEC 24734) black: 15 ppm | Colour display: Yes | Non-ISO print media sizes: Legal | Copy speed (black, normal quality, A4): 13 cpm | Maximum duty cycle: 5000 pages per month | Borderless printing media sizes: A4 | Printing colours: Black, Cyan, Magenta, Yellow | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Copy speed (colour, normal quality, A4): 6 cpm | Power supply type: Internal | Faxing: No | Scan to: Software | Built-in display: Yes | Optical scanning resolution: 1200 x 1200 DPI | Maximum input capacity: 250 sheets | Maximum print size: 216 x 355.6 mm | Borderless printing: Yes | Width: 427.5 mm | Maximum resolution: 4800 x 1200 DPI | Wi-Fi standards: 802.11b | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Wi-Fi Direct: Yes | Envelope feeder: No | Total number of input trays: 1 | Envelopes sizes: C5 | Page description languages: PCL 3 GUI | Print resolution black: 1200 x 1200 DPI | Scan technology: CIS | Auto fit function: Yes | Total input capacity: 250 sheets | Envelopes sizes: DL | Envelopes sizes: C6 | Mac operating systems supported: Mac OS X 13.0 Ventura | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | Duplex printing: Yes | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Operating temperature (T-T): 5 - 40 °C | ISO B-series sizes (B0...B9): B5 | Print speed (black, draft quality, A4/US Letter): 23 ppm | All-In-One-multitasking: Yes | Package height: 410 mm | Print speed (black, normal quality, A4/US Letter): 15 ppm | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Print speed (colour, draft quality, A4/US Letter): 22 ppm | Warnings: Avoid contact with ink, may cause skin irritation. | UNSPSC-code: 43212104 | Sound power level (printing): 6.5 dB | Control type: Buttons | Card reader integrated: No | Non-operating relative humidity (non-condensing): 5 - 90% | Number of print heads: 2 | Paper tray media weight: 60 - 250 g/m² | Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Maximum number of input trays: 1 | AC input frequency: 50/60 Hz | AC input voltage: 100 - 240 V | Product colour: Blue | Display diagonal: 1.02 cm (0.4") | Power consumption (off): 0.1 W | Processor frequency: 800 MHz

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950