

HP DeskJet 4320 Wireless All-in-One Color Printer, Instant Ink



Model: A24HMB

Manufacturer: HEWLETT-PACKARD

EAN: 198701680277

Product Code: 1249462

R1,808

Box contents: HP DeskJet 4320 All-in-One Printer HP 308 Setup Black Cartridge HP 308 Setup Tri-Color Cartridge Regulatory flyer Setup guide Reference guide Power cord For ink volume and page yield information, visit <http://hp.com/go/learnaboutsupplies> | Manufacturer warranty: One-year limited warranty. For more info please visit us at <http://support.hp.com> .For full terms and conditions visit: www.hp.com/go/orderdocuments .Warranty and support options vary by product, country, and local legal requirements | Replacement cartridges: HP 308 Black Original Ink Cartridge (~160 pages yield) 7FP21UE HP 308 Tri-Color Original Ink Cartridge 7FP20UE (~120 pages yield) HP 308e EvoMore Black Original Ink Cartridge (~320 pages yield) 7FP22UE. | Compatible operating systems: Windows 11 Windows 10 macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia | Recommended system requirements: Microsoft Windows 11 10 1 GHz processor 2 GB available hard disk space Internet connection. Apple macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia 2 GB HD Internet required. | Bundled software: HP app, available online | Certification: EN 55032:2015+A11:2020

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Class B EN 55035:2017+A11:2020 EN IEC 61000-3-2:2019 EN 61000-3-2:2014 EN 61000-3-3:2013 +A1:2019 EN 301 489-1 V2.2.3 CISPR 32 2015+A1:2019 Class B CISPR 35:2016 FCC CFR 47 Part 15 ICES-003, Issue 7 VCCI-CISPR32:2016. | Package width: 475 mm | Depth: 332 mm | Operating temperature (T-T): 5 - 40 °C | Mac operating systems supported: Mac OS X 14.0 Sonoma | Display: LCD | Mac operating systems supported: Mac OS X 13.0 Ventura | Mac operating systems supported: MacOS | Weight: 4.81 kg | Wi-Fi standards: 802.11g | Wi-Fi standards: Wi-Fi 4 (802.11n) | Wi-Fi standards: 802.11b | Wi-Fi: Yes | Print technology: Thermal inkjet | Processor frequency: 1000 MHz | Wi-Fi standards: 802.11a | Windows operating systems supported: Windows 10 | Cables included: AC | Built-in display: Yes | Package weight: 6.19 kg | Height: 200 mm | Width: 428 mm | AC input frequency: 50/60 Hz | Package height: 405 mm | Product colour: Grey | AC input voltage: 100 - 240 V | Package depth: 242 mm | Storage temperature (T-T): -40 - 60 °C | USB 2.0 ports quantity: 1 | Processor frequency: 1 GHz | Windows operating systems supported: Windows 11 | Power consumption (off): 0.1 W | PictBridge: No | Printing: Colour printing | Custom media length: 127 - 355 mm | Mobile printing technologies: Apple AirPrint | Mobile printing technologies: Mopria Print Service | Duplex functions: Fax | Built-in processor: Yes | Maximum print size: 209.9 x 349.6 mm | Scan drivers: TWAIN | Copy speed (colour, normal quality, A4): 3 cpm | USB port: Yes | Scanner type: Flatbed scanner | Digital sender: No | Image formats supported: TIFF | Duplex scanning: No | Printing colours: Black, Cyan, Magenta, Yellow | Maximum scan area: 216 x 297 mm | Faxing: No | Maximum resolution: 4800 x 1200 DPI | Copy speed (black, normal quality, A4): 6 cpm | Auto document feeder (ADF) input capacity: 35 sheets | Direct printing: Yes | Scanning: Colour scanning | Number of print cartridges: 2 | Image formats supported: JPEG | ISO B-series sizes (B0...B9): B5 | Image formats supported: PNG | Optical scanning resolution: 1200 x 1200 DPI | Copying: Colour copying | Internal memory: 64 MB | Greyscale levels: 256 | Input colour depth: 24 bit | Custom media width: 76 - 215 mm | Total carbon footprint (kg of CO2e): 20 | Carbon emissions, end-of-life (kg of CO2e): 16 | Carbon emissions, logistics (kg of CO2e): 5 | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | HP GTIN (EAN/UPC) with options: (ABB) 198828835260 (ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Envelopes sizes: DL | Maximum input capacity: 60 sheets | Carbon emissions, manufacturing (kg of CO2e): 91 | Power consumption (sleep): 1.35 W | Maximum duty cycle: 1000 pages per month | Envelopes sizes: B5 | USB connector: USB Type-A | Maximum ISO A-series paper size: A4 | Maximum number of copies: 9 copies | Maximum copy resolution: 300 x 300 DPI | Duplex printing: Yes | Duplex printing mode: Manual | Print speed (colour, normal quality, A4/US Letter): 5.5

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

ppm | Scan technology: CIS | Power supply type: Internal | ISO A-series sizes (A0...A9): A4 | Number of users: 3 user(s) | ISO A-series sizes (A0...A9): A6 | Maximum internal memory: 64 MB | Print speed (ISO/IEC 24734) black: 8.5 ppm | Print speed (black, normal quality, A4/US Letter): 8.5 ppm | Page description languages: PCLm | HP segment: Home | Scan speed (black): 2.5 ppm | Harmonized System (HS) code: 8443310000 | Page description languages: URF | Scan speed (colour): 2.5 ppm | Cartridge(s) included: Yes | Print speed (black, draft quality, A4/US Letter): 20 ppm | HP Instant Ink: Yes | Print resolution colour: 4800 x 1200 DPI | Page description languages: PCL 3 GUI | Paper tray media types: Photo paper | Total output capacity: 25 sheets | Duplex faxing: No | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Recommended humidity operating range: 20 - 80% | Total input capacity: 60 sheets | Time to first page (colour, normal): 20 s | Sustainable technologies and materials: At least 70% post-consumer recycled plastic Recyclable through HP Planet Partners FSC Certified Packaging | Custom media sizes: 76 x 127 to 215 x 355 mm | Included cartridge capacity (black): 100 pages | Print speed (ISO/IEC 24734) colour: 5.5 ppm | Total number of input trays: 1 | Print resolution black: 1200 x 1200 DPI | Recommended duty cycle: 100 - 300 pages per month | Power consumption (ready): 2.61 W | Recommended operating temperature range (T-T): 15 - 30 °C | Colour name: Cement | Maximum output capacity: 25 sheets | All-In-One-multitasking: Yes | Sound power level (printing): 6.4 dB | Sustainability compliance: Yes | Paper tray media types: Plain paper | Paper tray media weight: 60 - 300 g/m² | Document formats supported: PDF | Envelope feeder: No | Control type: Buttons | Non-operating relative humidity (non-condensing): 5 - 90% | Included cartridge capacity (CMY): 60 pages | Number of print heads: 2 | Maximum number of input trays: 1 | Time to first page (black, normal): 15 s | Print speed (colour, draft quality, A4/US Letter): 16 ppm | HP Dynamic security: Yes | UNSPSC-code: 43212110

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950