

HP Color LaserJet Pro MFP 3302fdn Laser A4 600 x 600 DPI 25 ppm



Model: 499Q7F

Manufacturer: HEWLETT-PACKARD

EAN: 196786388620

Product Code: 1249472

R7,483

Compatible operating systems: Windows 11 Windows 10 Android iOS macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection. Apple macOS 12.0 Monterey macOS 13.0 Ventura macOS v14 Sonoma 2GB HD Internet required. | Replacement cartridges: HP 219A Black Original LaserJet Toner Cartridge (~1,300 pages) W2190A HP 219A Cyan Original LaserJet Toner Cartridge (~1,200 pages) W2191A HP 219A Yellow Original LaserJet Toner Cartridge (~1,200 pages) W2192A HP 219A Magenta Original LaserJet Toner Cartridge (~1,200 pages) W2193A HP 219X High Yield Black Original LaserJet Toner Cartridge (~3,200 pages) W2190X HP 219X High Yield Cyan Original LaserJet Toner Cartridge (~2,500 pages) W2191X HP 219X High Yield Yellow Original LaserJet Toner Cartridge (~2,500 pages) W2192X HP 219X High Yield Magenta Original LaserJet Toner Cartridge (~2,500 pages) W2193X | Manufacturer warranty: One-year limited warranty. For more information please visit us at <https://www.support.hp.com> 14 . | Box

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

contents: HP Color LaserJet Pro MFP 3302fdn Power cord Toner cartridge User Guide Flyers | Bundled software: HP Printer Software downloadable from www.hp.com/hp-app | Certification: EN IEC 61000-3-2:2019 +A1:2021 EN 61000-3-3:2021 CISPR 32:2019 CISPR 35:2016 EN 55032:2015+A11:2020+A1:2020 EN 55035:2017+A11:2020 EN 61000-4-12:2017 FCC CFR 47 Part 15B ICES-003, Issue 6:2019 Other EMC approvals as required by individual countries. | Scanner type: Flatbed & ADF scanner | Processor frequency: 1200 MHz | Width: 418 mm | USB port: Yes | Package depth: 398 mm | Copy speed (black, normal quality, A4): 25 cpm | Built-in display: Yes | Manual: Yes | USB 2.0 ports quantity: 2 | Processor frequency: 1.2 GHz | Package width: 497 mm | User guide: Yes | Custom media width: 76 - 216 mm | Optical scanning resolution: 1200 x 1200 DPI | Auto document feeder (ADF) input capacity: 50 sheets | Operating relative humidity (H-H): 10 - 80% | Maximum print size: 216 x 355.6 mm | Display diagonal: 10.9 cm (4.3") | Depth: 419.1 mm | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Built-in processor: Yes | Height: 341.3 mm | Print technology: Laser | Power consumption (PowerSave): 0.05 W | Mac operating systems supported: Mac OS X 12.0 Monterey | Digital sender: Yes | AC input voltage: 110 - 240 V | Package height: 532 mm | Copy speed (colour, normal quality, A4): 25 cpm | Faxing: Mono faxing | Storage temperature (T-T): -20 - 60 °C | Internal memory: 512 MB | Product colour: Blue | Power consumption (off): 0.05 W | Mac operating systems supported: Mac OS X 13.0 Ventura | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 14.0 Sonoma | Weight: 17.1 kg | Cabling technology: 10/100Base-T(X) | Display: TFT | Mac operating systems supported: MacOS | Printing: Colour printing | Windows operating systems supported: Windows 10 | Cables included: AC | Package weight: 20.6 kg | Wi-Fi: No | Maximum scan area: 216 x 297 mm | Windows operating systems supported: Windows 11 | Copying: Colour copying | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Operating temperature (T-T): 15 - 30 °C | Scan to: PC | Modem speed: 33.6 Kbit/s | Scan to: USB | Scan to: E-mail | Scan to: Network folder | Image formats supported: JPG | Image formats supported: TIFF | Number of print cartridges: 4 | Input colour depth: 24 bit | Duplex scanning: No | Maximum internal memory: 512 MB | Scan technology: CIS | Power consumption (sleep): 0.95 W | Duplex printing: Yes | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Printing colours: Black, Cyan, Magenta, Yellow | Maximum input capacity: 251 sheets | Maximum resolution: 600 x 600 DPI | Maximum number of copies: 999 copies | Print speed (colour, normal quality, A4/US Letter): 25 ppm | Print resolution colour: 600 x 600 DPI | Internal storage capacity: 0.512 GB | Auto-redialing: Yes | Fax forwarding: Yes | Scan drivers: TWAIN | Time to first page (black, normal): 10.9 s | Maximum ISO A-series paper size: A4 | Time to first copy (colour, normal): 13.9 s | Fax transmission speed: 3 sec/page | Document formats supported: PDF | Scan speed (black): 19 ppm | Non-ISO print media sizes: Oficio | Colour display: Yes | Scan speed (colour): 8 ppm | All-In-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

One-multitasking: Yes | Non-ISO print media sizes: 16K | RJ-11 ports quantity: 2 | Time to first copy (black, normal): 9.7 s | Power consumption (ready): 7.6 W | Auto reduction: Yes | Maximum output capacity: 100 sheets | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A4 | Other operating systems supported: Android | Other operating systems supported: iOS | Greyscale levels: 256 | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Mobile printing technologies: Apple AirPrint | Power consumption (printing): 416 W | Cartridge(s) included: Yes | Photo paper sizes (imperial): 5x8 | Power supply type: Internal (Built-in) power supply | Duplex printing mode: Auto | Print resolution black: 600 x 600 DPI | Fax resolution (black): 300 x 300 DPI | Warm-up time: 55 s | Photo paper sizes (imperial): 4x6 | Included cartridge capacity (black): 600 pages | Speed dialling: Yes | Envelopes sizes: B5 | Envelopes sizes: DL | Harmonized System (HS) code: 8443310000 | Auto fit function: Yes | Envelopes sizes: C5 | Photo paper sizes: 10x15 cm | HP segment: Small medium business | Photo paper sizes (imperial): 8.5x13 | Mobile printing technologies: Mopria Print Service | Maximum copy resolution: 600 x 600 DPI | Recommended duty cycle: 150 - 2500 pages per month | Duplex functions: Print | Duplex functions: Copy | Recommended operating temperature range (T-T): 15 - 27 °C | Time to first page (colour, normal): 11 s | Fax memory: 500 pages | Maximum duty cycle: 40000 pages per month | Included cartridge capacity (CMY): 500 pages | UNSPSC-code: 43212110 | HP Auto-On/Auto-Off: Yes | TWAIN version: 2.1 | Print speed (black, normal quality, A4/US Letter): 25 ppm | Fax delayed sending: Yes | Control type: Touch | Compliance certificates: BSMI | Compliance certificates: CE | Compliance certificates: EAC | Carbon emissions, logistics (kg of CO2e): 5 | Compliance certificates: BIS | Compliance certificates: Federal Communications Commission (FCC) | Total carbon footprint (kg of CO2e): 20 | Compliance certificates: GS mark | Paper tray 1 input capacity: 250 sheets | Sustainability compliance: Yes | HP GTIN (EAN/UPC) with options: (ABB) 198828835260 (ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | Optical scanning resolution (ADF): 300 x 300 DPI | Sustainable technologies and materials: Contains post-consumer recycled plastic | Compliance certificates: CCC | Carbon emissions, end-of-life (kg of CO2e): 16 | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | Carbon emissions, manufacturing (kg of CO2e): 91 | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Page description languages: PCL 5 | Page description languages: URF | Page description languages: PCL 6 | Optical scanning resolution (colour): 1200 x 1200 ppi | Duplex copying: Yes | Sound pressure level (scanning): 41 dB | Sound power level (printing): 6.3 dB | Paper tray media types: Card stock | Sound pressure level (printing):

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

51 dB | Paper tray media types: Transparencies | Paper tray media types: Letterhead | Print margins (top, bottom, right, left): 5 mm | Acoustic pressure emissions bystander (ready): 16 dB | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Plain paper | Paper tray media types: Recycled paper | Paper tray media types: Labels | Maximum number of input trays: 2 | Paper tray media types: Bond paper | Typical electricity consumption (TEC) number: 0.338 kWh/week (Energy Star) | Custom media sizes: 76 x 127 mm to 216 x 356 mm | Paper tray media types: Glossy paper | Paper tray media weight: 60 - 176 g/m² | Total input capacity: 251 sheets | HP Web Jetadmin: Yes | Total output capacity: 100 sheets | Optical scanning resolution (black): 1200 x 1200 ppi | Recommended humidity operating range: 30 - 70% | Total number of input trays: 2 | Paper tray media types: Rough paper | Paper tray media types: Heavy paper | Acoustic power emissions (ready): 23 dB | Printer fonts: TrueType | Printer fonts: Scalable | HP Dynamic security: Yes | Paper tray media types: Lightweight paper | Page description languages: PWTG | Page description languages: JPEG | Page description languages: PDF | Page description languages: PCLm

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950