

HP LaserJet MFP M234d Printer Laser A4 600 x 600 DPI 29 ppm



Model: 8J9K4F

Manufacturer: HEWLETT-PACKARD

EAN: 197961892970

Product Code: 1249473

R3,137

Replacement cartridges: Regular Replacement Cartridge for DM1: HP 134A Black LaserJet Toner Cartridge, W1340A (~1100), HP 134X Black LaserJet Toner Cartridge, W1340X (~2400) Regular Replacement Cartridge for DM2: HP 135A Black LaserJet Toner Cartridge, W1350A (~1100), HP 135X Black LaserJet Toner Cartridge, W1350X (~2400) | Compatible operating systems: Windows 11 Windows 10 Windows 8 Windows 8.1 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 15 Sequoia Linux | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection Microsoft Internet Explorer USB Port. macOS v14 Sonoma macOS v13 Ventura macOS v12 Monterey 2 GB HD Internet required USB. | Box contents: HP LaserJet MFP M234d Preinstalled HP Black Original LaserJet Toner Cartridge Dust cover Power Cord Reference Guide Setup Poster Regulatory Flyer USB cable. | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6. | Windows operating systems supported: Windows 10 | Windows operating systems

supported: Windows 11 | Package width: 497 mm | Windows operating systems supported: Windows

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

8.1 | Windows operating systems supported: Windows 8 | Package weight: 9.5 kg | Display diagonal: 3.23 cm (1.27") | Built-in display: Yes | AC input frequency: 50/60 Hz | Security algorithms: SNMPv2 | Security algorithms: SNMP | Security algorithms: TLS | Product colour: Grey | USB 2.0 ports quantity: 1 | AC input voltage: 220 - 240 V | Weight: 7.6 kg | Mac operating systems supported: MacOS | Power consumption (off): 0.04 W | Storage temperature (T-T): -20 - 60 °C | Package depth: 298 mm | Power consumption (PowerSave): 0.6 W | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Operating relative humidity (H-H): 10 - 80% | Operating temperature (T-T): 15 - 32.5 °C | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 10.14 Mojave | Security algorithms: SSL/TLS | Processor frequency: 500 MHz | Security algorithms: SNMPv3 | Display: LCD | Cables included: AC, USB | Time to first copy (black, normal): 14.2 s | Number of print cartridges: 1 | Duplex scanning: No | Print technology: Laser | Width: 368 mm | Built-in processor: Yes | USB port: Yes | ISO A-series sizes (A0...A9): A6 | Scan to: Software | Image formats supported: TIF | Maximum input capacity: 150 sheets | ISO A-series sizes (A0...A9): A4 | Maximum resolution: 600 x 600 DPI | Ethernet LAN: No | Direct printing: Yes | Scanning: Colour scanning | Scan to: TWAIN | Input colour depth: 24 bit | ISO A-series sizes (A0...A9): A5 | Number of users: 5 user(s) | Power consumption (sleep): 0.6 W | Copy speed (black, normal quality, A4): 14 cpm | Depth: 298.6 mm | JIS B-series sizes (B0...B9): B5 | Image formats supported: PNG | Duplex functions: Print | Image formats supported: BMP | Printing: Mono printing | Maximum ISO A-series paper size: A4 | Wi-Fi: No | Faxing: No | Maximum internal memory: 64 MB | Custom media length: 152.4 - 356 mm | Maximum print size: 216 x 354 mm | Copying: Mono copying | Copier resize: 25 - 400% | Maximum copy resolution: 300 x 300 DPI | Optical scanning resolution: 600 x 600 DPI | Maximum scan area: 297 x 216 mm | Height: 241.9 mm | Maximum number of copies: 99 copies | Printing colours: Black | Scan drivers: TWAIN | Scanner type: Flatbed scanner | Custom media width: 101.6 - 216 mm | Internal memory: 64 MB | Greyscale levels: 256 | Mobile printing technologies: Apple AirPrint | Image formats supported: JPEG | Duplex printing mode: Auto | Compliance certificates: BIS | Total number of input trays: 1 | Compliance certificates: CE | Sound power level (printing): 6.6 dB | Document formats supported: PDF | Total carbon footprint (kg of CO2e): 20 | Compliance certificates: GS mark | Compliance certificates: BSMI | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | Acoustic pressure emissions bystander (ready): 16 dB | Recommended operating temperature range (T-T): 17.5 - 25 °C | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | Typical electricity consumption (TEC) number: 0.267 kWh/Week (Blue Angel) | Maximum duty cycle: 20000 pages per month |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Package height: 388 mm | Print speed (black, normal quality, A4/US Letter): 29 ppm | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Carbon emissions, logistics (kg of CO2e): 5 | Warm-up time: 45 s | Time to first page (black, normal): 7 s | Paper tray 1 input capacity: 150 sheets | Total input capacity: 150 sheets | Power consumption (printing): 453 W | HP segment: Home office | Custom media sizes: 101.6 x 152.4 to 216 x 356 mm | Duplex printing: Yes | Total output capacity: 100 sheets | Secure printing: Yes | Doesn't contain: Mercury | Auto fit function: Yes | Compliance certificates: Federal Communications Commission (FCC) | Sustainability compliance: Yes | Paper tray media weight: 60 - 163 g/m² | Sound pressure level (printing): 51 dB | Compliance certificates: CCC | Recommended humidity operating range: 30 - 70% | Duplex copying: Yes | Recommended duty cycle: 200 - 2000 pages per month | Carbon emissions, end-of-life (kg of CO2e): 16 | Paper tray media types: Envelopes | Compliance certificates: EAC | Paper tray media types: Postcard | Other operating systems supported: Linux | Acoustic power emissions (ready): 26 dB | HP Auto-On/Auto-Off: Yes | Maximum number of input trays: 1 | Page description languages: URF | Page description languages: PWG | Maximum output capacity: 100 sheets | Paper tray media types: Card stock | Power consumption (ready): 3.3 W | Carbon emissions, manufacturing (kg of CO2e): 91 | Paper tray media types: Labels | Paper tray media types: Plain paper | Paper tray media types: Rough paper | Sound pressure level (scanning): 45 dB | Page description languages: PCLmS | Control type: Buttons | UNSPSC-code: 43212110

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950