

Intel Core i7-14700K processor 33 MB Smart Cache Box



Model: BX8071514700K

Manufacturer: INTEL

EAN: 5032037278485

Product Code: 1249698

R9,328

Number of execution units: 32 | PCI Express slots version: 5.0 | Discrete graphics card model: Not available | PCI Express slots version: 4.0 | Non-ECC: Yes | On-board graphics card DirectX version: 12.0 | Maximum internal memory: 192 GB | Processor package size: 45 x 37.5 mm | PCI Express configurations: 1x16+1x4 | PCI Express configurations: 2x8+1x4 | Thermal Monitoring Technologies: Yes | Intel® Hyper Threading Technology (Intel® HT Technology): Yes | Processor codename: Raptor Lake | Stepping: B0 | Intel® Clear Video HD Technology (Intel® CVT HD): Yes | Enhanced Intel SpeedStep Technology: Yes | Intel Virtualization Technology for Directed I/O (VT-d): Yes | CPU configuration (max): 1 | Processor family: Intel® Core™ i7 | Intel® Turbo Boost Technology: 2.0 | Embedded options available: No | On-board graphics card model: Intel UHD Graphics 770 | Processor cache type: Smart Cache | Intel® Standard Manageability (ISM): Yes | Processor generation: Intel® Core™ i7 (14th gen) | Performance-core base frequency: 3.4 GHz | Processor threads: 28 | Processor manufacturer: Intel | On-board graphics card maximum resolution (eDP - Integrated Flat Panel): 5120

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

x 3200 pixels | Processor cache: 33 MB | Processor operating modes: 64-bit | Processor base power: 125 W | Export Control Classification Number (ECCN): 5A992C | Use conditions: PC/Client/Tablet | Use conditions: Workstation | Performance cores: 8 | Commodity Classification Automated Tracking System (CCATS): 740.17B1 | Intel® Quick Sync Video Technology: Yes | L2 cache: 28672 KB | ECC: Yes | Intel VT-x with Extended Page Tables (EPT): Yes | Memory channels: Dual-channel | Intel® Deep Learning Boost (Intel® DL Boost) on CPU: Yes | Graphics output: eDP 1.4b, DP 1.4a, HDMI 2.1 | Intel Turbo Boost Max Technology 3.0: Yes | Intel® Control-flow Enforcement Technology (CET): Yes | On-board graphics card: Yes | Intel Virtualization Technology (VT-x): Yes | Intel® Turbo Boost Max Technology 3.0 frequency: 5.6 GHz | Intel® Secure Key: Yes | Intel® Volume Management Device (VMD): Yes | Cooler included: No | Intel® AES New Instructions (Intel® AES-NI): Yes | Tjunction: 100 °C | Performance-core boost frequency: 5.5 GHz | Direct Media Interface (DMI) Revision: 4.0 | Mode-based Execute Control (MBE): Yes | Memory bandwidth (max): 89.6 GB/s | Processor cores: 20 | Efficient cores: 12 | Maximum number of PCI Express lanes: 20 | Intel® Gaussian & Neural Accelerator (Intel® GNA) 3.0: Yes | Processor model: i7-14700K | On-board graphics card refresh rate at maximum resolution (DisplayPort): 60 Hz | On-board graphics card maximum resolution (DisplayPort): 7680 x 4320 pixels | On-board graphics card maximum resolution (HDMI): 4096 x 2160 pixels | On-board graphics card refresh rate at maximum resolution (HDMI): 60 Hz | Launch date: Q4'23 | Intel® Thread Director: Yes | Intel® Speed Shift Technology: Yes | Maximum number of DMI lanes: 8 | Harmonized System (HS) code: 8542310001 | On-board graphics card refresh rate at maximum resolution (eDP - Integrated Flat Panel): 120 Hz | Maximum turbo power: 253 W | On-board graphics card OpenGL version: 4.5 | Multi-Format Codec Engines: 2 | Intel® Boot Guard: Yes | Supported instruction sets: SSE4.1 | Discrete graphics card: No | Status: Launched | Box: Yes | Supported instruction sets: SSE4.2 | Intel 64: Yes | On-board graphics card outputs supported: Embedded DisplayPort (eDP) 1.4b | Intel® OS Guard: Yes | Processor socket: LGA 1700 | Scalability: 1S | Thermal solution specification: PCG 2020A | Market segment: Desktop | Maximum internal memory supported by processor: 192 GB | Memory types supported by processor: DDR4-SDRAM | Supported instruction sets: AVX 2.0 | On-board graphics card base frequency: 300 MHz | Memory types supported by processor: DDR5-SDRAM | Processor ARK ID: 236783 | OpenCL version: 3.0 | Memory bandwidth supported by processor (max): 89.6 GB/s | Number of displays supported (on-board graphics): 4 | On-board graphics card outputs supported: DisplayPort 1.4a | On-board graphics card outputs supported: HDMI 2.1 | Idle States: Yes | On-board graphics card ID: 0xA780 | Execute Disable Bit: Yes | On-board graphics card dynamic frequency (max): 1600 MHz | Warnings: Ensure that the processor is adequately cooled to prevent overheating. | Warnings: Avoid shocks and drops

so as not to damage delicate components. | Warnings: Do not touch the processor pins to avoid

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

electrostatic damage.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950