

TP-LINK Archer C6 wireless router Fast Ethernet Dual- band (2.4 GHz 5 GHz) 4G White



Model: Archer C6

Manufacturer: TP-LINK

EAN: 1210002606523

Product Code: 1255930

R1,403

VPN support: PPTP, L2TP, IPSec | Receiver sensitivity: 5GHz: 11a 54M: -76dBm 11ac VHT20 MCS8: -70dBm 11ac VHT40 MCS9: -65.5dBm 11ac VHT80 MCS9: -61.5dBm 2.4G: 11g 54M: -76dBm 11n HT20 MCS7: -74dBm 11n HT40 MCS7: -71dBm | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8 x64 | Ethernet LAN data rates: 10 | Ethernet LAN data rates: 100 | Package weight: 870 g | Package type: Box | Networking standards: IEEE 802.11ac | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Security algorithms: 128-bit WEP | Security algorithms: 64-bit WEP | Security algorithms: WPA2 | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Security algorithms: WPA2-PSK | Stateful Packet Inspection (SPI): Yes | Networking standards: IEEE 802.11b | MAC address filtering: Yes | Quick start guide: Yes | 4G: No | 3G: No | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Power source type:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

AC | Security algorithms: WPA | Windows operating systems supported: Windows 8.1 Pro | Operating temperature (T-T): 0 - 40 °C | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | DHCP client: Yes | DC-in jack: Yes | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Maximum data transfer rate: 1 Mbit/s | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows Vista Home Basic | Operating relative humidity (H-H): 10 - 90% | LED indicators: LAN, Power, WLAN | Storage temperature (T-T): -40 - 70 °C | Windows operating systems supported: Windows 10 Enterprise x64 | Product colour: White | AC adapter included: Yes | Networking standards: IEEE 802.11a | Ethernet LAN (RJ-45) ports: 5 | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Package width: 350 mm | Reset button: Yes | Filtering: Yes | On/off switch: Yes | Indication light: Yes | Antennas quantity: 5 | USB port: No | Cabling technology: 10/100Base-T(X) | Depth: 117 mm | IP address filtering: Yes | Linux operating systems supported: Yes | Height: 32 mm | 3G/4G USB modem compatibility: No | Product type: Tabletop router | DSL WAN: No | VoIP protocols: IPv4, IPv6 | Ethernet LAN interface type: Fast Ethernet | Output voltage: 12 V | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Firewall: Yes | Harmonized System (HS) code: 85176990 | Universal Plug and Play (UPnP): Yes | Width: 215 mm | Ethernet LAN: Yes | SIM card slot: No | WAN connection type: RJ-45 | DoS attack prevention: Yes | Memory card slot(s): No | Port forwarding: Yes | DHCP server: Yes | DMZ support: Yes | Output current: 1 A | Guest access: Yes | WPS push button: Yes | VPN Passthrough: Yes | Transmit power: CE: 20dBm(2.4GHz), 23dBm(5GHz) | Antenna design: External | WLAN data transfer rate (second band): 867 Mbit/s | WLAN data transfer rate (first band): 450 Mbit/s | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 7 Ultimate

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Cables included: LAN (RJ-45) | Quick installation guide: Yes | Package depth: 240 mm | Manual: Yes | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11g | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Mac compatibility: Yes | Mac operating systems supported: MacOS | Package height: 82 mm | Wi-Fi standards: Wi-Fi 4 (802.11n) | Ethernet WAN: Yes | Wi-Fi standards: 802.11a | Wi-Fi standards: Wi-Fi 5 (802.11ac) | WLAN data transfer rate (max): 867 Mbit/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950