

HP Smart Tank 790 All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi



Model: 4WF66A

Manufacturer: HEWLETT-PACKARD

EAN: 195908302858

Product Code: 1257314

R6,063

Recommended system requirements: Windows 10 7 32-bit or 64-bit 2 GB available hard disk space Internet connection Internet Explorer. macOS v10.14 Mojave macOS v10.15 Catalina macOS v11 Big Sur 2 GB HD Internet required. | Box contents: HP Smart Tank 790 All-in-One 3 x HP GT53XL 135-ml Black Original Ink Bottle HP GT52 Cyan Original Ink Bottle HP GT52 Magenta Original Ink Bottle HP GT52 Yellow Original Ink Bottle Power cord PHA Setup guide Reference guide Ink caution flyer Regulatory flyers warranty flyers For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies> | Compatible operating systems: Windows 11 Windows 10 Windows 7 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma Chrome OS | Bundled software: HP Printer Software, available online | Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN

55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | Non-ISO print media sizes: Legal | Image formats supported: BMP | Image formats supported: JPEG | Scan drivers: TWAIN | Borderless printing: Yes | Maximum ISO A-series paper size: A4 | ISO A-series sizes (A0...A9): A4 | Total number of input trays: 1 | Auto document feeder (ADF): Yes | Fax transmission speed: 4 sec/page | Typical electricity consumption (TEC) number: 0.20 kWh/Week | Power supply type: Internal | Sound power level (printing): 6.5 dB | Maximum copy resolution: 600 x 600 DPI | TWAIN version: 2.1 | Power consumption (sleep): 1.1 W | Maximum number of input trays: 1 | Page description languages: PCL 3 GUI | Duplex scanning: No | Fax speed dialing (max numbers): 99 | Paper tray media types: Plain paper | Mobile printing technologies: Mopria Print Service | Envelope feeder: No | Greyscale levels: 256 | Colour display: No | Number of print cartridges: 4 | Maximum resolution: 4800 x 1200 DPI | Fax resolution (colour): 200 x 200 DPI | Paper tray media types: Recycled paper | Envelopes sizes: C6 | Maximum input capacity: 250 sheets | Photo paper sizes: 10x15 cm | Modem speed: 33.6 Kbit/s | Printing colours: Black, Cyan, Magenta, Yellow | Maximum number of copies: 99 copies | Duplex faxing: Yes | Other operating systems supported: ChromeOS | Paper tray media types: Photo paper | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Image formats supported: PNG | Maximum internal memory: 256 MB | ISO A-series sizes (A0...A9): A5 | Number of users: 3 user(s) | Envelopes sizes: C5 | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Lightweight paper | Fax memory: 100 pages | JIS B-series sizes (B0...B9): B5 | Total input capacity: 250 sheets | Print speed (colour, normal quality, A4/US Letter): 9 ppm | Maximum duty cycle: 6000 pages per month | Time to first page (black, normal): 14 s | Auto reduction: Yes | HP segment: Home | Photo paper sizes (imperial): 5x7 | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Duplex functions: Fax | Fax forwarding: Yes | Recommended operating temperature range (T-T): 15 - 30 °C | Paper tray media weight: 60 - 250 g/m² | Mobile printing technologies: Apple AirPrint | Sound pressure level (printing): 59.4 dB | Print resolution black: 1200 x 1200 DPI | Recommended duty cycle: 400 - 1200 pages per month | Scan technology: CIS | Auto fit function: Yes | Duplex printing mode: Auto | Recommended humidity operating range: 20 - 80% | Total output capacity: 100 sheets | Image formats supported: TIFF | Photo paper sizes (imperial): 4x6 | Speed dialling: Yes | Duplex printing: Yes | Envelopes sizes: DL | Photo paper sizes (imperial): 8x10 | Auto-redialing: Yes | Maximum output capacity: 100 sheets | Duplex copying: Yes | Input colour depth: 24 bit | Junk barrier supported: Y | Print speed (black, normal quality, A4/US Letter): 15 ppm | All-In-One-multitasking: Yes | Warranty card: Yes | Print speed (black, draft quality, A4/US Letter): 23 ppm | Print speed (colour, draft quality, A4/US Letter): 22 ppm | Control type: Buttons, Touch | Number of print heads: 2 | Print margins (top, bottom, right, left): 3.3 mm | Fax delayed sending: Yes | Non-operating relative humidity (non-condensing): 5 - 90%

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

| UNSPSC-code: 43212110 | Document formats supported: PDF | ISO C-series sizes (C0...C9): C6 | Fax resolution (black): 300 x 300 DPI | ISO C-series sizes (C0...C9): C5 | Wi-Fi Direct: Yes | Time to first page (colour, normal): 16 s | ID-card copy function: Yes | Print resolution colour: 4800 x 1200 DPI | Built-in display: Yes | Package depth: 284 mm | Package weight: 10.7 kg | Processor frequency: 800 MHz | Storage temperature (T-T): -40 - 60 °C | Height: 240.3 mm | Depth: 364 mm | Weight: 7.7 kg | Width: 427.5 mm | Power consumption (off): 0.1 W | Windows operating systems supported: Windows 10 | Cables included: AC | Display diagonal: 7.62 cm (3") | Mac operating systems supported: Mac OS X 14.0 Sonoma | Package height: 410 mm | AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 7 | Ethernet LAN: Yes | Product colour: Grey | Mac operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Mac operating systems supported: Mac OS X 12.0 Monterey | Mac operating systems supported: Mac OS X 13.0 Ventura | Bluetooth: Yes | Wi-Fi: Yes | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Windows operating systems supported: Windows 11 | Package width: 484 mm | AC input voltage: 100 - 240 V | USB 2.0 ports quantity: 1 | Custom media width: 88.9 - 215.9 mm | Operating temperature (T-T): 5 - 40 °C | Card reader integrated: No | Print technology: Thermal inkjet | Copy speed (black, normal quality, A4): 23 cpm | Faxing: Colour faxing | Operating relative humidity (H-H): 15 - 80% | Copy speed (colour, normal quality, A4): 22 cpm | Copying: Colour copying | Auto document feeder (ADF) input capacity: 35 sheets | Mac operating systems supported: Mac OS X 10.14 Mojave | Internal memory: 256 MB | Copier resize: 25 - 400% | Custom media length: 127 - 355.6 mm | USB port: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Built-in processor: Yes | Borderless printing media sizes: A4 | Printing: Colour printing | Maximum print size: 216 x 355.6 mm | PictBridge: No | Touchscreen: Yes | Scanner type: Flatbed scanner | Optical scanning resolution: 1200 x 1200 DPI | Scan to: Software | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Sustainability compliance: Yes | Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP Planet Partners | Print speed (ISO/IEC 24734) colour: 9 ppm | Print speed (ISO/IEC 24734) black: 15 ppm | Compliance certificates: CECP | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | Carbon emissions, logistics (kg of CO2e): 5 | HP GTIN (EAN/UPC) with options: (ABB) 198828835260 (ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

198122829446, 198122829453 | Carbon emissions, end-of-life (kg of CO2e): 16 | Carbon emissions, manufacturing (kg of CO2e): 91 | Total carbon footprint (kg of CO2e): 20 | Warnings: Avoid contact with ink, may cause skin irritation. | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | Warnings: Follow local regulations for the disposal of electronic multifunctional devices.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950