



ITWorkup - Level up your IT!

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-10-07 08:29:42

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950



TP-Link Omada Gateway gateway/controller 10, 100, 1000 Mbit/s



Model: ER603WP-4G-Outdoor

Manufacturer: TP-LINK

EAN: 1210002620147

Product Code: 1277314

R3,735

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Certification: CE, RoHS | Short Message Service (SMS): Yes | Data network: LTE | Width: 100.4 mm | Ethernet LAN data rates: 100 | Antennas quantity: 2 | Forwarding rate: 1419519 Mpps | Reset button: Yes | Mobile network generation: 4G | Operating relative humidity (H-H): 5 - 95% | Control display unit: No | LED indicators: Status | Operating temperature (T-T): -30 - 60 °C | Antenna type: External | Ethernet LAN data rates: 1000 Mbit/s | SIM card type: NanoSIM | Height: 174.8 mm | Mounting type: Wall mounting | Wi-Fi: Yes | Power over Ethernet (PoE) type supported: Passive PoE | Storage temperature (T-T): -40 - 70 °C | Power over Ethernet (PoE): Yes | Ethernet LAN data rates: 10 | Power consumption (max): 10 W | Internal memory: 256 MB | Internal memory type: DDR3 | Product colour: White | Depth: 38.7 mm | SIM card slot: Yes | Frequency band: 2.4 GHz | Flash memory: 128 MB | DHCP server: Yes | Networking standards: IEEE 802.3af | Web-based management: Yes | Networking standards: IEEE 802.3at | Networking standards: IEEE 802.3bt | Storage relative humidity (H-H): 5 - 90% | Downlink/uplink speed: 150/50 Mbit/s

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950