

HP Color LaserJet Pro 4202dw Printer



Model: 4RA88F#B19

Manufacturer: HEWLETT-PACKARD

EAN: 196068347581

Product Code: 1286910

R7,045

Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Linux Citrix Chrome OS | Certification: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries. | Replacement cartridges: HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Box contents: HP Color LaserJet Pro 4202dw Printer 4

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

preinstalled introductory HP LaserJet Toner Cartridges (Black: 1,200 pages Cyan, Magenta, Yellow: 1,000 pages) In-box documentation (Reference guide, Setup Card), Regulatory flyer HP printer software is available at <https://www.hp.com/support> Power cord USB cable. | Manufacturer warranty: One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. | Windows operating systems supported: Windows 10 | Cables included: AC | Height: 288 mm | Bluetooth: Yes | Package weight: 19 kg | Windows operating systems supported: Windows 11 | Built-in display: Yes | Mobile printing technologies: Apple AirPrint | Operating relative humidity (H-H): 10 - 80% | Product colour: Blue | Package depth: 379 mm | Operating temperature (T-T): 10 - 32.5 °C | Number of print cartridges: 4 | Mac operating systems supported: MacOS | Market positioning: Business | Ethernet LAN: Yes | Direct printing: Yes | Power consumption (PowerSave): 0.7 W | USB port: Yes | Display: LCD | Mac operating systems supported: Mac OS X 13.0 Ventura | Mobile printing technologies: Mopria Print Service | Wi-Fi: Yes | AC input frequency: 50/60 Hz | Print technology: Laser | Storage temperature (T-T): -20 - 40 °C | Custom media width: 76.2 - 216 mm | Mac operating systems supported: Mac OS X 12.0 Monterey | Package height: 583 mm | Width: 421 mm | Internal memory: 512 MB | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Printing: Colour printing | Package width: 497 mm | Processor frequency: 1200 MHz | Power consumption (off): 0.07 W | Ethernet LAN data rates: 10,100,1000 Mbit/s | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Weight: 16.3 kg | Security algorithms: WPS | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Security algorithms: WPA2 | Server operating systems supported: Windows Server 2022 | Server operating systems supported: Windows Server 2008 R2 x64 | Security algorithms: AES | Security algorithms: WEP | Colour: Yes | Security algorithms: WPA-Enterprise | Server operating systems supported: Windows Server 2012 | Server operating systems supported: Windows Server 2016 | Security algorithms: WPA | Depth: 427 mm | AC input voltage: 220 - 240 V | Cabling technology: 10/100Base-T(X) | USB 2.0 ports quantity: 2 | Custom media length: 127 - 356 mm | Security algorithms: WPA3 | Server operating systems supported: Windows Server 2012 R2 x64 | Server operating systems supported: Windows Server 2019 | Maximum resolution: 600 x 600 DPI | Power consumption (printing): 580 W | HP Auto-On/Auto-Off: Yes | Envelope feeder: No | ISO A-series sizes (A0...A9): A6 | Non-ISO print media sizes: 16K | Print speed (black, normal quality, A4/US Letter): 33 ppm | Control type: Buttons | Other operating systems supported: ChromeOS | Paper tray media types: Plain paper | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A4 | Maximum duty cycle: 50000 pages per month | Layers per pallet: 3 pc(s) | Other operating systems supported: iOS | Power consumption (ready): 17 W | Included cartridge capacity (CMY): 1000 pages | Other operating systems supported: Android | Page description languages: PCL 6 | Paper tray 1 input capacity: 50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

sheets | Page description languages: PostScript 3 | Page description languages: PDF | Page description languages: PCL 5e | HP segment: Business | Wi-Fi Direct: Yes | Power supply type: Internal (built-in) Power Supply | Multi-Purpose tray: Yes | Maximum ISO A-series paper size: A4 | Sound power level (printing): 6.2 dB | Time to first page (black, normal): 9.5 s | Cartridge(s) included: Yes | Paper tray media types: Glossy paper | Carbon emissions, end-of-life (kg of CO2e): 1.5 | Paper tray media types: Envelopes | Included cartridge capacity (black): 1200 pages | Paper tray media types: Rough paper | Pallet gross weight: 370 kg | Printing colours: Black | Paper tray media types: Recycled paper | Photo paper sizes (imperial): 4x6 | Typical electricity consumption (TEC) number: 0.370 kWh/Week (Blue Angel) | Paper tray media types: Bond paper | Paper tray media types: Postcard | Print speed (colour, normal quality, A4/US Letter): 33 ppm | Paper tray media types: Photo paper | Master (outer) cases per pallet layer: 6 pc(s) | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Non-ISO print media sizes: Oficio | Maximum internal memory: 512 MB | Sustainability certificates: Blue Angel | Multi-Purpose tray input capacity: 50 sheets | Warm-up time: 50 s | Sustainability compliance: Yes | Envelopes sizes: C5 | Maximum number of input trays: 3 | HP Web Jetadmin: Yes | Internal storage capacity: 0.5 GB | Photo paper sizes: 10x15 | Total input capacity: 300 sheets | Paper tray media types: Letterhead | Print resolution colour: 600 x 600 DPI | Print margins (top, bottom, right, left): 4.23 mm | Paper tray media weight: 60 - 200 g/m² | Acoustic power emissions (ready): Inaudible | Printing colours: Yellow | Maximum output capacity: 150 sheets | Energy Star Typical Electricity Consumption (TEC): 0.37 kWh/week | Page description languages: URF | Total carbon footprint (kg of CO2e): 10 | Envelopes sizes: DL | Printing colours: Magenta | Page description languages: PWG | Total output capacity: 150 sheets | Carbon emissions, logistics (kg of CO2e): 2.65 | Page description languages: PCL 5c | Duplex printing: Yes | Paper tray 3 input capacity: 550 sheets | Paper tray media types: Labels | Watermark printing: Yes | HP Dynamic security: Yes | Printing colours: Cyan | Maximum input capacity: 850 sheets | Envelopes sizes: B5 | Recommended duty cycle: 750 - 4000 pages per month | Sound pressure level (printing): 51 dB | Recommended operating temperature range (T-T): 15 - 27 °C | HP GTIN (EAN/UPC): 884420649380, 884420649397, 884420649403, 884962546123, 884420649342, 884420649359 | General Product Safety Regulation (GPSR) URL: https://kaas.hpcloud.hp.com/pdf-public/pdf_8666243_en-US-1.pdf | <https://row.hyperx.com/pages/limited-warranty-statement> | Compliance certificates: CCC | Compliance certificates: UL | Total carbon emissions, w/o use phase (kg of CO2e): 28.37 | Compliance certificates: CE | Total number of input trays: 2 | Print resolution black: 600 x 600 DPI | Compliance certificates: BIS | UNSPSC-code: 43212105 | Duplex printing mode: Auto | Compliance certificates: GS mark | Compliance certificates: cUL | Printer fonts: TrueType | Compliance

certificates: BSMI | Time to first page (colour, normal): 10.5 s | Printer fonts: Scalable | Carbon

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

emissions, manufacturing (kg of CO2e): 249.65 | Paper tray 2 input capacity: 250 sheets | HP GTIN (EAN/UPC) with options: (231) 884420649380 (241) 884420649397 (251) 884420649403 (301) 884962546123 (BGX) 884420649342 (BGY) 884420649359

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950