

ISEASY MGBG-604C 4-burner gas range



Model: MGBG-604C

Manufacturer: ISEASY

EAN: 6977132450338

Product Code: 1287552

R2,996

ISEASY MGBG-604C 4-Burner Gas Range

The ISEASY MGBG-604C gas range is equipped with 4 burners rated at 1 kW, 1.75 kW (x2), and 2.7 kW, making it easy to prepare meals for the whole family. Its compact built-in design, measuring 585 × 505 × 95 mm with a 5.5 cm installation depth, ensures the appliance fits perfectly into modern kitchens, saving space while maintaining an aesthetic appearance.

Durable stainless steel and easy cleaning

The panel, made of stainless steel (type 201), ensures high resistance to daily use and high temperatures. The smooth surface allows for quick removal of dirt—all you need is water with detergent and a cloth to restore the cooktop to its original cleanliness.

Stable cast iron grates

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Solid cast iron grates guarantee stable support for pots and pans—even during intense cooking. Their construction is resistant to high temperatures and deformation, ensuring safety and a long service life. This allows you to freely use cookware of various sizes.

Precise burners with varying power

Four burners with varying power settings allow you to adjust the flame intensity to specific dishes. The most powerful burner (2.7 kW) is ideal for frying and when you’re in a hurry. The 1 kW burner, on the other hand, is perfect for warming or gentle simmering. Stable combustion ensures even heat distribution.

Safety thanks to thermocouple protection

The cooktop is equipped with a gas leak safety device (thermocouple) that automatically shuts off the gas supply if the flame goes out. This feature significantly increases safety and eliminates the risk of gas leaks.

Convenient control and quick ignition

The bakelite knobs are heat-resistant and provide convenient, precise flame adjustment. Electronic pulse ignition (127–240 V) allows for quick burner startup without the need for additional ignition sources.

Versatility - Natural Gas and LPG

The MGBG-604C model supports both natural gas (NG) and LPG (propane-butane), making it suitable for various installations. The set includes nozzles that allow you to switch between gas types, increasing installation flexibility.

Manufacturer	ISEASY
Model	MGBG-604C

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Type	4-burner gas range
Gas source	NG / LPG (30 mbar / 50 mbar)
Burner power	Upper left: 1.75 kW
	Lower left: 2.7 kW
	Upper right: 1.75 kW
	Lower right: 1.0 kW
Panel material	Stainless steel 201
Grates	Cast iron
Ignition	Pulse ignition (127-240 V)
Valve	Brass with safety feature
Safety feature	Thermocouple (anti-flow)
Knobs	Bakelite
Product dimensions	585 × 505 × 95 mm
Required countertop cutout	560 × 480 mm
Installation depth	5.5 cm
Weight	8.2 kg

Gross weight: 8310, Net weight: 8200, Box length: 64,50, Box width: 54,50, Box height: 14,00, GPSR

Link: https://psr-assets.innpro.pl/small_appliances/sg_household_appliances_gas_hob.pdf, PPWR:

<https://ppwr.innpro.pl/iseasy>

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950