

TP-Link TL- WN781ND network card Internal WLAN 150 Mbit/s



Model: TL-WN781ND

Manufacturer: TP-LINK

EAN: 1210002617697

Product Code: 1287643

R788

Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Wi-Fi standards: 802.11g | Operating relative humidity (H-H): 10 - 90% | Operating temperature (T-T): 0 - 40 °C | Chipset: Atheros | WLAN data transfer rates supported: 11 | Maximum data transfer rate: 150 Mbit/s | WLAN data transfer rates supported: 54 | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Modulation: OFDM | Product colour: Green | Modulation: 16-QAM | Internal: Yes | WLAN data transfer rates supported: 150 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 10 IoT Enterprise | Package weight: 150 g | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Height: 21.5 mm | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows Vista x64 | Frequency range: 2.4 - 2.4835 GHz | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Wi-Fi standards: 802.11b | Storage temperature (T-T): -40 - 70 °C | Package depth: 150 mm | Modulation: 64-QAM | Modulation: DBPSK | Quick installation guide: Yes | Modulation: CCK | Modulation: DQPSK | Host interface: PCI Express | Sustainability compliance: Yes | Connectivity technology: Wireless | Operating modes: Infrastructure mode | Antenna gain level (max): 2 dBi | Resource CD: Yes | Antenna design: External | Depth: 78.5 mm | Security algorithms: WPA2-PSK | Linux operating systems supported: Yes | Security algorithms: 128-bit WEP | Networking standards:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

IEEE 802.11b | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Wi-Fi band: Single-band (2.4 GHz) | Interface: WLAN | Wi-Fi: Yes | Package width: 200 mm | Antenna direction type: Omni-directional | Security algorithms: 64-bit WEP | Package height: 39 mm | Width: 120.8 mm | Harmonized System (HS) code: 85176990 | Compliance certificates: RoHS | Compliance certificates: CE | Compliance certificates: Federal Communications Commission (FCC) | Antenna: Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950