

NAVEE UT3 Max Electric Scooter



Model: UT3 Max (SE)

Manufacturer: NAVEE

EAN: 6975293677762

Product Code: 1298380

R20,392

NAVEE UT3 Max Electric Scooter

The NAVEE UT3 Max electric scooter is a modern model designed for convenient commuting and longer trips. It offers a peak power of 1638 W, a battery with a capacity of 596.7 Wh (46.8 V), and a range of up to 90 km on a single charge. In accordance with current regulations in Poland, the maximum speed is 20 km/h, which allows for legal travel on public roads. The model is equipped with a hydraulic front fork and a rear spring shock absorber, dual disc brakes with EABS, 10-inch (approx. 25.4 cm) tubeless tires, turn signals, 360° lighting, IPX6 water resistance, and support for the NAVEE and Apple Find My apps.

Powerful motor and smooth hill climbing

The motor, with a peak power of 1638 W, ensures dynamic acceleration and a stable ride even under heavier loads. The scooter handles inclines of up to 28%, making it well-suited for hilly terrain and daily commutes. The maximum load capacity is 130 kg, allowing people of various weights to use the scooter comfortably. The design is engineered to maintain a smooth ride and predictable

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

performance in various conditions.

Range of up to 90 km and charging in about 6 hours

The 596.7 Wh battery allows you to travel up to 90 km on a single charge, significantly reducing the need to frequently plug the scooter in. When riding at maximum speed, the range can be up to approximately 60 km, depending on conditions and riding style. A full charge takes about 6 hours, so you can conveniently prepare the scooter for the next day overnight. This is a practical solution for people who regularly travel longer distances.

Hydraulic fork in the front and spring shock absorber in the rear

The NAVEE UT3 Max uses a suspension system consisting of a front hydraulic fork and a rear spring shock absorber. This combination effectively dampens minor bumps and larger impacts when riding on cobblestones or rougher surfaces. As a result, the handlebars transmit fewer vibrations, and the ride becomes more comfortable and stable. This is a solution focused on comfort in everyday use, rather than a typical off-road suspension system.

Dual disc brakes and EABS system

Effective stopping power is provided by front and rear disc brakes supported by the electronic EABS system. This setup improves control over the scooter and allows for smooth deceleration even in more challenging conditions. The brakes operate smoothly and effectively, allowing for better control of the scooter in everyday use. The user can react more quickly to unexpected situations on the road.

360° Lighting and Turn Signals

The model is equipped with a 6 W automatic headlight, a 2 W rear brake light, and front and rear turn signals. The advanced lighting system improves visibility after dark and makes it easier to signal maneuvers. This allows other road users to spot the scooter more quickly and anticipate its direction of travel. This practical feature enhances safety during daily rides.

Rain resistance and sturdy construction

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

The IPX6 waterproof rating ensures good protection against heavy rain and splashes. The reinforced frame can carry a rider weighing up to 130 kg, and the additional transport hook can handle a load of up to 5 kg. The scooter itself weighs 24 kg, which translates to stability while riding, but it’s worth considering this weight if you plan to carry it up stairs regularly. Folding down to dimensions of 116.5 × 60 × 56 cm allows you to easily transport it in a car or store it while taking up less space.

The NAVEE app and Apple Find My

The scooter works with the NAVEE app, which allows you to manage settings, locking, and lighting from your smartphone. Integration with Apple Find My allows you to locate the vehicle even when it is not in use. The model also supports the NAVEE Flylock feature, which unlocks the scooter via Bluetooth after pairing with your phone; however, the availability and functionality of this feature may depend on the software version and OTA updates. This gives the user convenient access to modern security features.

Manufacturer	NAVEE
Model	UT3 Max
Product type	electric scooter
Peak power	1638 W
Rated motor power	600 W
Maximum speed	20 km/h
Maximum range	up to 90 km
Range at maximum speed	up to 60 km
Maximum climbing gradient	28%
Battery	596.7 Wh
Charging time	approx. 6 hours
Suspension	hydraulic front fork + rear spring shock absorber
Brakes	front and rear disc brakes + EABS
Tires	10 inches (approx. 25.4 cm), tubeless

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Water resistance rating	IPX6
Maximum user weight	130 kg
Maximum hook load	5 kg
Connectivity	Bluetooth
Compatibility	NAVEE app, Apple Find My
Weight	24 kg
Dimensions when unfolded	116.5 × 60 × 125.5 cm
Dimensions when folded	116.5 × 60 × 56 cm

GPSR Link: https://psr-assets.innpro.pl/outdoor/sg_outdoor_electric_scooters.pdf, Gross weight: 27500, Net weight: 24000, Box length: 24,00, Box width: 62,00, Box height: 120,00, PPWR: <https://ppwr.innpro.pl/navee>