

Hypershell Charging Hub



Model: ACH-65PD-4PT

Manufacturer: HYPERSHELL

EAN: 6977518000034

Product Code: 1302301

R2,236

Hypershell Charging Hub

The Hypershell Charging Hub allows you to connect and charge up to four batteries, significantly improving power management during intensive exoskeleton use. Its compact and lightweight design means the device fits easily into a backpack or bag, and the USB-C port with Power Delivery support ensures fast and stable charging. The intelligent sequential charging system, clear LED indicators, and broad compatibility with Hypershell batteries make this a reliable solution both in the field and for everyday use.

Intelligent sequential charging for maximum efficiency

The device automatically prioritizes the battery with the highest charge level, bringing it to full charge before moving on to the next one. This solution minimizes downtime, which is particularly important during expeditions or field work. The system operates fully automatically, ensuring convenience and optimal use of available energy.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Clear LED indicators and full status control

Integrated LEDs allow you to quickly check the charging status without having to connect additional devices. Different colors and lighting modes indicate the charge level and current operating status—from ready to charge, through the charging process, to a fully charged battery. This gives the user full control over power and allows them to easily plan further use of the equipment.

Fast charging and wide compatibility

The hub works with USB-C chargers up to 65 W, allowing a single battery to be charged in about 90 minutes. The device supports 5 V, 9 V, and 12 V voltages under the Power Delivery standard, ensuring flexibility and compatibility with various power sources. This solution works well both at home and on the go.

Compact design built for mobile use

The lightweight design, weighing just 70 g, and slim form factor make the hub portable and easy to carry. Solid construction ensures durability, and the well-thought-out port layout makes it easy to connect multiple batteries simultaneously. It is the perfect addition to the kit for Hypershell exoskeleton users who need a reliable and convenient charging system in all conditions.

Manufacturer	Hypershell
Model	HSHUB
Input	5–20 V AC, 65 W, 3250 mA
Output	Max. 16.8 V DC
Number of ports	4
Charging port	USB-C port; PD (Power Delivery) protocol
Operating temperature	-20°C to 60°C
Charging temperature	0°C to 40°C
Standard charging time	90 min using the Hypershell 65 W charger (optional) for each battery

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Compatibility All Hypershell batteries

Supported chargers Hypershell 65 W charger or other USB-C PD chargers (5 V, 9 V, 12 V)

Dimensions 240 × 350 × 170 mm

Weight 70 g

Gross weight: 220, Net weight: 100, Box length: 26,50, Box width: 11,50, Box height: 3,50, GPSR

Link: https://psr-assets.innpro.pl/sport/sg_sport__exercise_machines.pdf

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950