

HP Color LaserJet Pro MFP 4302fdn Printer



Model: 4RA84F#B19

Manufacturer: HEWLETT-PACKARD

EAN: 196068323226

Product Code: 1307922

R9,961

Replacement cartridges: HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X | Manufacturer warranty: One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements. | Compatible operating systems: Windows 11 Windows 10 Windows Client OS Android iOS Mobile OS macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 15 Sequoia Linux Citrix Chrome OS | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard drive space Internet connection or USB port Internet browser. | Box contents: HP Color LaserJet Pro 4302fdn Printer 4 preinstalled HP LaserJet Toner cartridges (Black: 2,000 pages, Introductory-Cyan, Magenta, Yellow: 1000 pages) In-box

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

documentation (Reference Guide, Setup Card) Warranty card (Where required) HP printer software is available at <https://www.hp.com/support> Power cord Fax cable (Switzerland only). | Certification: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries. | Built-in display: Yes | Package height: 492 mm | Package width: 597 mm | Windows operating systems supported: Windows 10 | Cables included: AC | Height: 384 mm | Display diagonal: 10.9 cm (4.3") | Wi-Fi: No | N-in-1 copy function (N=): 2 | Scan to: WIA | Scan to: Software | Cabling technology: 10/100Base-T(X) | Power consumption (PowerSave): 0.8 W | Width: 421 mm | Ethernet LAN data rates: 10,100,1000 Mbit/s | Processor frequency: 1200 MHz | Scan to: TWAIN | Package weight: 23.6 kg | Fax memory: 500 pages | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Power consumption (max): 585 W | Mobile printing technologies: Apple AirPrint | Scan to: E-mail | Modem speed: 33.6 Kbit/s | Optical scanning resolution: 1200 x 1200 DPI | Mac operating systems supported: Mac OS X 12.0 Monterey | Display: LED | Printing: Colour printing | Copy speed (black, normal quality, A4): 35 cpm | Weight: 20.4 kg | Mac operating systems supported: Mac OS X 13.0 Ventura | Print technology: Laser | USB port: Yes | Mac operating systems supported: MacOS | Server operating systems supported: Windows Server 2016 | AC input frequency: 50/60 Hz | Server operating systems supported: Windows Server 2012 R2 x64 | Server operating systems supported: Windows Server 2022 | Maximum print size: 212 x 352 mm | Server operating systems supported: Windows Server 2012 | Copy speed (colour, normal quality, A4): 35 cpm | Mobile printing technologies: Mopria Print Service | Storage temperature (T-T): -20 - 40 °C | Custom media width: 76.2 - 216 mm | Server operating systems supported: Windows Server 2019 | Faxing: Mono faxing | Package depth: 497 mm | Copying: Colour copying | Product colour: Blue | Power consumption (off): 0.07 W | Maximum scan area: 216 x 297 mm | Windows operating systems supported: Windows 11 | Duplex scanning: Yes | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Depth: 435 mm | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Operating temperature (T-T): 10 - 32.5 °C | Digital sender: Yes | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | Auto document feeder (ADF) input capacity: 50 sheets | Internal memory: 512 MB | USB 2.0 ports quantity: 2 | Input colour depth: 30 bit | Number of print cartridges: 4 | Server operating systems supported: Windows Server 2008 R2 x64 | AC input voltage: 220 - 240 V | Warnings: The product requires special disposal - do not dispose of in normal waste. | Warnings: Avoid contact with

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

toner, it can irritate the skin and respiratory tract. | Warnings: Be careful when handling the device, it may contain live parts. | Paper tray media types: Labels | N-in-1 copy function: Yes | Maximum number of copies: 999 copies | Print speed (colour, normal quality, A4/US Letter): 33 ppm | Document formats supported: PDF | Paper tray media types: Bond paper | Paper tray media types: Postcard | Speed dialling: Yes | Printing colours: Black, Cyan, Magenta, Yellow | Multi-Purpose tray: Yes | Duplex scan speed (black): 46 ppm | Duplex copying: Yes | Printer fonts: TrueType | JIS B-series sizes (B0...B9): B6 | Auto reduction: Yes | Maximum output capacity: 150 sheets | Duplex print speed (black, normal quality, A4/US Letter): 29 ppm | Print resolution colour: 600 x 600 DPI | Power supply type: Internal (Built-in) power supply | Sound pressure level (scanning): 48 dB | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Paper tray media types: Plain paper | Paper tray media types: Photo paper | Paper tray 2 input capacity: 250 sheets | Warm-up time: 55 s | Other operating systems supported: Android | Paper tray media types: Recycled paper | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Letterhead | Power consumption (ready): 18 W | USB 3.2 Gen 1 (3.1 Gen 1) ports quantity: 1 | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Other operating systems supported: ChromeOS | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | Auto-redialing: Yes | Other operating systems supported: iOS | Paper tray media types: Glossy paper | Internal storage capacity: 512 GB | Duplex print speed (colour, normal quality, A4/US Letter): 29 ppm | Total output capacity: 150 sheets | Maximum input capacity: 850 sheets | Duplex scan speed (colour): 37 ppm | Total input capacity: 300 sheets | Acoustic power emissions (ready): Inaudible | Recommended operating temperature range (T-T): 15 - 27 °C | Power consumption (printing): 585 W | Maximum number of input trays: 3 | Power consumption (sleep): 0.8 W | Duplex functions: Copy | Sound pressure level (printing): 50 dB | Duplex functions: Print | Fax transmission speed: 5 sec/page | Scan speed (black): 44 ppm | Page description languages: PWG | Multi-Purpose tray input capacity: 50 sheets | Maximum resolution: 600 x 600 DPI | Paper tray media weight: 60 - 200 g/m² | Page description languages: PCL 6 | Paper tray 1 input capacity: 50 sheets | Recommended duty cycle: 750 - 4000 pages per month | Typical electricity consumption (TEC) number: 1.423 kWh/Week (Blue Angel) | Sustainability compliance: Yes | ID-card copy function: Yes | Page description languages: PCL 5e | Page description languages: PCL 5c | Duplex printing mode: Auto | Warranty card: Yes | Fax resolution (black): 300 x 300 DPI | ISO A-series sizes (A0...A9): A5 | Page description languages: PostScript 3 | Page description languages: PDF | Page description languages: URF | Scan technology: CIS | Auto fit function: Yes | Time to first copy (black, normal): 7.6 s | Time to first copy (colour, normal): 10 s | Time to first page (black, normal): 9.5 s | Fax forwarding: Yes | Carbon emissions, end-of-life (kg of CO₂e): 16 | Scan drivers: TWAIN | Total carbon footprint (kg of CO₂e): 20 | Maximum ISO A-series paper size: A4 | Scan drivers: WIA | HP segment:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Small medium business | Sound power level (printing): 6.1 dB | Included cartridge capacity (black): 2000 pages | Print speed (black, draft quality, A4/US Letter): 35 ppm | Maximum internal memory: 512 MB | Greyscale levels: 256 | Scan speed (colour): 35 ppm | HP Auto-On/Auto-Off: Yes | Duplex printing: Yes | Total number of input trays: 2 | Paper tray media types: Rough paper | Time to first page (colour, normal): 10.5 s | Printer fonts: Scalable | Cartridge(s) included: Yes | Maximum duty cycle: 50000 pages per month | Envelope feeder: No | General Product Safety Regulation (GPSR) URL: https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | Compliance certificates: CE | Mobile operating systems supported: iOS | Compliance certificates: GS mark | Compliance certificates: BSMI | Mobile operating systems supported: Android | Control type: Touch | Compliance certificates: BIS | Included cartridge capacity (CMY): 1000 pages | Fax delayed sending: Yes | Watermark printing: Yes | HP GTIN (EAN/UPC) with options: (ABB) 198828835260 (ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | UNSPSC-code: 43212110 | Carbon emissions, logistics (kg of CO2e): 5 | HP Dynamic security: Yes | Print speed (black, normal quality, A4/US Letter): 33 ppm | Carbon emissions, manufacturing (kg of CO2e): 91 | Maximum copy resolution: 600 x 600 DPI | Compliance certificates: cUL | Compliance certificates: CCC | Compliance certificates: UL | Total carbon emissions, w/o use phase (kg of CO2e): 12

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950