

Ring light NEEWER RP19H



Model: 10103748

Manufacturer: NEEWER

EAN: 6976831830427

Product Code: 1309228

R3,210

NEEWER RP19H Ring Light with Phone Mount

The NEEWER RP19H is a 19-inch ring light equipped with 512 LEDs, allowing you to precisely adjust the lighting during live streams, vlog recordings, selfies, and video production. It offers color temperature adjustment ranging from 3200 to 5600 K and smooth brightness control with 1% precision, while its high CRI of 97+ and TLCI of 98+ ensure natural color reproduction. Operation is made easy by a touchscreen control panel, an LCD screen, a 2.4 GHz remote control, and a Bluetooth shutter remote, while three smartphone mounts allow you to use up to three phones simultaneously.

Precisely adjust the light with a single touch

The touch panel lets you conveniently adjust brightness and color temperature without reaching for additional controllers. The built-in LCD screen displays the current settings in real time, making it easier to achieve the right lighting and reproduce your selected settings later. Brightness can be adjusted with 1% precision, and the color temperature range of 3200–5600 K allows you to tailor the

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

light to the nature of your recording, livestream, or photo.

512 LEDs and Accurate Color Reproduction

The lamp's large surface area, measuring 480 × 480 × 52 mm, houses 512 LEDs, providing intense light when working with a camera or smartphone. A Color Rendering Index (CRI) of 97+ and a Television Lighting Consistency Index (TLCI) of 98+ help preserve the natural appearance of colors in the frame, which is important when recording faces, showcasing products, or creating content for social media, among other applications. The light allows you to adjust the light intensity over a wide range, making it easy to adapt to both stronger and softer scene lighting.

Three smartphones at once

The NEEWER RP19H is equipped with three cold shoe mounts and three adjustable phone holders that fit most smartphones on the market. This allows you to mount three devices at once and multi-stream on multiple platforms without having to constantly switch phones. The mounts offer 360° rotation, making it easy to position each smartphone at the right angle and adjust the frame to your current needs.

Control from up to 20 meters away

The included 2.4 GHz remote control allows you to adjust brightness and color temperature remotely, with a maximum range of 20 meters. It supports channels 0 through 10, and setting the channel to "88" allows you to control all lights simultaneously when using a larger lighting setup. Additionally, the Bluetooth shutter remote lets you take photos without touching your smartphone screen, making it more convenient for selfies, recordings, and solo livestreams.

Stable Tripod and Convenient Smartphone Charging

The aluminum alloy tripod offers height adjustment from 31.5 to 70.87 inches and features a stable, three-legged design with a locking system. This allows you to adjust the lamp's position for shots taken while sitting or standing and to securely position the mounted equipment. The lamp also has two USB ports rated at 5 V / 2 A, which allow you to power connected smartphones during a live stream, reducing the risk of a recording being interrupted due to a dead battery.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Ready for recording and live streaming

The kit includes not only the ring light and tripod, but also three smartphone mounts, a 2.4 GHz remote control, a Bluetooth shutter remote, and a carrying case. This setup allows you to create a comprehensive setup for vlogs, selfies, and live streams using multiple devices simultaneously. By adjusting the lighting directly on the panel or remotely, you can conveniently control the lighting conditions in the frame without interrupting your work.

Included

- 19" LED ring light x1
- Ring light tripod x1
- Adjustable phone mount x3
- 2.4 GHz remote control x1
- Bluetooth shutter remote x1
- Power cable x1
- Carrying bag x1
- User manual x1

Manufacturer	NEEWER
Model	RP19H
Product Name	19" Ring Light for Multi-Streaming
Type	LED ring light for multi-streaming
Size	19"
Dimensions	480 × 480 × 52 mm
Weight	1.42 kg
Number of LEDs	512
Color Rendering Index (CRI)	97+
TLCI	98+

Maximum Illuminance	2,540 lx at 0.5 m; the documentation also specifies 3,000 lx at 0.5 m
Color temperature range	3,200–5,600 K
Dimming range	1–100%; the documentation also specifies 0–100%
Brightness adjustment accuracy	1%
Input voltage	DC 15 V
USB output	5 V 2 A
Number of USB ports	2
Number of cold shoe mounts	3
Number of phone mounts	3
Rotation range of phone mounts	360°
Phone mount compatibility	Most smartphones available on the market
Controls on the flash	Touch panel
Display	LCD
Remote control	2.4 GHz remote
Available channels	0–10
Channel for controlling all flashes	88
Maximum remote control range	20 m
Shutter remote	Bluetooth
Tripod material	Aluminum alloy
Minimum tripod height	31.5"
Maximum tripod height	70.87"
Tripod design	Three-legged

GPSR Link: [https://psr-](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf)

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), PPWR:

<https://ppwr.innpro.pl/en/neewer>, Gross weight: 4750, Net weight: 4350, Box length: 66,00, Box

width: 52,50, Box height: 10,50, Last delivery: 05.10.2026

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950