

Softbox lighting kit 10102773 700W 3pcs



Model: 10102773

Manufacturer: NEEWER

EAN: 6921268837099

Product Code: 1343719

R3,327

NEEWER 700W Softbox Lighting Kit with 3 Bulbs

The NEEWER NK200 is a lighting kit for photography and video production, equipped with 60 × 60 cm softboxes, stands with a maximum height of 210 cm, and 35 W LED bulbs with a color temperature of 5700 K and a luminous flux of 3150 lm. Each bulb provides light output equivalent to a traditional 350 W incandescent bulb, and the white diffusers and silver interiors of the softboxes allow for wide, even lighting with minimal shadows. This kit is ideal for portrait, wedding, and product photography, as well as for video recording, streaming, photo shoots, and advertising, artistic, industrial, scientific, and technical photography.

Soft and Even Light

The softboxes direct light through an internal, aluminum-coated surface that acts as a reflector, and then diffuse it using a white diffuser. This produces wide and balanced lighting that helps minimize harsh shadows and evenly illuminate the subject being photographed or filmed. Removable external

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

diffusers also allow you to control the degree of light softening, so you can tailor the setup to the nature of a specific shoot.

35 W LED bulbs with a color temperature of 5700 K

The kit includes 35 W LED bulbs with a color temperature of 5700 K and a luminous flux of 3150 lm, designed for studio photography and video recording. Each bulb offers light output equivalent to a traditional 350 W incandescent bulb and provides bright, steady, flicker-free lighting. The bulbs are designed for standard E26 sockets and operate at 110 V.

Angle Adjustment up to 210°

The adjustable mount allows the light source to be tilted up to 210°, making it easy to direct the light exactly where it's needed. This design allows you to quickly adjust the setup when photographing products, taking portraits, or recording video without having to reposition the entire setup. The ceramic E26/E27 socket is compatible with various light sources and helps protect the mount from overheating.

Stands up to 210 cm tall

The tripods are made of aluminum alloy, which ensures adequate durability while maintaining a portable design. Their maximum height is 210 cm, and the three-section design and quick-release locks allow for efficient and precise adjustment. The stands are compatible with various photography accessories, including lamps, softboxes, umbrellas, reflectors, and backdrops, and can be folded for transport or storage when not in use.

Greater Freedom When Setting Up the Shot

The 265-cm-long power cords allow for more convenient placement of lights and help you choose the position that ensures the desired lighting effect. This makes it easier to position the softboxes relative to the subject, product, or shooting location without being limited to the immediate vicinity of the power source. The included bag facilitates transport and protects the equipment during storage and transport of the kit.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Included in the set

- 60 × 60 cm softbox x2
- 35 W 5700 K LED bulb x3
- 210 cm lighting tripod x2
- Carry bag x1

Manufacturer	NEEWER
Model	NK200
Kit Name	700W Equivalent Softbox Lighting Kit
Softbox Size	60 × 60 cm
Softbox Color	Black / Silver
Softbox Interior	Silver, aluminum-coated
Diffuser	White, removable
Mount adjustment range	Up to 210°
Socket	E26/E27
Socket type	Ceramic
Power cord length	265 cm
Bulb power	35 W
Equivalent to traditional bulb power	350 W
Color temperature	5700 K
Luminous flux	3150 lm
Bulb socket	E26
Voltage	110 V
Certification	UL
Maximum Tripod Height	210 cm
Tripod Material	Aluminum alloy
Number of Tripod Sections	3
Tripod Spigot	1/4"

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, PPWR: <https://ppwr.innpro.pl/en/neewer>, Gross weight: 5240, Net weight: 4652, Box length: 75,50, Box width: 28,00, Box height: 15,50, Last delivery: 05.10.2026

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950