



Techly Audio Extractor 7.1 LPCM HDMI 4K UHD 3D IDATA HDMI-EA74K

Model: IDATA-HDMI-EA74K

Manufacturer: TECHLY

EAN: 8054529025756

Product Code: 1462488

R2,253

IDATA HDMI-EA74K extracts the audio signal from the HDMI source and convert it to optical or analog multi-channel digital audio.

It allows you to easily send the HDMI video signal to a TV, projector or monitor, and send the signals to a HDMI audio system with 7 channels.

Features

- It extracts the audio signal from an HDMI source
- Supports HDMI audio sampling rates up to 192kHz
- Supports optical audio sampling rate S / PDIF audio up to 192kHz
- Supports 4 outputs 3.5 "multi-channel analog audio
- Allows 4Kx2K resolutions and 3D reproductions
- Meets HDMI, HDCP 1.2 and DVI 1.0

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Supports audio HDMI high-bit-rate (HBR)
- No HDMI connections for receiving audio on analog and optical outputs
- Incoming and outgoing can use HDMI cables up to 15 meters in length 1080p 8bit resolution, or 10m to 1080p 12bit
- Supports audio feature EDID between LPCM 7.1CH, TV EDID (external) and Audio Bitstream
- Supports CEC bypass
- Black Colour

Technical Specifications

- Video bandwidth: 300Mbps / 9Gbps
- Input ports: 1 x HDMI
- Output Ports: 1 x HDMI, 1 x Optical, 4 x 3.5 "Phone Jack
- HDMI Audio sampling frequency up to 192kHz
- SPDIF Optical Audio sampling frequency up to 192 kHz
- HDMI Audio format: LPCM 2 / 5.1 / 7.1CH, 5.1CH Dolby Digital 2 ~, ~ 2 5.1CH DTS, Dolby Digital Plus, Dolby TrueHD, and DTS-HD Master Audio
- Optical Format Audio: 2CH LPCM, Dolby Digital 5.1 CH 2 ~, ~ 2 and DTS 5.1CH
- Audio Format L / R: 4 x output Phone Jack format; 7.1 CH Analogue Audio
- Power supply included 5V 2A

Environmental Features

- Operating Temperature: 0 ° C ~ 40 ° C
- Storage Temperature: -20°C ~ 60°C

Dimensions

- Width: 95 mm
- Depth: 82 mm
- Height: 23 mm

Certifications

- EC
- FCC
- WEEE

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Package Contents

- Audio Extractor IDATA HDMI-EA74K
- Power supply 5V 2A
- Information Sheet

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950