



ITWorkup - Level up your IT!

Waterfall Office Park, 28 Augrabies Rd Vorna Valley, Midrand, 1685

Generated: 2026-10-30 13:45

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950



HyperX ProCast Microphone.

Mikrofon-

Empfindlichkeit:

-38 dB, Mikrofon

Dynamikbereich:

123 dB,

**Mikrofon Signal-
to-Noise Ratio**

(SNR): 75 dB.

übertragungstechnik:

Kabelgebunden,

Geräteschnittstelle:

XLR-3.

Produktfarbe:

Schwarz.

**Rauschverhältnis
(SNR): 75 dB.**

Output

**Widerstand: 16
Ohm (699Z0AA)**

Model: 699Z0AA

Manufacturer: HYPERX

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

EAN: 196548544905

Product Code: 1504822

R3,555

HyperX ProCast Microphone. Mikrofon-Empfindlichkeit: -38 dB, Mikrofon Dynamikbereich: 123 dB, Mikrofon Signal-to-Noise Ratio (SNR): 75 dB. Übertragungstechnik: Kabelgebunden, Geräteschnittstelle: XLR-3. Produktfarbe: Schwarz. Rauschverhältnis (SNR): 75 dB. Output Widerstand: 16 Ohm (699Z0AA)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950