



InLine 57885G KVM switch Rack mounting Black



Model: 57885G

Manufacturer: INLINE

EAN: 4043718344338

Product Code: 1552328

R3,246

Control two PCs efficiently:With a dual monitor setup, one keyboard, one mouse and multiple USB devices – ideal for the office, home office or IT environments.

Versatile connections for the best image quality:HDMI 2.0 and DP 1.2a with resolutions up to 4K@60Hz and support for HDR10, Dolby Vision and more.

Flexible switching between systems:Switch conveniently via hotkey, button, IR remote control or RS-232 interface – without reconnecting.

Integrated USB 3.2 hub:Four USB ports for keyboard, mouse and other devices – high compatibility for seamless working or gaming.

Robust design and easy installation:High-quality metal housing, plug & play without drivers – reliable technology for professional applications.

The InLine KVM Switch, 2-port, HDMI & DisplayPort, allows easy control of two computers via a shared setup with two monitors, one keyboard, one mouse and multiple USB devices.

Thanks to HDMI 2.0 and DP 1.2a, the switch supports resolutions up to 4K@60Hz and numerous HDR

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

formats such as HDR10, Dolby Vision and HLG. Switching is flexible via hotkey, button, IR remote control or RS-232 interface. This allows you to switch between the connected systems at lightning speed – without having to reconnect cables. An integrated USB 3.2 hub with four ports enables the sharing of peripheral devices. Thanks to its robust metal housing and plug-and-play installation without drivers, the switch is ideal for use in home offices, offices, IT environments or gaming setups.

This device not only saves you space, but also time and money by allowing you to share hardware.

Inputs: 2 × HDMI (Type A), 2 × DP (20-pin), 2 × USB Host (USB-B)

Outputs: 2 × HDMI (Type A), 1 × 3.5 mm stereo audio output

Video resolutions: up to 4K@60Hz, 2K@144Hz

HDR support: HDR, HDR10, HDR10+, Dolby Vision, HLG

HDMI standard: HDMI 2.0

DP standard: DP 1.2a

HDCP version: HDCP 2.3

Colour depth: 8 / 10 / 12 bits

Colour spaces: RGB, YCbCr 4:4:4 / 4:2:2 / 4:2:0

Supported audio formats HDMI IN/OUT: LPCM, Dolby Digital/Plus/EX, Dolby TrueHD, Dolby Atmos, DTS, DTS-EX, DTS-96/24, DTS High Res, DTS-HD Master Audio, DTS:X, DSD

Audio output (L/R): PCM 2.0CH

Latency: none

CEC support: yes

USB ports: 4 × USB 3.2 Gen.1 (USB-A)

ESD protection: ±8 kV air / ±4 kV contact

Housing: Metal, black

Dimensions: 220 × 100 × 30 mm

Weight: 626 g

Operating temperature: 0–40 °C

Storage temperature: –20–60 °C

Humidity: 20–90 % (non-condensing)

Recommended cable lengths

HDMI: up to 5 m for 4K@60Hz, up to 10 m for 1080p

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Use of a 'Premium High Speed HDMI' cable is recommended

External power supply (power adapter)

Type: external plug-in power adapter with lock

Input voltage: 100–240 V AC, 50/60 Hz

Output voltage: 12.0 V DC

Output current: max. 1.0 A

Output power: 12.0 W

Average operating efficiency: 85.23%

Efficiency at low load (10%): 78.53%

Power consumption at zero load: 0.09 W

Scope of delivery

1 × InLine® KVM switch, 2-port, HDMI, DP, 4K60Hz, dual monitor

1 × IR remote control

1 × IR receiver cable (1.5 m, 38 kHz)

2 × HDMI cables (1.5 m, male/male)

2 × DP cables (1.5 m, male/male)

2 × USB cables (USB 3.2 Gen.1, USB-A to USB-B, 1.8 m)

1 × 12 V/1 A power supply with lock

1 × 3-pin terminal connection plug

2 × mounting brackets

4 × screws (KM3×4)

1 × user manual in German/English

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950