

Variable ND/CPL filter kit Freewell Brandon Li 67mm



Model: FW-BL67-VNDKIT

Manufacturer: FREEWELL

EAN: 4897143172369

Product Code: 1555272

R8,352

Freewell Brandon Li 67mm Variable Density ND/CPL Filter Set

The Freewell Brandon Li Basic Kit 67 mm is a magnetic filter set designed for photography and videography in varying lighting conditions. The main module combines an adjustable 1-5-stop VND filter with an independently controlled CPL filter, and the included ND32 filter allows you to extend the light reduction range to 6-10 stops, providing a total range of 1 to 10 stops. The set also includes a 67 mm base ring, front and rear caps, a filter pouch, a clip accessory, and a cleaning cloth.

Independent VND and CPL Adjustment

The dual-ring design allows for separate adjustment of exposure and polarization, so that changing one setting does not affect the other. The black ring adjusts the VND filter density within a range of

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

1–5 stops, while the green ring controls the CPL and helps reduce reflections on surfaces such as water, glass, or other non-metallic surfaces. This solution makes it easier to maintain the selected aperture and shutter speed, while also improving color accuracy and scene contrast.

From 1 to 10 stops with the included ND32

The VND/CPL module itself provides adjustment from 1 to 5 stops, while attaching the ND32 filter extends the operating range to 6–10 stops. The ND32 can also be mounted directly onto the base ring and used as a standalone filter with a fixed light reduction, which increases the flexibility of the entire system. This allows a single set to be used in both moderate light and when filming in intense sunlight, without the need to carry several separate ND filters.

Magnetic Mount with Mechanical Lock

Freewell has implemented a system in which magnets facilitate quick attachment of the filter to the base ring, and a short twist mechanically locks it in place. In practice, all you need to do is align the markings, let the magnets position the filter correctly, and then twist the module to secure it while shooting on the move. This solution works well for “run-and-gun” shooting, as it allows for quick configuration changes without having to screw the entire filter in and out each time.

Slim Design and True Color Technology

The 18-layer optical coatings and the True Color / Anti-Color Shift Layer are designed to reduce reflections and unwanted color shifts, preserving the image’s natural appearance as much as possible. The magnetic front cap also features a built-in gray card that can be used to quickly check the white balance.

Included in the set

- VND 1–5 / CPL module
- ND32 filter
- 67 mm base ring
- Magnetic front cap
- 67 mm rear cap

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Filter case
- Clip accessory
- Cleaning cloth

Manufacturer	Freewell
Model	Basic Kit 67 mm
Kit size	67 mm
Type	magnetic VND/CPL system
VND/CPL range	1-5 stops
Range with ND32 filter	6-10 degrees
Full light reduction range	1-10 degrees
ND32 filter	fixed reduction of 5 degrees
Polarizing filter	CPL with independent adjustment
VND control	black ring
CPL control	green ring
Mount	magnetic with mechanical twist-lock mechanism
Optical coatings	18-layer multi-coating
Color technology	True Color / Anti-Color Shift Layer

GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_filters.pdf,
 PPWR: <https://ppwr.innpro.pl/en/freewell>, Gross weight: 480, Net weight: 159, Box length: 12,50, Box width: 12,00, Box height: 7,50

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950