Switch UBIQUITI Ubiquiti Pro Max 24 (USW-PRO-MAX-24) Switch layer L3 Rack mounting Yes Stackable Yes Form factor 1U 24xRJ-45 ports RJ-45 Ports Type 2.5G Ethernet (100/1000/2500) 16xGigabit Ethernet (copper) ports quantity 8x2.5G Ethernet (copper) ports quantity 2xSFP+ module slots

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

quantity 10G support Yes USW-PRO-MAX-24

Model: USW-PRO-MAX-24

Manufacturer: UBIQUITI

EAN: 810084692738

Product Code: 1590296

R11,389

Ubiquiti Pro Max 24 (USW-PRO-MAX-24)

A 24-port, Layer 3 Etherlighting™ switch with 2.5 GbE.

- Etherlighting™ ports that illuminate to indicate port location, speed/link, and native VLAN/network
- (8) 2.5 GbE RJ45 ports
- (16) GbE RJ45 ports
- (2) 10G SFP+ ports
- DC power backup ready
- Managed with UniFi Network 8.0.24 and later

Summary: Ubiquiti Pro Max 24. Switch layer: L3. Basic switching RJ-45 Ethernet ports type: 2.5G Ethernet (100/1000/2500), Basic switching RJ-45 Ethernet ports quantity: 24. Switching capacity: 112 Gbit/s. Networking standards: IEEE 802.1x. Power connector: AC/DC. Rack mounting, Form factor: 1U | Vendor Homepage: https://eu.store.ui.com/eu/en/pro/products/usw-pro-max-24 | Perjungimo sluoksnis: L3 | Pagrindinių perjungimo RJ-45 eterneto prievadų skaičius: 24 | Pagrindinių perjungimo

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

RJ-45 eterneto prievadų tipas: 2.5G Ethernet (100/1000/2500) | Gigabit Ethernet (varinis) portų kiekis: 16 | 2,5 Gb eterneto (laidinių) lizdų skaičius: 8 | SFP+ modulio angų kiekis: 2 | Maitinimo jungtis: AC/DC | Tinklo standartai: IEEE 802.1x | 10G parama: Taip | Portų mirroring: Taip | Reitingo apribotojimas: Taip | Srauto kontrolės palaikymas: Taip | Transliacijos audros valdymas: Taip | VLAN palaikymas: Taip | Virtualaus vietinio tinklo ypatybės: Voice VLAN | Perjungimo pajėgumas: 112 | Pralaidumas: 56 | Statinis maršrutas: Taip | Jumbo Frames palaikymas: Taip | DHCP funkcijos: DHCP relay/DHCP snooping | IGMP tinklinio judėjimo sekimas: Taip | Apsauga nuo nesklandaus ryšio: Taip | Stovo montavimas: Taip | Didinimas: Taip | Forma: 1U | Produkto spalva: Pilka | Korpuso medžiaga: SGCC plienas | Atstatymo mygtukas: Taip | LED indikatoriai: Būsena/Greitis/Jungtis/Tinklas | Ekrano tipas: LCM | Maitinimo šaltinis: AC/DC | Pridėtas maitinimo šaltinis: Taip | Nereikalingos maitinimo (RPS) paramos: Taip | AC įėjimo įtampa: 100 - 240 | AC įėjimo dažnis: 50/60 | Galios suvartojimas (maks.): 50 | Maitinimas per Eternetą (PoE): Ne | Darbo temperatūros diapazonas (TT): -5 - 40 | Darbo santykinės drėgmės diapazonas: 10 - 90 | Plotis: 442.4 | Ilgis: 325 | Aukštis: 43.7 | Svoris: 4300 | Pridėti kabeliai: Energija | Stovo montavimo rinkinys: Taip | Tvarumo sertifikatai: CE/Federalinė ryšių komisija (FCC) | Atitikties sertifikatai: CE/Federalinė ryšių komisija (FCC)/Industry Canada (IC) | Bruto svoris: 5.85 | Neto svoris: 4.2 | Vienetų skaičius vienoje siuntimo dėžėje: 2 | Vieneto plotis: 12 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 45.5 | Vieneto gylis: 52 | Vieneto aukštis: 43 | Name: NET SWITCH 24PORT 2.5GBE/USW-PRO-MAX-24 UBIQUITI | Model: USW-PRO-MAX-24 | Model name: Ubiquiti Pro Max 24 (USW-PRO-MAX-24)

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950