

**Brother MFC-  
L2802DN  
multifunction  
printer Laser A4  
1200 x 1200 DPI  
32 ppm**



Model: MFC-L2802DN

Manufacturer: BROTHER

EAN: 4977766831833

Product Code: 1683110

**R4,858**

Security algorithms: APOP | Security algorithms: SNMPv3 | Security algorithms: SSL/TLS | Product colour: Black | AC input frequency: 50/60 Hz | Weight: 10.5 kg | Security algorithms: SMTP-AUTH | AC input voltage: 220 - 240 V | Auto Document Feeder (ADF) media weight: 60 - 105 g/m<sup>2</sup> | Operating temperature (T-T): 10 - 32.5 °C | Image formats supported: JPEG | Modem speed: 33.6 Kbit/s | Width: 410 mm | Scan to: E-mail | Scan to: File | Maximum scan resolution: 19200 x 19200 DPI | Image formats supported: PNG | Power consumption (off): 0.08 W | Scan to: OCR | Scan to: USB | Custom media length: 127 - 355.6 mm | Scan to: E-mail Server | Scan to: FTP | Package width: 580 mm | Print technology: Laser | Auto document feeder (ADF) input capacity: 50 sheets | Package height: 434 mm | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Depth: 399 mm | Copying: Mono copying | Number of print cartridges: 1 | Mobile printing technologies: Apple AirPrint | USB port: Yes | Card reader integrated: No | Fax memory: 400 pages | N-in-1 copy function (N=): 2 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Cabling technology: 10/100Base-T(X) | Output greyscale depth: 8 bit | Image formats supported: TIFF | Ethernet LAN data rates: 10,100 Mbit/s | Optical scanning resolution: 1200 x 1200 DPI | Operating relative humidity (H-H): 20 - 80% | Output colour depth: 24 bit | N-in-1 copy function (N=): 4 | Copier resize: 25 - 400% | Copy speed (black, normal quality, A4): 32 cpm | Input colour depth: 30 bit | Duplex functions: Print | Mobile printing technologies: Brother iPrint & Scan | Mobile printing technologies: Google Cloud Print | Mobile printing technologies: Mopria Print Service | Scan to: Image | Display number of lines: 2 lines | Scanner type: ADF scanner | Faxing: Mono faxing | Built-in display: Yes | Storage temperature (T-T): 0 - 40 °C | Custom media width: 76.2 - 215.9 mm | Package depth: 517 mm | Internal memory: 128 MB | Wi-Fi: No | Printing: Mono printing | Mac operating systems supported: Yes | Linux operating systems supported: Yes | Display: LCD | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 8.1 | Height: 319 mm | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 11 | Package weight: 14.1 kg | ID printing function: Yes | Included cartridge capacity (black): 700 pages | Power consumption (printing): 470 W | Multi-Purpose tray input capacity: 1 sheets | Input greyscale depth: 10 bit | Paper tray media weight: 60 - 163 g/m<sup>2</sup> | Sound pressure level (quiet mode): 44 dB | Print speed (black, normal quality, A4/US Letter): 32 ppm | Multi-Purpose tray: Yes | Time to first page (black, normal): 8.5 s | Sound pressure level (printing): 66.3 dB | Maximum duty cycle: 15000 pages per month | Maximum number of copies: 99 copies | N-in-1 copy function: Yes | Total output capacity: 120 sheets | Power consumption (standby): 43 W | N-up printing: 9 | Multi-Purpose Tray media weight: 60 - 230 g/m<sup>2</sup> | Sound pressure level (standby): 30 dB | Error Correction Mode (ECM): Yes | Maximum resolution: 1200 x 1200 DPI | N-up printing: 16 | Scan drivers: TWAIN | Scan drivers: SANE | Maximum ISO A-series paper size: A4 | Power consumption (sleep): 4.1 W | N-up printing: 25 | Cartridge(s) included: Yes | Paper input type: Paper tray | Scan drivers: WIA | Booklet printing function: Yes | Total input capacity: 301 sheets | ISO B-series sizes (B0...B9): B6 | ISO A-series sizes (A0...A9): A5 | Poster printing function: Yes | Paper tray media types: Recycled paper | Economical printing: Yes | Paper tray media types: Plain paper | Control type: Buttons | Duplex printing mode: Auto/Manual | Fax forwarding to: PC | Page description languages: GDI | ISO A-series sizes (A0...A9): A6 | Printing colours: Black | Warnings: The product requires special disposal - do not dispose of in normal waste. | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Manual feeder: Yes | ISO B-series sizes (B0...B9): B5 | Fax forwarding to: E-mail | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Letterhead | Paper tray media types: Executive | ID-card copy function: Yes | Auto document feeder (ADF): Yes | Total number of input trays: 3 | Power consumption (copying): 480 W | Fax forwarding to: Fax | Fax forwarding: Yes | N-in-1 print function: Yes | Scan technology: CIS | Power cord included: Yes | Time to first copy (black,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

normal): 10 s | N-up printing: 2 | Paper tray 1 input capacity: 250 sheets | Other operating systems supported: ChromeOS | Warnings: Be careful when handling the device, it may contain live parts. | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Watermark printing: Yes | Greyscale levels: 256 | N-up printing: 4 | Maximum copy resolution: 600 x 600 DPI | Document formats supported: PDF | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, klient SMTP, serwer FTP, SNMPv1/v2c/v3, serwer HTTP/HTTPS, klient i serwer TFTP, ICMPv6, Usługi sieci Web (Dr | Duplex printing: Yes

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950