HP OfficeJet Mobile 250 Wireless All-in-One Color Printer, Copier, Scanner

Model: CZ992A

Manufacturer: HEWLETT-PACKARD

EAN: 195697428968

Product Code: 1720490

R5,513

Box contents: HP OfficeJet 250 Mobile All-in-One Printer HP 62 Setup Black Ink Cartridge (~200 pages) HP 62 Setup Tri-color Ink Cartridge (~120 pages) Regulatory flyer Setup poster Power cord Rechargeable battery For ink volume and page yield information, visit http://www.hp.com/go/learnaboutsupplies | Compatible operating systems: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Apple OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks 1 GB HD Internet required USB. Linux: for more information, see http://hplipopensource.com/hplip-web/index.html Chrome OS | Manufacturer

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

warranty: One-year commercial hardware warranty 24-hour, 7 days a week Web support | Bundled software: HP Dropbox, HP Google Drive, Microsoft DotNet | Replacement cartridges: HP 62 Black Original Ink Cartridge (~200 pages) C2P04AE HP 62 Tri-colour Original Ink Cartridge (~165 pages) C2P06AE HP 62XL High Yield Black Original Ink Cartridge (~600 pages) C2P05AE HP 62XL High Yield Tri-colour Original Ink Cartridge (~415 pages) C2P07AE | Recommended system requirements: Windows 10 8.1 8 7 32-bit/64-bit 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer Windows Vista 32-bit only 2 GB available hard disk space CD-ROM/DVD drive or Internet connection USB port Internet Explorer 8 Apple OS X Yosemite OS X Mavericks OS X Mountain Lion 1 GB available hard disk space Internet required USB Linux. Apple OS v10.15 Catalina OS X v10.11 El Capitan OS X v10.10 Yosemite OS X v10.9 Mavericks 1 GB available hard disk space Internet required USB. | Certification: EU EMC Directive | ISO A-series sizes (A0...A9): A5 | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A4 | Number of users: 3 user(s) | Cartridge(s) included: Yes | ISO C-series sizes (C0...C9): C6 | Other operating systems supported: ChromeOS | ISO C-series sizes (C0...C9): C5 | Maximum ISO A-series paper size: A2 | Scan drivers: TWAIN | Maximum resolution: 4800 x 1200 DPI | Colour display: Yes | Auto fit function: Yes | Included cartridge capacity (black): 200 pages | Printing colours: Black, Cyan, Magenta, Yellow | Input colour depth: 24 bit | Power consumption (sleep): 0.81 W | Power supply type: Built-in power supply | Maximum input capacity: 50 sheets | Electromagnetic compatibility: EU EMC Directive | Power consumption (standby): 3.4 W | ISO A-series sizes (A0...A9): A2 | Print speed (ISO/IEC 24734) colour: 7 ppm | ISO B-series sizes (B0...B9): B5 | Greyscale levels: 256 | Non-ISO print media sizes: 2L | Print speed (black, draft quality, A4/US Letter): 20 ppm | Sustainability compliance: Yes | Recommended operating temperature range (T-T): 15 - 30 °C | Maximum number of copies: 50 copies | Non-ISO print media sizes: Hagaki card | Print speed (ISO/IEC 24734) black: 10 ppm | Print speed (colour, normal quality, A4/US Letter): 7 ppm | Non-ISO print media sizes: L | Control type: Buttons, Touch | Print speed (black, normal quality, A4/US Letter): 10 ppm | UNSPSC-code: 43212110 | Print speed (colour, draft quality, A4/US Letter): 19 ppm | Photo paper sizes: 10x15 | Time to first page (black, normal): 13 s | Scan technology: CIS | Duplex printing mode: Manual | Recommended duty cycle: 100 - 300 pages per month | Maximum duty cycle: 500 pages per month | All-In-One-multitasking: Yes | Document formats supported: PDF | Envelopes sizes: DL | Scan speed (black): 9 ppm | Scanning: Colour scanning | Document formats supported: RTF | Envelopes sizes: C6 | JIS B-series sizes (B0...B9): B5 | Harmonized System (HS) code: 8443310000 | Envelopes sizes: C5 | Envelopes sizes: B5 | Duplex printing: Yes | Maximum internal memory: 256 MB | Maximum scan resolution: 600 x 600 DPI | Scan speed (colour): 3.6 ppm | Custom media width: 76 - 216 mm | Package depth: 132 mm | Internal memory: 256 MB | Custom media length: 102 - 356 mm | Copying: Colour copying | Depth:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

198.3 mm | Scan to: Software | Image formats supported: JPEG | Borderless printing: Yes | Package height: 242 mm | Copier resize: 25 - 400% | Print technology: Thermal inkjet | Page description languages: PCL 3 GUI | Borderless printing media sizes: 13x18 | Duplex copying: Yes | Image formats supported: PNG | Total number of input trays: 1 | Mac operating systems supported: Mac OS X 10.10 Yosemite | Print resolution colour: 4800 x 1200 DPI | Built-in processor: Yes | Auto document feeder (ADF) input capacity: 10 sheets | HP GTIN (EAN/UPC) with options: (ABB) 198828835260 (ABT) 198122829392 (ABU) 198415479662 (ABY) 198122829415 (ACQ) 198828109491 (B09) 199642058170 (B13) 198828109521 (B19) 198122829446 (BAZ) 198122829453 | Maximum print size: 209.9 x 349.6 mm | HP segment: Home office | Printing: Colour printing | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Number of print cartridges: 2 | Windows operating systems supported: Windows 7 | Height: 91.3 mm | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows 8 Pro | Cables included: AC | Mac operating systems supported: Mac OS X 10.9 Mavericks | Width: 380.2 mm | Windows operating systems supported: Windows 8 | Print resolution black: 1200 x 1200 DPI | Mac operating systems supported: Mac OS X 10.11 El Capitan | Sound power level (printing): 6.2 dB | Card reader integrated: No | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows 10 x64 | Image formats supported: BMP | USB port: Yes | Carbon emissions, manufacturing (kg of CO2e): 91 | Image formats supported: JPG | Image formats supported: TIFF | Auto document feeder (ADF): Yes | Carbon emissions, end-of-life (kg of CO2e): 16 | Recommended humidity operating range: 20 - 80% | Optical scanning resolution: 600 x 600 DPI | Total input capacity: 50 sheets | Paper tray media types: Photo paper | Paper tray media types: Plain paper | Paper tray media types: Lightweight paper | Paper tray media types: Recycled paper | Carbon emissions, logistics (kg of CO2e): 5 | Envelope feeder: No | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Number of print heads: 2 | Custom media sizes: 76 x 102 to 216 x 356 mm | HP GTIN (EAN/UPC): 198828835260, 198122829392, 198415479662, 198122829415, 198828109491, 199642058170, 198828109521, 198122829446, 198122829453 | Total carbon footprint (kg of CO2e): 20 | Maximum number of input trays: 1 | PictBridge: No | Paper tray media weight: 60 - 300 g/m² | Included cartridge capacity (CMY): 120 pages | Total carbon emissions, w/o use phase (kg of CO2e): 12 | Storage temperature (T-T): -40 - 60 °C | General Product Safety Regulation (GPSR) URL: https://kaas.hpcloud.hp.com/pdf-public/pdf_11069394_en-US-1.pdf | Processor frequency: 700 MHz | Power consumption (off): 0.14 W | Bluetooth: Yes | Windows operating systems supported: Windows 8 x64 | Package weight: 4.8 kg | Display diagonal: 6.73 cm (2.65") | Built-in display: Yes | Display: CGD | USB 2.0 ports quantity: 2 |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

Package width: 517 mm | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | AC input frequency: 50/60 Hz | Operating temperature (T-T): 5 - 40 °C | Operating relative humidity (H-H): 15 - 90% | Windows operating systems supported: Windows 8.1 | AC input voltage: 200 - 240 V

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950