Brother DCP-L2640DN multifunction printer Laser A4 1200 x 1200 DPI 34 ppm

Model: DCP-L2640DN

Manufacturer: BROTHER

EAN: 4977766831758

Product Code: 1720497

R5,186

N-in-1 copy function (N=): 4 | Custom media length: 127 - 355.6 mm | Copier resize: 25 - 400% | Ethernet LAN: Yes | Direct printing: Yes | Depth: 399 mm | Linux operating systems supported: Yes | Package width: 580 mm | Wi-Fi: No | Cables included: AC | Windows operating systems supported: Windows 11 | Height: 319 mm | Display number of lines: 2 lines | N-in-1 copy function (N=): 2 | Copy speed (black, normal quality, A4): 34 cpm | Maximum copy size: A4 | Package height: 434 mm | Package depth: 517 mm | Width: 410 mm | Mac operating systems supported: Mac OS X 13.0 Ventura | Paper tray 1 input capacity: 250 sheets | Print technology: Laser | Sound pressure level (standby): 30 dB | Mac operating systems supported: Mac OS X 14.0 Sonoma | Mac operating systems supported: Mac OS X 11.0 Big Sur | Maximum scan resolution: 19200 x 19200 DPI | Optical scanning resolution: 1200 x 1200 DPI | Cabling technology: 10/100Base-T(X) | Mac operating systems supported: Mac OS X 12.0 Monterey | Printing: Mono printing | Quick installation guide: Yes |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

Custom media width: 76.2 - 215.9 mm | Scan to: FTP | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | Scan to: File | Scan to: OCR | Copying: Mono copying | USB port: Yes | Market positioning: Home & office | Mobile printing technologies: Brother iPrint & Scan | Number of print cartridges: 1 | Scan to: E-mail | Internal memory: 256 MB | Image formats supported: TIFF | Scanning: Colour scanning | Image formats supported: JPEG | Duplex scanning: No | Input colour depth: 30 bit | Scan to: Image | Scanner type: ADF scanner | Faxing: No | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2016 | Server operating systems supported: Windows Server 2022 | Auto document feeder (ADF) input capacity: 50 sheets | Server operating systems supported: Windows Server 2019 | Display: LCD | Package weight: 13.9 kg | AC input voltage: 220 - 240 V | Ethernet LAN data rates: 10,100 Mbit/s | Weight: 10.3 kg | Storage relative humidity (H-H): 35 - 85% | Operating relative humidity (H-H): 20 - 80% | Built-in display: Yes | AC input frequency: 50/60 Hz | Operating temperature (T-T): 10 - 32.5 °C | Power consumption (off): 0.08 W | Product colour: Black | Storage temperature (T-T): 0 - 40 °C | Warnings: Avoid contact with liquids and moisture. | ISO B-series sizes (B0...B9): B5 | Envelopes sizes: C5 | Output greyscale depth: 8 bit | Printing colours: Black | Envelopes sizes: Com-10 | Maximum number of copies: 99 copies | Maximum resolution: 1200 x 1200 DPI | Non-ISO print media sizes: Letter | ISO B-series sizes (B0...B9): B6 | Envelopes sizes: Monarch | Maximum duty cycle: 35000 pages per month | Output colour depth: 24 bit | Scan drivers: ICA | IP address filtering: Yes | Time to first page (black, normal): 8.5 s | Scan drivers: TWAIN | Scan drivers: SANE | Maximum ISO A-series paper size: A4 | Energy saving mode: Yes | Scan technology: CIS | Duplex printing: Yes | Non-ISO print media sizes: Legal | Power consumption (sleep): 4.1 W | Greyscale levels: 256 | Maximum copy resolution: 600 x 600 DPI | Duplex functions: Print | Envelopes sizes: DL | ISO A-series sizes (A0...A9): A5 | Warnings: Do not cover the ventilation openings during operation. | ISO A-series sizes (A0...A9): A4 | Warnings: Connect the appliance to a grounded electrical outlet. | ISO A-series sizes (A0...A9): A6 | Scan drivers: WIA | Time to first copy (black, normal): 10 s | Duplex printing mode: Auto | Print speed (black, normal quality, A4/US Letter): 34 ppm | Other operating systems supported: ChromeOS | Power consumption (copying): 490 W | Power consumption (ready): 43 W | Power consumption (printing): 470 W | Colour display: No | Multi-Purpose Tray media weight: 60 - 230 g/m² | Multi-Purpose tray input capacity: 1 sheets | Warranty card: Yes | Cartridge(s) included: Yes | Control type: Buttons | Document formats supported: PDF | N-up printing: 16 | N-up printing: 4 | N-up printing: 2 | N-up printing: 25 | N-up printing: 9 | Input greyscale depth: 10 bit | Watermark printing: Yes | Page description languages: PCL 6 | Paper tray media types: Thin paper | Paper tray media types: Labels | Sound pressure level (printing): 49 dB | Duplex copying: No | Print resolution black: 1200 x 1200 DPI | Paper tray media weight: 60 - 163 g/m² | Manual feeder: Yes | Total number

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

of input trays: 1 | Sound pressure level (quiet mode): 44 dB | Paper tray media types: Letterhead | Paper tray media types: Bond paper | N-in-1 print function: Yes | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Plain paper | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Energy Star Typical Electricity Consumption (TEC): 0.39 kWh/week | Paper tray media types: Thick paper | Page description languages: BR-Script 3 | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, klient SMTP, serwer FTP, SNMPv1/v2c/v3, serwer HTTP/HTTPS, klient i serwer TFTP, ICMPv6, Usługi sieci Web (Dr | Included cartridge capacity (black): 1200 pages | Booklet printing function: Yes | Total input capacity: 301 sheets | Page description languages: PDF 1.7 | Sound power level (printing): 66.3 dB | Poster printing function: Yes | Paper tray media types: Recycled paper | N-in-1 copy function: Yes | Total output capacity: 120 sheets | Secure printing: Yes | Multi-Purpose tray: Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950