Dahua Technology CHS4212-8GT-110 network switch Managed L2 Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Desktop Blue

Model: CHS4212-8GT-110

Manufacturer: DAHUA

EAN: 6939554981906

Product Code: 1727224

R2,901

- Features managed mode

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

- Complies with IEEE802.3, IEEE802.3u, IEEE802.3x, IEEE802.3ab IEEE802.3z, IEEE802.3az and IEEE802.3ad standards
- Meets the requirements of IEEE802.3af, IEEE802.3at, Hi-PoE and IEEE802.3bt standards
- Supports network topology visualization
- Supports mobile management by app
- Supports one-stop maintenance
- With its full metal design and dust-proof enclosure, it can be used in a wide range of temperatures
- Supports desktop mount and DIN rail mount

Summary: Dahua Technology CHS4212-8GT-110. Switch type: Managed, Switch layer: L2. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 10. MAC address table: 8000 entries, Switching capacity: 24 Gbit/s. Networking standards: IEEE 802.3af, IEEE 802.3at, IEEE 802.3bt. DC input voltage: 48 - 57 V. Power connector: DC-in jack. Power over Ethernet (PoE). Form factor: Desktop | Vendor Homepage: https://transmission.dahuasecurity.com/en/product-list/Business/CloudManagementSolution/NetworkSwitch/CHS4212-8GT-110 | Perjungimo tipas: Valdomas | Perjungimo sluoksnis: L2 | Duomenys perduodami į debesies platformą: Taip | Web pagrįstas valdymas: Taip | Sistemos įvykių žurnalas: Taip | Pagrindinių perjungimo RJ-45 eterneto prievadų skaičius: 10 | Pagrindinių perjungimo RJ-45 eterneto prievadų tipas: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (varinis) portų kiekis: 10 | SFP modulio angų kiekis: 2 | Maitinimo jungtis: DC lizdas | Tinklo standartai: IEEE 802.3af/IEEE 802.3at/IEEE 802.3bt | 10G parama: Ne | Perjungimo pajėgumas: 24 | Persiuntimo dažnis: 17.856 | Adreso lentelės dydis: 8000 | Jumbo Frames palaikymas: Taip | „Jumbo“ kadrai: 12288 | Paketo buferio atmintis: 8.4 | Stovo montavimas: Ne | Forma: Desktopas | Produkto spalva: Mėlyna | Korpuso medžiaga: Lygintuvo padas | Atstatymo mygtukas: Taip | LED indikatoriai: Taip | DIN bėgelių blokas: Taip | Vidutinis laikas tarp trikčių (MTBF): 810020 | Maitinimo šaltinis: DC | Pridėtas maitinimo šaltinis: Taip | DC įėjimo įtampa: 48 - 57 | Įvesties srovė: 2.5 - 2.1 | Galios suvartojimas (maks.): 117.2 | Maitinimas per Eternetą (PoE): Taip | Maitinimo per Eternetą (PoE) prievadų skaičius: 8 | Bendrosios galios per Eternetą (PoE) charakteriskos: 110 | Darbo temperatūros diapazonas (TT): -30 - 65 | Sandėliavimo temperatūros norma (T-T): -40 - 85 | Darbo santykinės drėgmės diapazonas: 10 - 90 | Sandėliavimo santykinis drėgmės diapazonas: 5 - 95 | Plotis: 139.4 | Ilgis: 171.8 | Aukštis: 42 | Svoris: 660 | Pridėti kabeliai: AC | Pakuotės plotis: 253.5 | Pakuotės gylis: 314.5 | Pakuotės aukštis: 130.5 | Paketo svoris: 1600 | Atitikties sertifikatai: CE | Bruto svoris: 2 | Neto svoris: 0.66 | Vienetų skaičius vienoje siuntimo

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

dėžėje: 5 | Vieneto plotis: 25 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 27 | Vieneto gylis: 31.5 | Vieneto aukštis: 13 | Name: NET SWITCH 12PORT 8POE 1G/CHS4212-8GT-110 DAHUA | Model name: CHS4212-8GT-110

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950