NET VIDEO RECORDER 4CH 4POE/NVR4104HS-P-4KS3-L DAHUA

Model: NVR4104HS-P-4KS3-L

Manufacturer: DAHUA

EAN: 6937552453654

Product Code: 1729476

R5,774

The NVR4000-4KS3-L model of the Lite Series NVR is favored for its outstanding performance. It supports 4K resolution for scenes that require highly detailed images, and can serve as the edge, central, or backup storage with an intuitive shortcut menu for remote management and control. This NVR also features Smart Motion Detection (SMD) by camera, which can distinguish target vehicles and humans from ordinary ones in real-time. When an IPC is connected to the NVR, a variety of AI functions become available such as face detection and perimeter protection. This NVR is both cost-effective and easy-to-install, making it ideal for a wide range of applications such as for cities, transportation, education and finance.

Face Detection by Camera

Face detection is to detect if there is any human face appearing in the video. This technology adopts a deep learning algorithm to support face detection, tracking, optimization and capturing, and then

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

output the best face snapshot.

Face Recognition by Camera

Dahua Face Recognition technology extracts the features of captured faces and compares them with that in face database to recognize the person identity.

Perimeter Protection by Camera

Automatically filters out false alarms caused by animals, rustling leaves, bright lights, etc. Enables system to act secondary recognition for the targets. Improves alarm accuracy.

SMD by Camera

With intelligent algorithm, Dahua Smart Motion Detection technology can categorize the targets that trigger motion detection and filter the motion detection alarm triggered by non-concerned targets to realize effective and accurate alarm.

HDMI (4K)

The HDMI port can support up to 4K output, delivering clear and highly detailed images.

NVR NEXT

With its enhanced system, the NVR introduces NVR NEXT, a userfriendly GUI featuring a modular design to improve operation efficiency and streamline workflows, catering to the needs of small and medium-sized businesses.

- Max. 80/80/60 Mbps Incoming/Recording/Outgoing Bandwidth
- Max. Decoding Capability: 10 × 1080p@30 fps
- IP Cameras Resolution Up to 12MP
- 1 Bay. Each HDD Storage Capacity Up to 20TB
- AI by Camera: all channel SMD/IVS

Summary: Dahua Technology Lite NVR4104HS-P-4KS3-L. Video input channels: 4 channels, Audio formats supported: G.711u, G.711 A-law, G.726, PCM, Video formats supported: H.265+, H.265, H.264+, H.264. Security algorithms: 256-bit AES, SSL/TLS. Maximum storage capacity: 20 TB, HDD interface: SATA. Ethernet LAN data rates: 10,100 Mbit/s, Networking standards: IEEE 802.1x, IEEE 802.3af, IEEE 802.3at, Supported network protocols: HTTP, HTTPS, TCP/IP, IPv4, IPv6, RTSP, UDP,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950

NTP, DHCP, DNS, SMTP, UPnP, FTP, DDNS, SNMP, P2P. Rack capacity: 1U, Product colour: Black | Vendor Homepage: https://www.dahuasecurity.com/products/network-products/network-recorders/lite-series/nvr4-series/nvr4104hs-p-4ks3-l | Vaizdo signalo įvesties kanalai: 4 | Vaizdo judesio detekcija: Taip | Vaizdo signalo dingimo aptiktis: Taip | Daugiaekranis: Taip | Palaikomi audio formatai: G.711 A-law/G.711u/G.726/PCM | Palaikomi vaizdo formatai: H.264/H.264+/H.265/H.265+ | Numatyta operacinė sistema: Įdiegta „LINUX“ | Atsarginio atkūrimo funkcija: Taip | Išvesties pralaidumas: 60 | Įvesties pralaidumas: 80 | Maksimalus kadrų dažnis: 30 | Momentinė nuotrauka: Taip | Sistemos žurnalas: Taip | Veido aptikimas: Taip | „Wi-Fi“: Ne | Apsaugos algoritmų palaikymas: 256-bit AES/SSL/TLS | Palaikomų kietųjų diskų skaičius: 1 | Didžiausia atminties apimtis: 20 | Kietojo disko sąsaja: SATA | Ethernet LAN (RJ-45) portų kiekis: 1 | Eterneto LAN duomenų perdavimo norma: 10/100 | Maitinimas per Eternetą (PoE): Taip | Maitinimo per Eternetą (PoE) prievadų skaičius: 4 | HDMI portų kiekis: 1 | USB 2.0 portų kiekis: 2 | VGA („D-Sub“) išvesties prievadai: 1 | Garso RCA įvestys: 1 | Garso RCA išvestys: 1 | DC įėjimo lizdas: Taip | Tinklo standartai: IEEE 802.1x/IEEE 802.3af/IEEE 802.3at | Palaikomi tinklo protokolai: HTTP, HTTPS, TCP/IP, IPv4, IPv6, RTSP, UDP, NTP, DHCP, DNS, SMTP, UPnP, FTP, DDNS, SNMP, P2P | Stovo montavimas: Taip | Rėmo pajėgumas: 1U | Produkto spalva: Juoda | Integruotas procesorius: Taip | Energijos suvartojimas: 5 | Bendrosios galios per Eternetą (PoE) charakteriskos: 50 | Išėjimo įtampa: 53 | Išėjimo srovė: 1.22 | Maitinimo per Eternetą (PoE) galia prievadui: 25.5 | Palaikomos mobiliosios operacinės sistemos: Android/iOS | Palaikoma naršyklė: Chrome, Safari, Edge, Firefox | Darbo temperatūros diapazonas (TT): -10 - 55 | Darbo santykinės drėgmės diapazonas: 10 - 93 | Sandėliavimo temperatūros norma (T-T): -20 - 60 | Atitikties sertifikatai: CE | Plotis: 260 | Ilgis: 232.4 | Aukštis: 47.6 | Svoris: 890 | Pakuotės plotis: 374 | Pakuotės gylis: 119 | Pakuotės aukštis: 311 | Paketo svoris: 1800 | Bruto svoris: 1.8 | Neto svoris: 0.89 | Name: NET VIDEO RECORDER 4CH 4POE/NVR4104HS-P-4KS3-L DAHUA | Model name: NVR4104HS-P-4KS3-L

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.
itworkup.co.za | sales@itworkup.co.za | +27 (11)541-9950