

**Wireless Router
ASUS Wireless
Router 7200
Mbps Mesh Wi-
Fi 5 Wi-Fi 6 Wi-
Fi 7 IEEE
802.11a IEEE
802.11a/g IEEE
802.11g IEEE
802.11n IEEE
802.11ac IEEE
802.11ax
3x10/100/1000M
1x2.5GbE
Number of
antennas 4 RT-
BE88U**



Model: RT-BE88U

Manufacturer: ASUS

EAN: 4711387335680

Product Code: 193746

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

R5,929

RT-BE88U DUAL-BAND WIFI 7 ROUTER

Unparalleled 34G Wired Performance

Dominate your network with the ultimate performance for those who demand the absolute best, today and tomorrow. ASUS RT-BE88U, the successor to the legacy RT-AX88U, powered by next-level WiFi 7, delivers an astounding 7200 Mbps for your connected living. The RT-BE88U boasts a monster 34 Gigabit combined capacity. Its killer combination includes a cutting-edge 10 Gigabit SFP+ next gen connection and up to 9 LAN ports, ensuring seamless hardwiring for all your devices and future-proofing your network.

Leap Forward with WiFi 7

WiFi 7 introduces revolutionary features that deliver exceptionally fast speeds, extremely low latency, and enhanced reliability. With these advancements, you can experience unparalleled network performance for gaming, streaming, smart home devices, and more. WiFi 7 brings all this to the table - and it retains all the congestion-busting tech of WiFi 6, too.

- Blazing-fast WiFi 7 tech boosts throughput up to 7200Mbps with Multi-Link Operation and 4096-QAM
- Bolster your wired network capacity up to 34G with one cutting-edge 10G SFP+ port and one standard 10G WAN/LAN port
- Establish always-on internet through AI WAN detection, versatile WAN configuration options, and a convenient USB port ready for 4G LTE and 5G Mobile tethering
- Unleash demanding WiFi 7 and 10G network applications with a powerhouse quad-core 2.6GHz 64-bit CPU
- Easily establish up to five SSIDs with Guest Network Pro for easy IoT device setup and management, instant VPN connections, and convenient parental controls

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Stay secure with commercial-grade AiProtection Pro powered by Trend Micro, one-tap security scanning, comprehensive VPN support, and site-to-site VPN
- Ensure seamless connectivity for all devices with a feature-rich whole-home network powered by AiMesh

Summary: ASUS RT-BE88U. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN data transfer rate (max): 5764 Mbit/s. Ethernet LAN interface type: 10 Gigabit Ethernet, Ethernet LAN data rates: 1000,2500,10000 Mbit/s, VPN support: Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server.... Fiber optic connector: SFP+. Security algorithms: SSH, WPA, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise,...., Firewall security: Maximum Firewall Keyword Filter : 64 • Maximum Firewall Network Service Filter : 32 • Maximum..., NAT functionality: • PPTP Pass-Through • L2TP Pass-Through • IPSec Pass-Through • RTSP Pass-Through • H.323... | Vendor Homepage: <https://www.asus.com/networking-iot-servers/wifi-routers/asus-gaming-routers/rt-be88u/> | Modulation: 4096-QAM/OFDMA | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax)/Wi-Fi 6E (802.11ax)/Wi-Fi 7 (802.11be) | WLAN data transfer rate (first band): 1376 | WLAN data transfer rate (max): 5764 | WLAN data transfer rate (second band): 5764 | 3G/4G USB modem compatibility: Yes | Ethernet WAN: Yes | SIM card slot: No | WAN connection type: RJ-45 | Built-in FTP server: Yes | Dynamic DNS (DDNS): Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 1000/10000/2500 | Ethernet LAN interface type: 10 Gigabit Ethernet | Media server: Yes | Port forwarding: Yes | Port triggering: Yes | Support Samba (storage): Yes | VPN support: Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion Support Surfshark | Ethernet LAN (RJ-45) ports: 9 | Fiber optic connector: SFP+ | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity: 1 | USB port: Yes | Bandwidth control: Yes | MU-MIMO technology: Yes | Quality of Service (QoS) support: Yes | Reset button: Yes | Wake-on-LAN ready: Yes | WPS push button: Yes | DMZ support: Yes | Firewall: Yes | Firewall security: Maximum Firewall Keyword Filter : 64 -Maximum Firewall Network Service Filter : 32 -Maximum Firewall URL Filter : 64 | MAC address filtering: Yes | NAT functionality: PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through H.323 Pass-Through SIP Pass-Through PPPoE Relay | Network address translation (NAT): Yes | Parental control: Yes | Security algorithms: SSH/WPA/WPA2-Enterprise/WPA2-Personal/WPA3-Enterprise/WPA3-Personal/WPA-Enterprise/WPA-Personal/WPS | System event log: Yes | DHCP server: Yes | LED indicators: LAN,Power,USB,WAN | On/off switch: Yes | Product colour:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Black/Grey | Product type: Tabletop router | AC adapter included: Yes | Cables included: LAN (RJ-45)/RJ-9 | Quick start guide: Yes | Warranty card: Yes | Antenna design: External | Antennas quantity: 4 | Built-in processor: Yes | Flash memory: 256 | Internal memory: 2000 | Processor cores: 4 | Processor frequency: 2600 | AC input frequency: 50/60 | AC input voltage: 110 - 240 | Output current: 2.37 | Output voltage: 19 | Power source type: AC | Depth: 188 | Height: 60.5 | Weight: 1060 | Width: 300 | Model name: RT-BE88U | Units per Shipping Box: 5 | Unit Calculated Volume: 0.01426 | Unit Calculated Weight: 2.85

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950