

Access Point
UBIQUITI 1300
Mbps IEEE
802.11a IEEE
802.11b IEEE
802.11g IEEE
802.11n IEEE
802.11ac 1xUSB
2.0 2xRJ45
Number of
antennas 3 UAP-
AC-PRO



Model: UAP-AC-PRO

Manufacturer: UBIQUITI

EAN: 810354023514

Product Code: 194060

R3,220

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Scalable Enterprise Wi-Fi Management

UniFi® is the revolutionary Wi-Fi system that combines enterprise performance, unlimited scalability, and a central management controller. UniFi 802.11AC Dual-Radio Access Points (APs) have a refined industrial design and can be easily installed using the included mounting hardware. Easily accessible through any standard web browser, the UniFi Controller software is a powerful software engine ideal for high-density client deployments requiring low latency and high uptime performance.

Use the UniFi Controller software to quickly configure and administer an enterprise Wi-Fi network – no special training required. RF map and performance features, real-time status, automatic UAP device detection, and advanced security options are all seamlessly integrated.

Save money and save time

Unlike traditional enterprise Wi-Fi systems that use a hardware controller, UniFi comes bundled with a non-dedicated software controller that can be deployed on an on-site PC, Mac, or Linux machine; in a private cloud; or using a public cloud service.

Powerful Hardware

The UniFi 802.11AC Dual-Radio APs feature the latest in Wi-Fi 802.11AC MIMO technology.

Intuitive UniFi Controller Software

Configure and manage your APs with the easy-to-learn user interface.

Expandable

Unlimited scalability: build wireless networks as big or small as needed. Start with one (or upgrade to a three-pack) and expand to thousands while maintaining a single unified management system.

UAP-AC-PRO

Deploy the UniFi AC Pro AP indoors or outdoors, in wireless networks requiring maximum performance.

Sporting a weatherproof design, the UniFi AC Pro AP features simultaneous, dual-band, 3x3 MIMO technology and convenient 802.3af PoE/802.3at PoE+ compatibility. It is available in single- and five-packs.

Summary: Ubiquiti UAP-AC-PRO. 2.4 GHz, 5 GHz, Maximum data transfer rate: 1300 Mbit/s. Security algorithms: AES, TKIP, WEP, WPA, WPA2. Ethernet LAN data rates: 10,100,1000 Mbit/s. Power over Ethernet (PoE). Product colour: White. Power consumption (max): 9 W | Vendor Homepage: _____

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

<https://dl.ubnt.com/> | 2.4 GHz: Yes | 5 GHz: Yes | Ethernet LAN data rates: 10/100/1000 | Maximum data transfer rate: 1300 | Maximum indoor range: 122 | Networking standards: IEEE 802.11ac/IEEE 802.11k/IEEE 802.11n/IEEE 802.11r/IEEE 802.11v | Wi-Fi data rate (max): 1300 | Security algorithms: AES/TKIP/WEP/WPA/WPA2 | Ethernet LAN (RJ-45) ports: 2 | USB 2.0 ports quantity: 1 | AC input voltage: 48 | Input current: 0.5 | Power consumption (max): 9 | Power over Ethernet (PoE): Yes | Internal: No | Product colour: White | Reset button: Yes | Antenna gain level (max): 3 | Antennas quantity: 3 | Certification: CE, FCC, IC | Depth: 196.7 | Height: 35 | Weight: 350 | Width: 196.7 | Mounting kit: Yes | PoE adapter included: Yes | Quantity per pack: 1 | Operating relative humidity (H-H): 5 - 95 | Operating temperature (T-T): -10 - 70 | Harmonized System (HS) code: 85176990 | Model name: UAP-AC-PRO | Units per Shipping Box: 10 | Unit Calculated Volume: 0.005386 | Unit Calculated Weight: 1

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950