

## MOUSE USB OPTICAL PULSEFIRE/HASTE 2 BLACK HYPERX



Model: 6N0A7AA

Manufacturer: HYPERX

EAN: 196786272523

Product Code: 194316

**R1,615** ~~R1,781~~

### Game at the speed of ultra-light.

The HyperX Pulsefire Haste 2 is built for gamers who maximize every millisecond. Our designers optimized the original Pulsefire Haste to deliver a solid-shell sequel that performs brilliantly but weighs just 53g. Then our team built a high-performance HyperX suite of components, highlighted by the precision HyperX 26K Sensor which has a native DPI of up to 26,000 with a tracking speed of up to 650 IPS. The Pulsefire Haste 2 features custom HyperX Switches that provide tactile, audible feedback on each satisfying click, and are rated for a lifespan of up to 100 million clicks. Get better responsiveness and accuracy with the Pulsefire Haste 2's 8000Hz2 polling rate. You'll also enjoy superior physical control of your mouse with the included grip tape, a super-flexible paracord cable, and smooth, low-friction skates. Get the most out of every mouse movement with HyperX NGENUITY Software and program create macros for the 6 programmable buttons, customize your DPI settings,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

and personalize your RGB lighting.

- Game at the speed of ultra-light with the Pulsefire Haste 2. Featuring a solid shell, but still weighing in at just 53g, it's designed to help you move quicker, game better, and feel less fatigue.
- Say hello to our HyperX 26K Sensor. It's capable of up to 26,000 DPI natively and can track at speeds up to 650 IPS. With that level of precision, making clutch plays has never been easier.
- The HyperX Pulsefire Haste 2 reports in up to 8 times per millisecond. That's a signal every .125 MILLISECONDS. Ensure you never lose a one-on-one because of mouse input lag again.
- HyperX built our super-flexible HyperFlex 2 Cable out of paracord material to facilitate smooth, free-flowing mouse movement and prevent cable snags in clutch situations.
- Rated for up to 100 million clicks, HyperX mouse switches provide solid tactile and audible feedback on every satisfying click.
- Mouse movement is a breeze when you combine the Pulsefire Haste 2's ultra-light weight with its smooth, low-friction skates.
- 4 pieces of custom no-slip HyperX Grips are provided for left and right mouse buttons and the left and right sides of the mouse.
- Get the most out of every mouse movement. HyperX NGENUITY Software can set macros and binds for the 6 programmable buttons, customize DPI levels, and set RGB lighting.

[2] Default 1000Hz polling rate. Use onboard combination to switch to 8000Hz polling rate or configure with HyperX NGENUITY software.

Technical specification disclaimers:

Per-LED RGB lighting customizable with HyperX NGENUITY software.

Default 1000Hz polling rate. Use onboard combination to switch to 8000Hz polling rate or configure with HyperX NGENUITY software.

Summary: Pulsefire Haste 2 - Gaming Mouse (Black). Product colour: Black | Vendor Homepage: <https://www8.hp.com> | Colour name: Black | Product colour: Black | Depth: 67 | Height: 38 | Width: 124 | Package depth: 100 | Package height: 64 | Package weight: 240 | Package width: 165 | Total carbon footprint (kg of CO2e): 10 | General Product Safety Regulation (GPSR) URL: [https://kaas.hpcloud.hp.com/pdf-public/pdf\\_8666243\\_en-US-1.pdf](https://kaas.hpcloud.hp.com/pdf-public/pdf_8666243_en-US-1.pdf) <https://row.hyperx.com/pages/limited-warranty-statement> | Compatibility: PC, Xbox Series X|S, Xbox One, PS5, PS4; Software Compatibility: NGENUITY | Country of origin: China/Thailand | Master (outer) cases per pallet: 88 | UNSPSC-code: 43211708 | Model: Pulsefire Haste 2 | Units per Shipping Box: 15

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

| Unit Calculated Volume: 0.001379 | Unit Calculated Weight: 0.26

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950