

**Wireless Router  
TP-LINK Router  
Modem 1200  
Mbps IEEE  
802.11a IEEE  
802.11 b/g IEEE  
802.11n IEEE  
802.11ac  
3x10/100M LAN \  
WAN ports 1  
Number of  
antennas 2 4G  
ARCHERM400**



Model: ARCHERM400

Manufacturer: TP-LINK

EAN: 6935364080662

Product Code: 194330

**R1,772**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

## **4G LTE with AC1200 Wi-Fi to Stream from Everywhere**

AC1200 Wireless Dual Band 4G LTE Router

Archer MR400

### **Got SIM Card?**

#### **Then Plug and Play!**

With an integrated 4G LTE modem and a built-in SIM card slot, all you need to do is insert a micro SIM card and turn on the Router. Enjoying fast, stable Wi-Fi on a 4G LTE network has never been easier.

### **Share Your 4G LTE Network**

Take full advantage of your cutting-edge 4G LTE network for download speeds of up to 150 Mbps. Share your 4G LTE network with multiple Wi-Fi devices and enjoy uninterrupted HD movies, rapid file downloads, and smooth video chats. Fully compatible with FDD-LTE and TDD-LTE to work with most service providers worldwide.

### **Wi-Fi Where You Need It**

Enjoy unmatched convenience and versatility. Tested in the field for years to ensure universal compatibility with 2 advanced LTE antennas to deliver a smooth connection. Simply plug in a micro SIM card and power on this elegant piece of technology to utilize fast and stable Wi-Fi, whether you're at home or working remote.

### **Internet Access for up to 64 Devices Simultaneously**

Easily share a 3G/4G connection with up to 64 wireless devices, such as phones, tablets, and laptops, at the same time. 4 LAN ports stand ready to provide internet for wired devices like desktop computers.

### **Easy Setup and Management**

Set up the Archer MR400 in minutes thanks to its intuitive web interface and the powerful Tether app. Tether also lets you manage its network settings from any Android or iOS device, including

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

parental controls and access control.

- Cutting-edge 4G network – share internet access with up to 64 Wi-Fi devices and enjoy download speeds of up to 150 Mbps
- AC1200 Wi-Fi – creates simultaneous dual band Wi-Fi networks, with maximum speeds of up to 300 Mbps on the 2.4 GHz band and 867 Mbps on the 5 GHz band
- Plug a SIM card and play – no configurations needed, compatibility for SIM cards in 100+ countries are assured by years of field tests
- Two detachable advanced LTE antennas – enjoy stable and efficient connections to every device thanks to the two external antennas
- Wi-Fi router mode – plug an Ethernet cable into the LAN/WAN port for flexible access as a backup option if you can't get a 4G connection

Summary: TP-Link Archer AC1200 Wireless Dual Band 4G LTE Router. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 867 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: 10/100Base-T(X). Mobile network generation: 4G, 2G standards: Edge, GPRS, GSM, 3G standards: DC-HSPA+, HSPA, HSPA+, UMTS. Security algorithms: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Firewall security: DoS, SPI Firewall, IP and MAC Address Binding | Vendor Homepage: <https://www.tp-link.com/uk/home-networking/3g-4g-router/archer-mr400/> | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN data transfer rate (first band): 450 | WLAN data transfer rate (max): 867 | WLAN data transfer rate (second band): 867 | 3G/4G USB modem compatibility: No | DSL WAN: No | Ethernet WAN: Yes | SIM card slot: Yes | WAN connection type: RJ-45 | Cabling technology: 10/100Base-T(X) | Dynamic DNS (DDNS): Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100 | Ethernet LAN interface type: Fast Ethernet | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Port forwarding: Yes | Receiver sensitivity: 5GHz: 11a 54M: -74dBm 11ac HT20: -67dBm 11ac HT40: -64dBm 11ac HT80 : -60dBm 11n HT20: -71dBm 11n HT40: -70dBm 2.4G: 11g 54M: -76dBm 11n HT20: -73dBm 11n HT40: -67dBm | VPN Passthrough: Yes | VPN server: PPTP VPN, IPsec VPN , OpenVPN | VPN support: PPTP, L2TP, IPsec | VPN tunnels quantity: 10 | 2G standards: Edge/GPRS/GSM | 3G: Yes | 3G bands supported: 2100/900 | 3G standards: DC-HSPA+/HSPA/HSPA+/UMTS | 4G: Yes | 4G bands supported: 1800/2100/2600/800/900 | 4G standard: LTE | GSM bands supported: 1800/1900/850/900 | Mobile network generation: 4G | SIM card type: MicroSIM | DC-in jack: Yes | Ethernet LAN (RJ-45)

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

ports: 3 | Memory card slot(s): No | USB port: No | Quality of Service (QoS) support: Yes | Reset button: Yes | Web-based management: Yes | WPS push button: Yes | Access Control List (ACL): Yes | DMZ support: Yes | DoS attack prevention: Yes | Firewall: Yes | Firewall security: DoS, SPI Firewall, IP and MAC Address Binding | Guest access: Yes | Security algorithms: 128-bit WEP/64-bit WEP/WPA/WPA2/WPA2-PSK/WPA-PSK | Stateful Packet Inspection (SPI): Yes | DHCP client: Yes | DHCP server: Yes | Supported network protocols: IPv4, IPv6 | Universal Plug and Play (UPnP): Yes | LED indicators: LAN,Power,Status,WLAN | On/off switch: Yes | Product colour: Black | Product type: Tabletop router | Wall mountable: Yes | AC adapter included: Yes | Cables included: LAN (RJ-45) | Certification: CE, RoHS | Quick installation guide: Yes | Antenna design: Internal & external | Antennas quantity: 2 | Detachable antenna(s): Yes | Transmit power: CE: 20dBm(2.4GHz), 23dBm(5GHz) | Output current: 1.5 | Output voltage: 12 | Power source type: DC | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating systems supported: macOS | Windows operating systems supported: Windows 10/Windows 2000/Windows 7/Windows 8/Windows 8.1/Windows 98SE/Windows NT/Windows Vista/Windows XP Home/Windows XP Home x64/Windows XP Professional/Windows XP Professional x64 | Depth: 124.5 | Height: 33.5 | Width: 174 | Package depth: 223 | Package height: 70 | Package type: Box | Package weight: 670 | Package width: 307 | Harmonized System (HS) code: 85176990 | Model name: Archer MR400 | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.005565 | Unit Calculated Weight: 0.77

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950