

Switch TP-LINK TL-SG1210P Desktop/pedestal 9x10Base-T 100Base-TX 1000Base-T 1xSFP PoE+ ports 8 TL- SG1210P



Model: TL-SG1210P

Manufacturer: TP-LINK

EAN: 6935364052980

Product Code: 194358

R1,589

PoE Switches for Your Ultra Convenience

10-Port Gigabit Desktop Switch with 8-Port PoE+

TL-SG1210P

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Surveillance

Work with IP Cameras

Conference Call

Work with IP Phones

Wi-Fi Coverage

Work with Omada EAPs

Easy to Use

Power over Ethernet

Port 1-8 of the switch support Power over Ethernet (PoE) function. These PoE ports can automatically detect and supply power with those IEEE 802.3af/at compliant Powered Devices (PDs).

Intelligent Power Management

When total power consumption exceeds 63W, the intelligent power management will cut the lower priority port power off to ensure the high priority port's power supply and protect the device from power overload operation.

Advanced Functions for Higher Performance

Qos

For Fluent Online Experience

Administrators can designate the priority of traffic based on QoS, for example, to ensure that voice and video applications remain clear and lag-free.

IGMP

Snooping

Traffic Optimization for IPTV

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

IGMP Snooping optimizes multimedia traffic delivery, to ensure a better network experience especially for applications like IPTV.

Sturdy Metal Casing

Sturdy, compact metal casing, with desktop/wall-mounting design, to meet your needs in any environment. Besides, fanless design ensures quiet operation.

- 9 10/100/1000Mbps RJ45 ports, 1 Gigabit SFP port
- With 8 PoE+ ports, transfers data and power on one single cable
- Working with IEEE 802.3af/at compliant PDs, expands home and office network
- 802.1p/DSCP QoS enable smooth latency-sensitive traffic
- High PoE power budget with up to 30W for each PoE port and 63W for all PoE ports
- Easy to use, with no configuration and installation needed

Summary: TP-Link TL-SG1210P. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 9. MAC address table: 4000 entries, Switching capacity: 20 Gbit/s. Networking standards: IEEE 802.1p, IEEE 802.3af, IEEE 802.3at, IEEE 802.3x. DC input voltage: 53.5 V. Power over Ethernet (PoE). Wall mountable | Vendor Homepage: <https://www.tp-link.com/en/business-networking/unmanaged-switch/tl-sg1210p/> | Quality of Service (QoS) support: Yes | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 9 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 9 | SFP module slots quantity: 1 | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Copper ethernet cabling technology: 1000BASE-T/100BASE-TX/10BASE-T | MAC address auto-aging supported: Yes | MAC address auto-learning supported: Yes | Networking standards: IEEE 802.1p/IEEE 802.3af/IEEE 802.3at/IEEE 802.3x | Fiber ethernet cabling technology: 1000BASE-X | Fiber type: Single-mode | MAC address table: 4000 | Store-and-forward: Yes | Switching capacity: 20 | IGMP snooping: Yes | Housing material: Metal | LED indicators: Yes | Product colour: Grey | Wall mountable: Yes | Fanless: Yes | DC input voltage: 53.5 | Input current: 1.31 | Power consumption (max): 78.13 | Power consumption (typical): 7.11 | Power supply included: No | Power over Ethernet (PoE): Yes | Power over Ethernet plus (PoE+) ports quantity: 8 | Total Power over Ethernet (PoE) budget: 63 | Heat dissipation: 266.42 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 50 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 126 | Height: 26 | Width: 209 | Cables included: AC | Manual: Yes | Quick start

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

guide: Yes | User guide: Yes | Certification: CE, FCC, RoHS | Harmonized System (HS) code:
85176990 | Model name: TL-SG1210P | Units per Shipping Box: 1 | Unit Calculated Volume: 0.004914
| Unit Calculated Weight: 1.28

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950