

Wireless Router TP-LINK



Wireless Router 1500 Mbps Wi-Fi 6 1 WAN 3x10/100/1000M Number of antennas 4 ARCHERAX17

Model: ARCHERAX17

Manufacturer: TP-LINK

EAN: 4895252503807

Product Code: 194614

R813

Improved Efficiency, More Connections

Add more Wi-Fi devices to your network without dragging the performance, as Archer AX17 with Wi-Fi 6 builds a more efficient network that increases the average throughput by 4 times and serves more devices.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Immersive Gaming, Smooth Streaming

Enjoy stable network for online gaming and live streams with flawless video and clear audio. OFDMA allows

clients to transmit both on uplink and downlink using one band at one time, which cut the latency and ensures a responsive network.

Broader Coverage, Larger Capacity

With clearer and stronger signal generated with Wi-Fi 6 and Beamforming technology, Archer AX17 delivers data to devices far away by focusing less-interfered wireless signal towards them.

- Intuitive Web UI – Ensures quick and simple Installation without hassle
- Fast Encryption – One-touch WPA wireless security encryption with the WPS button
- Hassle-free Management with Tether App – Network management is made easy with the TP-Link Tether App, available on any Android and iOS device
- Guest Network – Provides separate access for guests while securing the home network
- Access Control – Establishes a whitelist or blacklist to allow or restrict certain devices to access the internet
- Parental Controls – Manage when and how devices can access the internet

Summary: TP-Link Archer AX17. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 6 (802.11ax), WLAN data transfer rate (max): 1501 Mbit/s. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Receiver sensitivity: 5 GHz: 11a 6Mbps:-95dBm, 11a 54Mbps:-79dBm 11ac VHT20_MCS0:-96dBm, 11ac VHT20_MCS8:-66dBm 11ac.... Security algorithms: WPA-PSK, WPA2-Enterprise, WPA2-PSK, WPA3-Personal. Product type: Tabletop router, Product colour: Black | Vendor Homepage: <https://www.tp-link.com/> | Top Wi-Fi standard: Wi-Fi 6 (802.11ax) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac)/Wi-Fi 6 (802.11ax) | WLAN data transfer rate (first band): 300 | WLAN data transfer rate (max): 1501 | WLAN data transfer rate (second band): 1201 | DSL WAN: No | Ethernet WAN: Yes | SIM card slot: No | WAN connection type: RJ-45 | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100/1000 | Ethernet LAN interface type: Gigabit Ethernet | Receiver sensitivity: 5 GHz: 11a 6Mbps:-95dBm, 11a 54Mbps:-79dBm 11ac VHT20_MCS0:-96dBm, 11ac VHT20_MCS8:-66dBm 11ac VHT40_MCS0:-94dBm, 11ac VHT40_MCS9:-63dBm 11ac VHT80_MCS0:-91dBm, 11ac VHT80_MCS9:-60dBm 11ax HE20_MCS0:-95dBm, 11ax HE20_MCS11:-66dBm 11ax HE40_MCS0:-92dBm, 11 | Ethernet LAN (RJ-45) ports: 4 | USB port: No |

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Quality of Service (QoS) support: Yes | Reset button: Yes | WPS push button: Yes | Security algorithms: WPA2-Enterprise/WPA2-PSK/WPA3-Personal/WPA-PSK | Product colour: Black | Product type: Tabletop router | AC adapter included: Yes | Cables included: LAN (RJ-45) | Certification: CE, RoHS | Quick installation guide: Yes | Antenna design: External | Antennas quantity: 4 | Output current: 1 | Output voltage: 12 | Power source type: DC | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 60 | Depth: 117 | Height: 32 | Width: 215 | Model name: Archer AX17 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.007237 | Unit Calculated Weight: 0.855

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950