

## NET POWERLINE ADAPTER 500MBPS/TL- PA4010 KIT TP- LINK



Model: TL-PA4010KIT

Manufacturer: TP-LINK

EAN: 6935364031985

Product Code: 194636

## R829

### 600Mbps Powerline Speeds Ideal for HD Streaming

Using advanced Home Plug AV technology, TL-PA4010 KIT provides users with stable, high-speed data transfer rates of up to 600Mbps on a line length of up to 300 meters. With speed of up to 600Mbps,

TL-PA4010 KIT enables heavy-bandwidth applications like HD streaming, on-line gaming and large file downloading, turning your home into a robust and high-speed networking.

### Miniature Design

With its new ultra-compact housing design, TL-PA4010 KIT is much smaller than TP-Link's legacy

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

mini 600Mbps powerline products. At just 28.5mm thick, it nearly blends completely in front of any power outlet.

## Pair Button for Easy Network Security

Simply by pushing the Pair button on the adapters, users can set up a hassle-free Powerline network within minutes, complete with 128-bit AES encryption for network security and data protection.

It's that simple!

1. Plug the adapter into the power outlet
2. Connect the device via the network cable to the adapter
3. Press the pair buttons—and you're done!

- HomePlug AV standard compliant, high-speed data transfer rates of up to 600Mbps1
- Miniature design, smaller than most powerline adapters at the market, blends discreetly in front of any power outlet
- No new wires, Easy Plug and Play operation, No configuration required
- Patented Power-Saving Mode automatically reduces power consumption by up to 85%

Summary: TP-Link TL-PA4010KIT. Maximum data transfer rate: 600 Mbit/s, Networking standards: IEEE 802.3, IEEE 802.3u, Ethernet LAN interface type: Fast Ethernet. Power consumption (typical): 4.26 W, Power consumption (standby): 0.88 W. Product colour: White, Certification: CE, FCC. Width: 65 mm, Depth: 52 mm, Height: 28.5 mm. Compliance certificates: RoHS | Vendor Homepage: <https://www.tp-link.com/en/products/details/?categoryid=&model=TL-PA4010KIT> | Built-in power socket: No | Copper ethernet cabling technology: 100BASE-TX/10BASE-T | Encryption button: Yes | Ethernet LAN: Yes | Ethernet LAN (RJ-45) ports: 1 | Ethernet LAN data rates: 10/100 | Ethernet LAN interface type: Fast Ethernet | Maximum data transfer rate: 600 | Maximum operating distance: 300 | Modulation: OFDM | Networking standards: IEEE 802.3/IEEE 802.3u | Plug and Play: Yes | PowerLine standard: HomePlug AV | Security algorithms: 128-bit AES | Wi-Fi: No | Power consumption (standby): 0.88 | Power consumption (typical): 4.26 | Certification: CE, FCC | LED indicators: Yes | Product colour: White | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950

systems supported: Yes | Windows operating systems supported: Yes | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 52 | Height: 28.5 | Width: 65 | Compliance certificates: RoHS | Cables included: LAN (RJ-45) | Quantity per pack: 2 | Quick installation guide: Yes | Harmonized System (HS) code: 85171800 | Model name: TL-PA4010KIT | Units per Pallet: 0 | Units per Shipping Box: 24 | Unit Calculated Volume: 0.003046 | Unit Calculated Weight: 0.458

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950