

Wireless Router TP-LINK



Wireless Router 733 Mbps IEEE

802.11a IEEE

802.11b IEEE

802.11g IEEE

802.11n IEEE

802.11ac 1 WAN

4x10/100M

**Number of
antennas 3**

ARCHERC20V4

Model: ARCHERC20

Manufacturer: TP-LINK

EAN: 6935364080891

Product Code: 194757

R625

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

- Supports 802.11ac standard - the next generation of Wi-Fi
- Simultaneous 2.4GHz 300Mbps and 5GHz 433Mbps connections for 733Mbps of total available bandwidth
- 2 external antennas provide stable omnidirectional signal and superior wireless coverage
- USB port - share a printer locally and files & media with networked devices or remotely via FTP server

802.11ac - The Next Generation of Wi-Fi

TP-LINK's Archer C20 comes with the next generation Wi-Fi standard – 802.11ac, backward compatible with 802.11n and 3 times faster than wireless N speeds. With higher power efficiency and robust security, 802.11ac is the perfect way to accelerate a home multimedia network and solve congestion that multiple devices may cause.

733Mbps Dual Band Connections for Lag-Free Work

With 433Mbps wireless speeds over the crystal clear 5GHz band and 300Mbps over the 2.4GHz band, Archer C20 offers you the flexibility of two dedicated networks and ensures amazing wireless performance. Simple tasks such as sending e-mails or web browsing can be handled by the 2.4GHz band while bandwidth intensive tasks like online gaming or HD video streaming can be processed by the 5GHz band – all at the same time.

Stable Omnidirectional Signal and Superior Coverage

With 2 fixed external antennas combined with higher quality antenna technology, you can experience excellent wireless performance with stable signal in every direction and high speed across greater distances. This provides you with incredible wireless coverage and reliability from anywhere in your large home or office.

Easy USB Storage and Sharing

With the USB port, you can share a printer locally and files & media with networked devices or remotely via FTP server.

Summary: TP-Link AC750. WAN connection type: RJ-45. Wi-Fi band: Dual-band (2.4 GHz / 5 GHz), Top Wi-Fi standard: Wi-Fi 5 (802.11ac), WLAN data transfer rate (max): 433 Mbit/s. Ethernet LAN interface type: Fast Ethernet, Ethernet LAN data rates: 10,100 Mbit/s, Cabling technology: _____

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

10/100Base-T(X). Security algorithms: WEP, WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, Firewall security: SPI. Supported network protocols: IPv4, IPv6 | Vendor Homepage: https://www.tplink.com/en/products/details/cat-9_Archer-C20.html | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Wi-Fi standards: 802.11a/802.11b/802.11g/Wi-Fi 4 (802.11n)/Wi-Fi 5 (802.11ac) | WLAN data transfer rate (first band): 300 | WLAN data transfer rate (max): 433 | WLAN data transfer rate (second band): 433 | 3G/4G USB modem compatibility: No | DSL WAN: No | Ethernet WAN: Yes | SIM card slot: No | WAN connection type: RJ-45 | Cabling technology: 10/100Base-T(X) | Dynamic DNS (DDNS): Yes | Ethernet LAN: Yes | Ethernet LAN data rates: 10/100 | Ethernet LAN interface type: Fast Ethernet | Networking standards: IEEE 802.11a/IEEE 802.11ac/IEEE 802.11b/IEEE 802.11g/IEEE 802.11n | Number of guest networks (2.4 GHz): 1 | Number of guest networks (5 GHz): 1 | VPN Passthrough: Yes | VPN support: PPTP, L2TP, IPsec | DC-in jack: Yes | Ethernet LAN (RJ-45) ports: 4 | USB port: No | Quality of Service (QoS) support: Yes | Reset button: Yes | Web-based management: Yes | WPS push button: Yes | DMZ support: Yes | DoS attack prevention: Yes | Filtering: Yes | Firewall: Yes | Firewall security: SPI | Guest access: Yes | IP address filtering: Yes | MAC address filtering: Yes | Port-based Network Access Control (PNAC): Yes | Security algorithms: WEP/WPA/WPA2/WPA2-Enterprise/WPA-Enterprise | Stateful Packet Inspection (SPI): Yes | Supported network protocols: IPv4, IPv6 | Universal Plug and Play (UPnP): Yes | LED indicators: Yes | On/off switch: Yes | Product colour: Black/White | Product type: Tabletop router | AC adapter included: Yes | Cables included: LAN (RJ-45) | Compliance certificates: CE/Federal Communications Commission (FCC)/RoHS | Quick installation guide: Yes | Sustainability compliance: Yes | Antenna design: External | Antennas quantity: 3 | Transmit power: 23 | Built-in processor: Yes | Processor cores: 1 | Output current: 0.6 | Output voltage: 9 | Power source type: DC | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Linux operating systems supported: Yes | Mac operating systems supported: Yes | Windows operating systems supported: Wind/Windows 7 Enterprise/Windows 7 Enterprise x64/Windows 7 Home Basic/Windows 7 Home Basic x64/Windows 7 Home Premium/Windows 7 Home Premium x64/Windows 7 Professional/Windows 7 Professional x64/Windows 7 Starter/Windows 7 Starter x64/Windows 7 Ultimate | Depth: 144 | Height: 35 | Width: 230 | Number of products included: 1 | Package depth: 223 | Package height: 68 | Package weight: 670 | Package width: 357 | WLAN data transfer rates supported: 300/433 | Units per Pallet: 0 | Units per Shipping Box: 10 | Unit Calculated Volume: 0.006519 | Unit Calculated Weight: 0.76

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950