

Switch TP-LINK LS1008G LS1008G



Model: LS1008G

Manufacturer: TP-LINK

EAN: 6935364085476

Product Code: 194862

R444

Let LiteWave Bring You Lighter Network Life

The TP-Link LiteWave Series Unmanaged Switches provide easy and affordable way to expand your wired network. They are easy to use and reliable. With these plug-and-play switches, you can expand your network connections to multiple devices instantly. With all ports support Auto-MDI/MDIX, there's no need to worry about the type of cable to use.

Go Green with Your Ethernet

The LiteWave Series also supports energy-efficient technology, helping you save power and money. Power consumption automatically adjusts according to link status and cable length, allowing you to expand your network while minimizing your carbon footprint. Save the planet and lower your energy bills — it's a win-win!

Gigabit Ports For Faster Speeds

Increase the speed of your network with the LS1008G 8-port Gigabit desktop switch. Non-blocking,

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

8× 10/100/1000Mbps ports enable instant transferring of large, bandwidth intensive files without interference.

Use Where You Need, However You Need

The LS1008G is fully compatible with networked devices such as computers, printers, webcams, IPTVs. It has a wide range of application scenarios and is suitable for networking in school dormitories, surveillance, homes, and small businesses.

- 8× 10/100/1000Mbps Auto-Negotiation RJ45 port, supporting Auto-MDI/MDIX
- Green Ethernet technology saves power
- IEEE 802.3X flow control provides reliable data transfer
- Plastic casing, desktop or wall-mounting design
- Plug and play, no configuration needed
- Fanless design ensures quiet operation

Summary: TP-Link 8-Port 10/100/1000Mbps Desktop Network Switch. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 4000 entries, Switching capacity: 16 Gbit/s. Networking standards: IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power connector: DC-in jack. Wall mountable | Vendor Homepage: <https://www.tp-link.com/uk/business-networking/litewave-switch/ls1008g/> | Switch type: Unmanaged | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | Gigabit Ethernet (copper) ports quantity: 8 | Power connector: DC-in jack | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Flow control support: Yes | Networking standards: IEEE 802.3i/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 11.9 | Jumbo frames: 16000 | Jumbo frames support: Yes | MAC address table: 4000 | Packet buffer memory: 1.5 | Store-and-forward: Yes | Switching capacity: 16 | Housing material: Plastic | LED indicators: Activity/Link/Power | Product colour: Black | Wall mountable: Yes | Input current: 0.6 | Input voltage: 5 | Power consumption (max): 3.9 | Power source: DC | Power supply included: Yes | Power over Ethernet (PoE): No | Heat dissipation: 13.299 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 60 | Depth: 66.5 | Height: 23 | Width: 127 | Quick start guide: Yes | Package depth: 131 | Package height: 84 | Package type: Box | Package weight: 220 | Package width: 90 | Certification: CE, FCC, RoHS | Harmonized System (HS) code: 85176990 | Model name: 8-Port 10/100/1000Mbps Desktop Network Switch | Units per Pallet: 0 | Units per Shipping Box: 40 | Unit Calculated Volume:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

0.001235 | Unit Calculated Weight: 0.253

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950