

Cudy LT700 wireless router Gigabit Ethernet Dual-band (2.4 GHz 5 GHz) 4G White



Model: LT700 Outdoor_EU

Manufacturer: CUDY

EAN: 6971690793142

Product Code: 200071

R2,395

Detachable antenna(s): Yes | Short Message Service (SMS): Yes | DHCP server: Yes | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows 2000 | Ethernet LAN data rates: 1000 Mbit/s | Mac operating systems supported: Yes | DSL WAN: No | 3G standards: WCDMA | SIM card type: NanoSIM | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | International Protection (IP) code: IP65 | USB port: No | Power source type: PoE | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Ethernet LAN data rates: 100 | WLAN data transfer rate (first band): 300 Mbit/s | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows XP | Wall mountable: Yes | Ethernet LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes | Mounting kit: Yes | DHCP client: Yes | Operating temperature (T-T): -20 - 60 °C | Ethernet LAN data rates: 10 | DMZ support: Yes | Networking standards: IEEE 802.3af | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 98SE | Dual SIM support: No | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Port forwarding: Yes | Ethernet LAN (RJ-45) ports: 1 | Reset button: Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | WAN connection type: RJ-45 | Networking standards: IEEE 802.3at | Security algorithms: WPA2 | MIMO: Yes | Flash memory: 16 MB | Product colour: White | 2G standards: GSM | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Antennas quantity: 4 | Cabling technology: 10/100/1000Base-T(X) | Wi-Fi standards: Wi-Fi 4 (802.11n) | WLAN data transfer rate (second band): 867 Mbit/s | Wi-Fi standards: 802.11b | MU-MIMO technology: Yes | 2G standards: Edge | SIM card slot: Yes | Quick installation guide: Yes | Supported network protocols: IPv4 / IPv6 | Wi-Fi standards: 802.11a | 4G standard: LTE-TDD & LTE-FDD | Internal memory: 128 MB | Wi-Fi standards: 802.11g | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Ethernet WAN: Yes | Port triggering: Yes | Ethernet LAN: Yes | Maximum Tx power (2.4 GHz): 20 dBmW | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows 11 Enterprise | Windows operating systems supported: Windows 10 Enterprise x64 | Windows operating systems supported: Windows 10 x64 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Security algorithms: WEP | Windows operating systems supported: Windows

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Vista Enterprise | Windows operating systems supported: Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows 11 | Mobile network generation: 4G | Windows operating systems supported: Windows XP Professional x64 | Security algorithms: WPA2-PSK | WLAN data transfer rate (max): 867 Mbit/s | Security algorithms: WPA-PSK | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Wake-on-LAN ready: Yes | Security algorithms: WPA | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Product type: Desktop/pole router | Antenna gain level (max): 5 dBi | Cables included: LAN (RJ-45) | Antenna design: Internal & external | Linux operating systems supported: Yes | LED indicators: System, WLAN | Universal Plug and Play (UPnP): Yes | Windows operating systems supported: Windows 10 IoT Enterprise | PoE injector included: Yes | Wi-Fi Multimedia (WMM)/(WME): Yes

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950