

TP-Link Archer C80 wireless router Gigabit Ethernet Dual- band (2.4 GHz 5 GHz) Black



Model: Archer C80

Manufacturer: TP-LINK

EAN: 6935364088873

Product Code: 200193

R946

Security algorithms: 128-bit WEP | Security algorithms: WPA | Networking standards: IEEE 802.11a | Ethernet LAN data rates: 100 | Ethernet LAN data rates: 1000 Mbit/s | DHCP client: Yes | Ethernet LAN (RJ-45) ports: 5 | Security algorithms: WPA-PSK | Storage relative humidity (H-H): 5 - 90% | Networking standards: IEEE 802.11g | Networking standards: IEEE 802.11n | Security algorithms: WPA2-PSK | Networking standards: IEEE 802.11b | MAC address filtering: Yes | Power source type: DC | Stateful Packet Inspection (SPI): Yes | Product colour: Black | Package weight: 800 g | Operating temperature (T-T): 0 - 40 °C | Operating relative humidity (H-H): 10 - 90% | Security algorithms: 64-bit WEP | Security algorithms: WPA2 | LED indicators: LAN, Power, Status, WLAN, WPS | Storage temperature (T-T): -40 - 70 °C | Ethernet LAN data rates: 10 | AC adapter included: Yes | Networking standards: IEEE 802.11ac | DC-in jack: Yes | Reset button: Yes | Package width: 350 mm | Windows

operating systems supported: Windows Vista Enterprise | Windows operating systems supported:

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

Windows 8.1 Enterprise | Windows operating systems supported: Windows 7 Professional | Windows operating systems supported: Windows 7 | Windows operating systems supported: Windows 7 Home Basic | Windows operating systems supported: Windows 7 Ultimate | Windows operating systems supported: Windows XP Professional x64 | Windows operating systems supported: Windows Vista Business | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows Vista Ultimate | Windows operating systems supported: Windows 7 Ultimate x64 | Windows operating systems supported: Windows Vista | Windows operating systems supported: Windows 7 x64 | Windows operating systems supported: Windows Vista Home Basic x64 | Windows operating systems supported: Windows 7 Professional x64 | Windows operating systems supported: Windows Vista Home Basic | Windows operating systems supported: Windows 10 Home x64 | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 10 Enterprise | Windows operating systems supported: Windows Vista Home Premium | Windows operating systems supported: Windows XP Home | Windows operating systems supported: Windows 10 Home | Windows operating systems supported: Windows 7 Starter x64 | Windows operating systems supported: Windows NT | Windows operating systems supported: Windows Vista Home Premium x64 | Windows operating systems supported: Windows 10 Education x64 | Windows operating systems supported: Windows XP Home x64 | Windows operating systems supported: Windows 7 Home Premium x64 | Windows operating systems supported: Windows 7 Enterprise x64 | Windows operating systems supported: Windows Vista x64 | Windows operating systems supported: Windows 8 x64 | Windows operating systems supported: Windows Vista Business x64 | Windows operating systems supported: Windows 10 Education | Windows operating systems supported: Windows XP Professional | Windows operating systems supported: Windows 10 | Windows operating systems supported: Windows Vista Ultimate x64 | Windows operating systems supported: Windows 10 IOT Core | Windows operating systems supported: Windows 8 Enterprise x64 | Windows operating systems supported: Windows 8 Pro | Windows operating systems supported: Windows 7 Enterprise | Windows operating systems supported: Windows 10 Pro x64 | Windows operating systems supported: Windows 8 Enterprise | Windows operating systems supported: Windows 8 Pro x64 | Windows operating systems supported: Windows 8.1 Pro | Windows operating systems supported: Windows 10 Pro | Windows operating systems supported: Windows 7 Home Premium | Windows operating systems supported: Windows 7 Starter | Windows operating systems supported: Windows 7 Home Basic x64 | Windows operating systems supported: Windows 98SE | Windows operating systems supported: Windows Vista Enterprise x64 | Windows operating systems supported: Windows 8.1 Enterprise x64 | Windows operating systems supported: Windows 8.1 Pro x64 | Windows operating systems supported: Windows 8.1 x64 | Windows operating systems supported: Windows

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

10 Enterprise x64 | Windows operating systems supported: Windows XP | Windows operating systems supported: Windows 10 x64 | Port forwarding: Yes | Package height: 82 mm | Ethernet LAN: Yes | SIM card slot: No | DHCP server: Yes | DMZ support: Yes | Firewall: Yes | WLAN data transfer rate (first band): 1300 Mbit/s | Access Control List (ACL): Yes | Wi-Fi band: Dual-band (2.4 GHz / 5 GHz) | Transmit power: CE: 20dBm(2.4 GHz), 23dBm(5.15 GHz~5.25 GHz), FCC: 30dBm(2.4 GHz & 5 GHz) | Ethernet LAN interface type: Gigabit Ethernet | Dynamic DNS (DDNS): Yes | Mac compatibility: Yes | Mac operating systems supported: MacOS | WAN connection type: RJ-45 | Quick installation guide: Yes | WPS push button: Yes | Package depth: 240 mm | Detachable antenna(s): No | Cables included: LAN (RJ-45) | USB port: No | Wi-Fi standards: 802.11g | Wall mountable: Yes | Output voltage: 12 V | On/off switch: Yes | Wi-Fi standards: 802.11b | Cabling technology: 10/100/1000Base-T(X) | Wi-Fi standards: 802.11a | Antenna design: External | Guest access: Yes | Browser supported: Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0 | Wi-Fi standards: Wi-Fi 4 (802.11n) | Product type: Tabletop router | Antennas quantity: 4 | Cables included: AC | Ethernet WAN: Yes | Top Wi-Fi standard: Wi-Fi 5 (802.11ac) | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Universal Plug and Play (UPnP): Yes | Linux operating systems supported: Yes | WLAN data transfer rate (max): 1300 Mbit/s | Memory card slot(s): No | Warnings: Avoid contact with liquids as this may cause electric shock. | Warnings: Do not open the appliance housing - risk of electric shock. | Warnings: The product may emit radio waves that may interfere with other electronic devices.

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950