

## **TP-Link TL- SG1005P-PD network switch Gigabit Ethernet (10/100/1000) Power over Ethernet (PoE) Black**



Model: TL-SG1005P-PD

Manufacturer: TP-LINK

EAN: 4895252501117

Product Code: 200259

## **R829**

Certification: CE, FCC, RoHS | Total Power over Ethernet (PoE) budget: 66 W | Power over Ethernet (PoE) ports quantity: 5 | Power supply included: No | User guide: Yes | Power source: PoE | Copper ethernet cabling technology: 100BASE-TX | Copper ethernet cabling technology: 10BASE-T | Switching capacity: 10 Gbit/s | Copper ethernet cabling technology: 1000BASE-T | Depth: 101 mm | Auto MDI/MDI-X: Yes | Height: 25 mm | Number of fans: 0 fan(s) | Width: 158 mm | Cable types supported: Cat4 | Basic switching RJ-45 Ethernet ports quantity: 5 | Flow control support: Yes | Auto-negotiation: Yes | Cable types supported: Cat5 | Cable types supported: Cat5e | Cable types supported: Cat3 | Cable types supported: Cat6 | Wall mountable: Yes | MAC address auto-learning

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

supported: Yes | MAC address table: 2000 entries | 10G support: Yes | Forwarding rate: 7.44 Mpps | Basic switching RJ-45 Ethernet ports type: Gigabit Ethernet (10/100/1000) | MAC address auto-aging supported: Yes | IGMP snooping: Yes | Heat dissipation: 233.206 BTU/h | Fanless: Yes | Store-and-forward: Yes | Power over Ethernet (PoE): Yes | Networking standards: IEEE 802.3at | LED indicators: Yes | Package type: Box | Networking standards: IEEE 802.3af | Networking standards: IEEE 802.3bt | Storage relative humidity (H-H): 5 - 90% | Networking standards: IEEE 802.3x | Operating relative humidity (H-H): 10 - 90% | Storage temperature (T-T): -40 - 70 °C | Quality of Service (QoS) support: Yes | Power consumption (max): 68.59 W | Networking standards: IEEE 802.3i | Networking standards: IEEE 802.3ab | Networking standards: IEEE 802.1p | Product colour: Black | Operating temperature (T-T): -30 - 70 °C | Networking standards: IEEE 802.3u

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950