

## **DELL UltraSharp U2724D computer monitor 68.6 cm (27) 2560 x 1440 pixels Quad HD LCD Black, Silver**



Model: 210-BKVB

Manufacturer: DELL

EAN: 5397184821442

Product Code: 298939

## **R8,203**

Adjustable height (max): 15 cm | Compliance certificates: RoHS | Storage relative humidity (H-H): 5 - 90% | AC input voltage: 100 - 240 V | Input current: 1.6 A | Power consumption (typical): 23.9 W | Built-in USB hub: Yes | Operating altitude: 0 - 5000 m | Native aspect ratio: 16:9 | Response time: 8 ms | Quick start guide: Yes | Display brightness (typical): 350 cd/m<sup>2</sup> | HDCP: Yes | Tilt angle range: -5 - 21° | HDMI version: 2.1 | Package weight: 9.4 kg | Power consumption (max): 85 W | Cables included: AC | Depth (with stand): 192.3 mm | Power consumption (off): 0.3 W | Height (with stand): 535.6 mm | DisplayPort version: 1.4 | DisplayPorts quantity: 2 | Digital horizontal frequency: 30 - 178 kHz | Supported graphics resolutions: 2560 x 1440 | Supported graphics resolutions: 1280 x 720 (HD

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

720) | Supported graphics resolutions: 1600 x 1200 (UXGA) | Product colour: Black | Cables included: DisplayPort | Cables included: USB Type-A to USB Type-C | Supported graphics resolutions: 1920 x 1080 (HD 1080) | Supported graphics resolutions: 800 x 600 (SVGA) | Supported graphics resolutions: 2048 x 1080 | Supported graphics resolutions: 1280 x 1024 (SXGA) | Display resolution: 2560 x 1440 pixels | AC input frequency: 50/60 Hz | Supported graphics resolutions: 720 x 400 | Cable lock slot: Yes | Operating relative humidity (H-H): 10 - 80% | Operating temperature (T-T): 0 - 40 °C | Supported graphics resolutions: 640 x 480 (VGA) | Storage temperature (T-T): -20 - 60 °C | Supported graphics resolutions: 1152 x 864 (XGA+) | Display diagonal: 68.6 cm (27") | Screen shape: Flat | Supported graphics resolutions: 1600 x 900 | Supported graphics resolutions: 1024 x 768 (XGA) | HDMI ports quantity: 1 | Viewing angle, vertical: 178° | Charging port type: USB Type-C + USB Type-A | Digital vertical frequency: 48 - 120 Hz | Width (with stand): 612.2 mm | Cable lock slot type: Kensington | NVIDIA G-SYNC: No | HD type: Quad HD | Viewing angle, horizontal: 178° | Display number of colours: 1.07 billion colours | Pixel pitch: 0.2331 x 0.2331 mm | Energy efficiency class (HDR): Not available | AMD FreeSync: No | Pixel density: 108.97 ppi | Headphone connectivity: 3.5 mm | Energy consumption (SDR) per 1000 hours: 24 kWh | On Screen Display (OSD): Yes | Display technology: LCD | Wi-Fi: No | VESA mounting: Yes | sRGB coverage (typical): 100% | Maximum refresh rate: 120 Hz | Height adjustment: Yes | Sustainability certificates: ENERGY STAR | Sustainability certificates: TCO | Feet colour: Silver | Bezel width (bottom): 9.1 mm | Low Blue Light technology: Yes | Power consumption (standby): 0.5 W | Swivelling: Yes | Viewable size, vertical: 33.6 cm | Number of USB Type-C upstream ports quantity: 1 | Pivot angle: -90 - 90° | USB hub version: 3.2 Gen 2 (3.1 Gen 2) | Width (without stand): 612.2 mm | PC Audio in: No | Bezel width (side): 7.75 mm | Depth (without stand): 50.1 mm | Surface hardness: 3H | Microphone in: No | USB upstream port type: USB Type-C | Supported video modes: 480p | Supported video modes: 1080p | Front bezel colour: Black | High Dynamic Range (HDR) supported: No | Heavy metals free: Hg (mercury) | Viewable size, horizontal: 59.7 cm | Number of upstream ports: 1 | Tilt adjustment: Yes | Weight (without stand): 4.49 kg | Headphone outputs: 1 | Built-in speaker(s): No | Weight (with stand): 6.24 kg | Swivel angle range: -45 - 45° | Stylus included: No | DisplayPort cable length: 1.8 m | Plug and Play: Yes | Anti-glare screen: Yes | Power supply type: Internal | Cable management: Yes | Contrast ratio (typical): 2000:1 | AC (power) in: Yes | Colour gamut: 98% | Colour depth: 8 bit | Backlight type: Edge LED | Remote control included: No | HDCP version: 1.4 | Bezel width (top): 7.75 mm | Response time (fast): 5 ms | Power adapter included: Yes | Headphone out: Yes | Built-in camera: No | Pivot: Yes | Stand included: Yes | Doesn't contain: PVC/BFR | Supported video modes: 720p | Flicker-free technology: Yes | USB Type-C downstream ports quantity: 1 | Market positioning: Business |

**Supported video modes: 1080i | Sustainability compliance: Yes | Panel type: IPS | HDMI: Yes | Height**

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices

may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or

typographical errors. We recommend checking the current information before purchasing.

shop.cssi.co.za | sales@cssi.co.za | +27 (11)541-9950

(without stand): 352.5 mm | Supported video modes: 576p | Touchscreen: No | Display diagonal (metric): 68.47 cm | Non-operating altitude: 5000 - 12192 m | Panel mounting interface: 100 x 100 mm | USB Type-A downstream ports quantity: 3 | Energy efficiency class (SDR): F | Colour gamut standard: DCI-P3 | Total carbon emissions, standard deviation (kg of CO2e): 149 | Carbon emissions, end-of-life (kg of CO2e): 5.45 | Total carbon footprint (kg of CO2e): 605 | Carbon emissions, manufacturing (kg of CO2e): 376.92 | Carbon emissions, energy usage (kg of CO2e): 176.06 | Carbon emissions, logistics (kg of CO2e): 46.59 | PAIA version: PAIA 1.3.2, 2022

---

The product information provided is for reference purposes only. Technical specifications, photos, descriptions and prices may change without prior notice. The manufacturer and seller are not responsible for possible data discrepancies or typographical errors. We recommend checking the current information before purchasing.

[shop.cssi.co.za](http://shop.cssi.co.za) | [sales@cssi.co.za](mailto:sales@cssi.co.za) | +27 (11)541-9950